# Eastleigh Borough Council Preservation Order and Conservation Area Application Assessment Form

| | | |
|---|---|---|
| **Application Number** | T/16/79350 | |
| **Case Officer** | Matt Strand | |
| **Site Visit Date** | 29/11/2016 | |
| **Address** | Skylark Salterns Lane Bursledon Southampton SO31 8DH | |
| **Work notification/ request** | Crown lift & prune branches of 3no. Beech, fell 1no. Lime, 1no. Elm, 1no. Holm Oak, 1no. Plum, 1no. Oak, 1no. Bay, 1no. Holly, reduce 1no. Yew, 1no. Lilac, 1no. Portugal Laurel, 1no. Holly, 1no. Leyland, 2no. Cypress, remove epicormic growth to 1no. Lime. | |
| **Comments/ observations following site visit** | 1 x Beech tree (T8) only this tree is protected by a TPO, the rest of the trees are protected by the conservation area. The works proposed for this are deemed reasonable management with very little effect on the amenity and health of the tree. | |
| **Decision** | **Consent** | |
| **Conditions** | TPO Consent to-<br>1 x Beech tree (T8) - Crown lift by up to 5m from ground level, pruning secondary and tertiary branches only. Prune to provide up to 2m clearance from property. Live pruning wounds maximum live pruning wound of 100mm. | |
| **Notes to applicant** | N/a | |
| **Parish comments** | No Comment | |
| **Public objection/ support** | Support | Objection |
| | 0 | 0 |
| **Objection consideration** | N/a | |