Description of Works:

LG-009/10 CLASSROOM:

Floor: New carpet throughout

Walls: Generally paint/decorate remaining 3 fair faced block work walls.

Ceiling: Paint existing ceiling

Doors: new painted timber doors with Vision Panels and overhead closers (where indicated).

Windows: 3nr. new glazed windows.

Services: Mechanical Ventilation adapted to suit use
Replacement Lighting

New data and power as required for Classroom.

Brief Specification Notes:

Proprietary Mezzanine Floor:

Proprietary steel mezzanine storage floor:
Floor loadings: suggested 5.0kN/m2 - but all subject to verification by a structural engineer & Constabulary loading/storage requirements.
Deck Height: +3600mm - tbc
Decking 38mm particle board
Guarding: Key-Clamp style handrail with min. 100mm kickplate/upstand around all edges to deck and stair.
Caged Cat Ladder escape stair.
Fully compliant with relevant British Standards, and current Building Control Regulations





Mezzanine storage deck to sit above existing Portakabin - existing shelving adapted as described



LG-009 - to be converted into Classroom



KEY PLAN (not to scale)

Planning

Hampshire County Council

HCC Property Services,
Three Minsters House,
76 High Street, Winchester SO23 8UL.
tel: (01962) 847801

Notes

1 This drawing is © copyright Hampshire County Council 2014. No unauthorised reproduction permitted. All rights reserved.

2 No dimensions are to be scaled from this drawing

3 This map is reproduced from Ordnance Survey material with the permission of Ordnance Survey on behalf of the controller of Her Majesty's Stationery Office © Crown Copyright. Unauthorised reproduction infringes Crown Copyright and may lead to prosecution or civil proceedings. (100019180), (2014)

rev	description	date	by
A	Mezzanine loading increased to 5KN/m2	09.06.2014	JA

PROJECT
Netley Police Training HQ
Netley

SHEET CONTENTS
Inkerman Building
Internal Alterations
Lower Grd Floor - Proposed
Property Services

SCALE	DATE	DRAWN.	CHKD.	DRAWING No.	REVISION
@ A1 @ A3 1:200	14/05/14	JPA	---	E02717/001	A
				FILE REF. *File name*	