© Copyright: all rights reserved.
This drawing must not be reproduced without permission.
This drawing must be read in conjunction with all relevant consultant/ specialist drawings/information.
This drawing must not be used for construction unless issued for construction.
All dimensions on this drawing are in millimeters (unless otherwise stated).
Do not scale from this drawing

ASDA STORE

CAR WASH

CHESTNUT AVENUE

STEPS AND RAMP

New 'Parent & Child' / 'Disabled signs' back to back

New location for 'section 59 TCP sign'

New 'No Entry' Signs

New locationfor 'Disabled Parking' sign

New 'Spaces' Sign

New 'One Way' Sign

Proposed location of 2 relocated totem signs.

KEEP LEFT BOLLARD

New Location for 'Feature Sign'

Petrol Filling Station

PETROL TANKER ONLY

BOURNEMOUTH ROAD

T.B.

NO ENTRY

EXIT

GIVE WAY

SLOW

KEY:

- Extension to traffic Island to be topsoiled and turfed to match existing.
- Plane out 30mm and resurface in accordance with NBS Q22 cl 141.
  Surface Course: 30mm thickness
  Material: AC 10 surf SMA with PMB.
  Hardstone Aggregate to BS-EN13108-5 (minimum PSV 60)
- Plane out 30mm and resurface in accordance with NBS Q22 cl 141.
  Car Park Surface Course: 30mm thickness
  Material: AC 6 surf SMA with PMB.
  Hardstone Aggregate to BS-EN13108-5 (minimum PSV 60)
- Excavate existing footway area and provide full depth road construction in accordance with NBS Q22 cl 141:
  Surface Course: 30mm thickness
  Material: AC 10 surf SMA with PMB. Hardstone Aggregate to BS-EN13108-5 (minimum PSV 60).
  Binder Course: 50mm thickness
  Material: AC 20 bin 100/150 rec to BS-EN 13108-1:2006
  Base: 80mm thickness
  Material: AC32 bin 100/150 rec to BS-EN 13108-1:2006
  Granular Sub-Base: 300mm thickness of type 1 to clause 803 .
- New Lining Detail
- Overlay existing surfacing with New Full depth footway construction consisting of:
  20 thickness of AC 6 Surface 100/150
  Rec to BS-EN 13108-1: 2006
  45 thickness of AC 20 Binder 100/150
  Rec to BS-EN 13108-1: 2006
  85 thickness of granular type 1 sub base.
- Area behind new kerbline to be reinstated with soft landscaping (mulching / shrubs / small trees) to match existing.
- New Kerbing and channel blocks.
- Area of Anti-skid Surfacing (buff) on approach to roundabout to be refreshed
- Provide and Install new bollards within walkway (6 per section as detailed).
- New 400x400x50 tactile paviors (buff)

Rev	Date	Amendment

Status: PLANNING DWG

Project No	Dwg No	Rev
0456	SP01	A

Dwg Title: SP01 - SITE PLAN, PROPOSED LAYOUT REV A

Date	Scale
AUG 2012	1:500 @ A3
ATM	DBT

Project: ASDA EASTLEIGH

Client: ASDA

GPS Gleneagles Project Services
2 Pellon Place
Bradley Business Park
Dyson Wood Way
Huddersfield
HD2 1GT
Tel: 01484 422219
Fax: 01484 513617