



ONE HORTON HEATH, EASTLEIGH

FLOOD RISK ASSESSMENT

EASTLEIGH BOROUGH COUNCIL

PART 4 OF 5

APPENDICES 5 - 6

Document Reference: G277-DOC01-FRA-Issue 2

MAY 2021

PFA Consulting
Stratton Park House
Wanborough Road
Swindon
SN3 4HG

Tel: 01793 828000
Fax: 01793 835500
Email: admin@pfapl.com
Web: www.pfapl.com

engineering the future

From: [Partnership and Strategic Overview team, H10W](#)
To: dbuciak@pfaplc.com
Cc: [SSD Enquiries](#)
Subject: Flood Risk Information (Product 4) for Site at Horton Heath - Ref: SSD/172634
Date: 25 June 2020 15:53:44
Attachments: [Defences Map.pdf](#)
[Flood Map for Planning \(Rivers and Sea\).pdf](#)
[Levels Map.pdf](#)
[Risk of Flooding from Surface Water.pdf](#)
[Open Government Licence.pdf](#)
[Use of EA Information for FRAs.pdf](#)

Dear Daniel,

Enquiry regarding Product 4 for site at Horton Heath – Grid Ref: SU 48484 16962 and SU 48376 17205.

Thank you for your enquiry which was received on 21 May 2020.

We respond to requests under the Freedom of Information Act 2000 and Environmental Information Regulations 2004. The information is attached.

The site may be affected by an extreme flood. According to our published flood map, which provides a general estimate of the likelihood of flooding across England & Wales, the site is shown to be within Flood Zone 3 - an area which may have a 1% chance of flooding annually (1 in 100), **ignoring** the presence and effect of any flood defences.

The Environment Agency has no record of flooding to this area, please note our records are not comprehensive and may not include all events. I recommend contacting the Lead Local Flooding Authority, Hampshire County Council or the Local Authority, Eastleigh Borough Council for a more comprehensive flood history check.

Defences – See attached map.

Flood Levels – Please see the attached map showing the TUFLOW flood levels for your site. These levels have been taken from the Itchen Tributaries Modelling that was carried out in 2019 by JBA Consulting.

The flood risk data provided is based on existing EA hydraulic models for existing 0.5% annual probability events with an allowance for climate change. Please note the climate change allowances provided are not up to date. These were updated on 17 December 2019. You should refer to '[Flood risk assessments: climate change allowances](#)' for the most up to date allowances. You will need to undertake further assessment of future flood risk using different allowances to ensure your assessment of future flood risk is based on best available evidence.

[FRA advisory text](#)

Name	Product 4
Description	Basic / Detailed Flood Risk Assessment Map for site at Horton Heath – Grid Ref: SU 48484 16962 and SU 48376 17205.

Licence	Open Government Licence
Information Warnings	The majority of our models will not have the new climate change allowances. +20% is not suitable for the majority of planning purposes and the new allowances to use should be checked here: https://www.gov.uk/guidance/flood-risk-assessments-climate-change-allowances
Information Warning - OS background mapping	<i>The mapping of features provided as a background in this product is © Ordnance Survey. It is provided to give context to this product. The Open Government Licence does not apply to this background mapping. You are granted a non-exclusive, royalty free, revocable licence solely to view the Licensed Data for non-commercial purposes for the period during which the Environment Agency makes it available. You are not permitted to copy, sub-license, distribute, sell or otherwise make available the Licensed Data to third parties in any form. Third party rights to enforce the terms of this licence shall be reserved to OS.</i>
Attribution	Contains Environment Agency information © Environment Agency and/or database rights. Contains Ordnance Survey data © Crown copyright 2017 Ordnance Survey 100024198.

Data Available Online

Many of our flood datasets are available online:

- Flood Map For Planning ([Flood Zone 2](#), [Flood Zone 3](#), [Flood Storage Areas](#), [Flood Defences](#), [Areas Benefiting from Defences](#))
- [Risk of Flooding from Rivers and Sea](#)
- [Historic Flood Map](#)
- [Current Flood Warnings](#)

Does Your Proposal Have Environmental Issues or Opportunities? Speak To Us Early!

If you are planning a new project or development, we want to work with you to make the process as smooth as possible. Early engagement can improve subsequent planning applications to you and your clients' benefit and deliver environmental outcomes. For a cost recovery fee of £100 per hour plus VAT we will provide you with a project manager who will coordinate all meetings and reviews in order to give you detailed specialist advice with guaranteed delivery dates. More information can be found on our website [here](#).

Please get in touch if you have any further queries or contact us within two months if you'd like us to review the information we have sent.

Yours sincerely,

Aimee Etheridge
Partnership and Strategic Overview team, Hampshire and Isle of Wight
Environment Agency


Direct dial 020 8474 5815

Email psuhiow@environment-agency.gov.uk

-

Information in this message may be confidential and may be legally privileged. If you have received this message by mistake, please notify the sender immediately, delete it and do not copy it to anyone else. We have checked this email and its attachments for viruses. But you should still check any attachment before opening it. We may have to make this message and any reply to it public if asked to under the Freedom of Information Act, Data Protection Act or for litigation. Email messages and attachments sent to or from any Environment Agency address may also be accessed by someone other than the sender or recipient, for business purposes.

Flood Map for Planning (Rivers and Sea) Centred on Grid Ref: SU 48484 16962 - Created 25 June 2020



1: 10,000

0 Metres 250



Flood Map for Planning (Rivers & Sea)

- Defences
- Flood Storage Areas
- Areas benefiting from flood defences
- Flood Zone 3
- Flood Zone 2


Flood Map Areas (assuming no defences)

Flood Zone 3 shows the area that could be affected by flooding:

- from the sea with a 1 in 200 or greater chance of happening each year
- or from a river with a 1 in 100 or greater chance of happening each year.

Flood Zone 2 shows the extent of an extreme flood from rivers or the sea with up to a 1 in 1000 chance of occurring each year.

Risk of flooding from Surface Water Centred on Grid Ref: SU 48484 16962 - Created 25 June 2020



1: 10,000

0 Metres 250



Likelihood of flooding from Surface Water

- High ($\geq 3.3\%$)
- Medium (3.3% - 1%)
- Low (1% - 0.1%)
- Very Low

Likelihood of flooding from Surface Water

- High: Greater than or equal to 3.3% (1 in 30) chance in any given year
- Medium: Less than 3.3% (1 in 30) but greater than or equal to 1% (1 in 100) chance in any given year
- Low: Less than 1% (1 in 100) but greater than or equal to 0.1% (1 in 1,000) chance in any given year
- Very Low: Less than 0.1% (1 in 1,000) chance in any given year

This information is shown on the Risk of Flooding from Surface Water map on GOV.UK.

Defences Centred on Grid Ref: SU 48484 16962 - Created 24 June 2020



Legend


ASSET_ID

- 9940
- 64689
- 139052
- 170902
- 185111
- 186082

Asset Id	Asset Sub-type	Length (m)	Asset Maintainer	Actual Condition	Estimated SoP	Last Inspection Date
9940	high_grou	140.43	unknown	Fair	1:25	25/03/2014
64689	high_grou	4720.94	unknown	Fair	1:25	25/03/2014
139052	high_grou	4729.02	unknown	Fair	1:25	26/03/2014
170902	high_grou	1112.19	unknown	Fair		25/03/2014
185111	high_grou	1095.84	unknown	Fair	1:25	25/03/2014
186082	high_grou	144.32	unknown	Fair	1:25	26/03/2014

1:7,721 *

*when printed at A4.



Modelled Levels Centred on Grid Ref: SU 48484 16962 - Created 24 June 2020



Legend

- Location Points
- Flood Zone 3
- Flood Zone 2

Flood Map Areas (assuming no defences)

Flood Zone 3


Shows the area that could be affected by flooding:
- from the sea with an 1 in 200 or greater chance of happening each year.
- or from a river with a 1 in 100 or greater chance of happening each year.

Flood Zone 2

Shows the extent of an extreme flood from rivers of the sea with up to a 1 in 1000 chance of occurring each year.

1:3,000 *

*when printed at A4.



Water Depths & Levels for Site at Horton Heath

Point	Water Surface Level (mAOD*)					
	5% Annual Probability/1 in 20 Year	1% Annual Probability/1 in 100 Year (Flood Zone 3)	1% Annual Probability/1 in 100 Year + 35% Climate Change	1% Annual Probability/1 in 100 Year + 45% Climate Change	1% Annual Probability/1 in 100 Year + 105% Climate Change	0.1% Annual Probability/1 in 1000 Year (Flood Zone 2)
1	14.12	14.30	14.38	14.39	14.48	14.48
2	14.23	14.38	14.45	14.47	14.55	14.56
3	14.33	14.45	14.52	14.53	14.61	14.62
4	14.45	14.55	14.62	14.63	14.71	14.72
5	15.05	15.15	15.20	15.22	15.29	15.29
6	15.15	15.24	15.28	15.29	15.35	15.35
7	No data	15.32	15.30	15.37	15.42	15.42
8	15.38	15.44	15.47	15.48	15.51	15.51
9	No data	15.50	15.51	15.51	15.53	15.53
10	15.52	15.57	15.58	15.59	15.61	15.61
11	15.61	15.64	15.65	15.65	15.67	15.67
12	15.62	15.65	15.67	15.67	15.68	15.68

* Levels in metres above Ordnance Datum Newlyn

From: [Partnership and Strategic Overview team, HIOW](#)
To: dbuciak@pfaplc.com
Cc: [SSD Enquiries](#)
Subject: Flood Risk Information (Product 4) for Horton Heath - Ref: SSD/178449
Date: 24 July 2020 08:58:54
Attachments: [Flood Map for Planning \(Rivers and Sea\).pdf](#)
[Levels Map.pdf](#)
[Risk of Flooding from Surface Water.pdf](#)
[Defences Map.pdf](#)
[Open Government Licence.pdf](#)
[Use of EA Information for FRAs.pdf](#)

Dear Daniel,

Enquiry regarding Product 4 for site at Horton Heath – Grid Ref: SU 448499, 117709

Thank you for your enquiry which was received on 8 July 2020.

We respond to requests under the Freedom of Information Act 2000 and Environmental Information Regulations 2004. The information is attached.

The site may be affected by an extreme flood. According to our published flood map, which provides a general estimate of the likelihood of flooding across England & Wales, the site is shown to be within Flood Zone 3 - an area which may have a 1% chance of flooding annually (1 in 100), **ignoring** the presence and effect of any flood defences.

The Environment Agency has no record of flooding to this area, please note our records are not comprehensive and may not include all events. I recommend contacting the Lead Local Flooding Authority, Hampshire County Council or the Local Authority, Eastleigh Borough Council for a more comprehensive flood history check.

Defences – See attached map.

Flood Levels – Please see the attached map showing the TUFLOW flood levels for your site. These levels have been taken from the Itchen Tributaries Modelling that was carried out in 2019 by JBA Consulting.

The flood risk data provided is based on existing EA hydraulic models for existing 0.5% annual probability events with an allowance for climate change. Please note the climate change allowances provided are not up to date. These were updated on 17 December 2019. You should refer to '[Flood risk assessments: climate change allowances](#)' for the most up to date allowances. You will need to undertake further assessment of future flood risk using different allowances to ensure your assessment of future flood risk is based on best available evidence.

[FRA advisory text](#)

Name	Product 4
Description	Basic / Detailed Flood Risk Assessment Map for site at Horton Heath – Grid Ref: 448499, 117709

Licence	Open Government Licence
Information Warnings	The majority of our models will not have the new climate change allowances. +20% is not suitable for the majority of planning purposes and the new allowances to use should be checked here: https://www.gov.uk/guidance/flood-risk-assessments-climate-change-allowances
Information Warning - OS background mapping	<i>The mapping of features provided as a background in this product is © Ordnance Survey. It is provided to give context to this product. The Open Government Licence does not apply to this background mapping. You are granted a non-exclusive, royalty free, revocable licence solely to view the Licensed Data for non-commercial purposes for the period during which the Environment Agency makes it available. You are not permitted to copy, sub-license, distribute, sell or otherwise make available the Licensed Data to third parties in any form. Third party rights to enforce the terms of this licence shall be reserved to OS.</i>
Attribution	Contains Environment Agency information © Environment Agency and/or database rights. Contains Ordnance Survey data © Crown copyright 2017 Ordnance Survey 100024198.

Data Available Online

Many of our flood datasets are available online:

- Flood Map For Planning ([Flood Zone 2](#), [Flood Zone 3](#), [Flood Storage Areas](#), [Flood Defences](#), [Areas Benefiting from Defences](#))
- [Risk of Flooding from Rivers and Sea](#)
- [Historic Flood Map](#)
- [Current Flood Warnings](#)

Does Your Proposal Have Environmental Issues or Opportunities? Speak To Us Early!

If you are planning a new project or development, we want to work with you to make the process as smooth as possible. Early engagement can improve subsequent planning applications to you and your clients' benefit and deliver environmental outcomes. For a cost recovery fee of £100 per hour plus VAT we will provide you with a project manager who will coordinate all meetings and reviews in order to give you detailed specialist advice with guaranteed delivery dates. More information can be found on our website [here](#).

Please get in touch if you have any further queries or contact us within two months if you'd like us to review the information we have sent.

Yours sincerely,

Aimee Etheridge
Partnership and Strategic Overview team, Hampshire and Isle of Wight
Environment Agency

Direct dial 020 8474 5815


Email psuhiow@environment-agency.gov.uk

-

Information in this message may be confidential and may be legally privileged. If you have received this message by mistake, please notify the sender immediately, delete it and do not copy it to anyone else. We have checked this email and its attachments for viruses. But you should still check any attachment before opening it. We may have to make this message and any reply to it public if asked to under the Freedom of Information Act, Data Protection Act or for litigation. Email messages and attachments sent to or from any Environment Agency address may also be accessed by someone other than the sender or recipient, for business purposes.

Flood Map for Planning (Rivers and Sea) Centred on Grid Ref: 448499, 117709

Created 23 July 2020



1: 10,000

0 Metres 250



Flood Map for Planning (Rivers & Sea)

- Defences
- Flood Storage Areas
- Areas benefiting from flood defences
- Flood Zone 3
- Flood Zone 2

Flood Map Areas (assuming no defences)


Flood Zone 3 shows the area that could be affected by flooding:

- from the sea with a 1 in 200 or greater chance of happening each year
- or from a river with a 1 in 100 or greater chance of happening each year.

Flood Zone 2 shows the extent of an extreme flood from rivers or the sea with up to a 1 in 1000 chance of occurring each year.

Risk of flooding from Surface Water Centred on Grid Ref: 448499, 117709

Created 23 July 2020



1: 10,000

0 Metres 250



Likelihood of flooding from Surface Water

- High ($\geq 3.3\%$)
- Medium (3.3% - 1%)
- Low (1% - 0.1%)
- Very Low

Likelihood of flooding from Surface Water

- High: Greater than or equal to 3.3% (1 in 30) chance in any given year
- Medium: Less than 3.3% (1 in 30) but greater than or equal to 1% (1 in 100) chance in any given year
- Low: Less than 1% (1 in 100) but greater than or equal to 0.1% (1 in 1,000) chance in any given year
- Very Low: Less than 0.1% (1 in 1,000) chance in any given year

This information is shown on the Risk of Flooding from Surface Water map on GOV.UK.

Defences Centred on Grid Ref: SU 448499, 117709 - Created 24 July 2020



Legend


ASSET_ID

- 9940
- 64689
- 139052
- 170902
- 185111
- 186082


Asset Id	Asset Sub-type	Length (m)	Asset Maintainer	Actual Condition	Estimated SoP	Last Inspection Date
9940	high_grou	140.43	unknown	Fair	1:25	25/03/2014
64689	high_grou	4720.94	unknown	Fair	1:25	25/03/2014
139052	high_grou	4729.02	unknown	Fair	1:25	26/03/2014
170902	high_grou	1112.19	unknown	Fair		25/03/2014
185111	high_grou	1095.84	unknown	Fair	1:25	25/03/2014
186082	high_grou	144.32	unknown	Fair	1:25	26/03/2014

1:7,721 *

*when printed at A4.



Modelled Flood Levels Centred on Grid Ref 448499 117709 - Created 22 July 2020



Legend

- Location Points
- Flood Zone 3
- Flood Zone 2

Flood Map Areas (assuming no defences)

Flood Zone 3


Shows the area that could be affected by flooding:
- from the sea with an 1 in 200 or greater chance of happening each year.
- or from a river with a 1 in 100 or greater chance of happening each year.

Flood Zone 2

Shows the extent of an extreme flood from rivers of the sea with up to a 1 in 1000 chance of occurring each year.

1:3,094 *

*when printed at A4.



Water Depths & Levels for Site at Horton Heath

Point	Water Surface Level (mAOD*)					
	5% Annual Probability/1 in 20 Year	1% Annual Probability/1 in 100 Year (Flood Zone 3)	1% Annual Probability/1 in 100 Year + 35% Climate Change	1% Annual Probability/1 in 100 Year + 45% Climate Change	1% Annual Probability/1 in 100 Year + 105% Climate Change	0.1% Annual Probability/1 in 1000 Year (Flood Zone 2)
1	14.24	14.32	14.36	14.36	14.41	14.39
2	14.32	14.42	14.46	14.48	14.54	14.52
3	14.33	14.42	14.48	14.49	14.56	14.53
4	No Data	14.67	14.72	14.75	14.85	14.81
5	No Data	No Data	14.89	14.92	15.02	14.99
6	15.01	15.13	15.25	15.27	15.37	15.33
7	15.04	15.16	15.27	15.29	15.37	15.34
8	15.04	15.17	15.28	15.30	15.39	15.35
9	15.04	15.17	15.28	15.29	15.39	15.35
10	15.04	15.17	15.28	15.29	15.38	15.35
11	No Data	15.17	15.28	15.30	15.40	15.36
12	No Data	15.22	15.33	15.35	15.45	15.41
13	No Data	15.42	15.49	15.50	15.60	15.56
14	No Data	15.52	15.59	15.61	15.72	15.67
15	No Data	15.70	15.76	15.78	15.89	15.84
16	No Data	15.88	15.95	15.97	16.10	16.04
17	16.01	16.01	16.36	16.39	16.54	16.48
18	17.13	17.13	17.23	17.24	17.30	17.28
19	17.23	17.23	17.40	17.41	17.52	17.48
20	17.15	17.15	17.28	17.29	17.37	17.34

* Levels in metres above Ordnance Datum Newlyn

Use of Environment Agency Information for Flood Risk Assessments

Important

The Environment Agency are keen to work with partners to enable development which is resilient to flooding for its lifetime and provides wider benefits to communities. If you have requested this information to help inform a development proposal, then we recommend engaging with us as early as possible by using the pre-application form available from our website:

<https://www.gov.uk/government/publications/pre-planning-application-enquiry-form-preliminary-opinion>

We recognise the value of early engagement in development planning decisions. This allows complex issues to be discussed, innovative solutions to be developed that both enables new development and protects existing communities. Such engagement can often avoid delays in the planning process following planning application submission, by reaching agreements up-front. We offer a charged pre-application advice service for applicants who wish to discuss a development proposal.

We can also provide a preliminary opinion for free which will identify environmental constraints related to our responsibilities including flooding, waste, land contamination, water quality, biodiversity, navigation, pollution, water resources, foul drainage or Environmental Impact Assessment.

In preparing your planning application submission, you should refer to the Environment Agency's Flood Risk Standing Advice and the Planning Practice Guidance for information about what flood risk assessment is needed for new development in the different Flood Zones. This information can be accessed via:

<https://www.gov.uk/flood-risk-assessment-standing-advice>
<http://planningguidance.planningportal.gov.uk/>

You should also consult the Strategic Flood Risk Assessment or other relevant materials produced by your local planning authority.

You should note that:

1. Information supplied by the Environment Agency may be used to assist in producing a Flood Risk Assessment (FRA) where one is required, but does not constitute such an assessment on its own.
2. This information covers flood risk from main rivers and the sea, and you will need to consider other potential sources of flooding, such as groundwater or surface water runoff. Information produced by the local planning authority referred to above may assist here.
3. Where a planning application requires an FRA and this is not submitted or is deficient, the Environment Agency may raise an objection.



Open Government Licence

for public sector information

You are encouraged to use and re-use the Information that is available under this licence freely and flexibly, with only a few conditions.

Using Information under this licence

Use of copyright and database right material expressly made available under this licence (the 'Information') indicates your acceptance of the terms and conditions below.

The Licensor grants you a worldwide, royalty-free, perpetual, non-exclusive licence to use the Information subject to the conditions below.

This licence does not affect your freedom under fair dealing or fair use or any other copyright or database right exceptions and limitations.

You are free to:

- ✓ copy, publish, distribute and transmit the Information;
- ✓ adapt the Information;
- ✓ exploit the Information commercially and non-commercially for example, by combining it with other Information, or by including it in your own product or application.

You must (where you do any of the above):

- ⚠ acknowledge the source of the Information in your product or application by including or linking to any attribution statement specified by the Information Provider(s) and, where possible, provide a link to this licence;

If the Information Provider does not provide a specific attribution statement, you must use the following:

Contains public sector information licensed under the Open Government Licence v3.0.

If you are using Information from several Information Providers and listing multiple attributions is not practical in your product or application, you may include a URI or hyperlink to a resource that contains the required attribution statements.

These are important conditions of this licence and if you fail to comply with them the rights granted to you under this licence, or any similar licence granted by the Licensor, will end automatically.



Exemptions

This licence does not cover:

- personal data in the Information;
- Information that has not been accessed by way of publication or disclosure under information access legislation (including the Freedom of Information Acts for the UK and Scotland) by or with the consent of the Information Provider;
- departmental or public sector organisation logos, crests and the Royal Arms except where they form an integral part of a document or dataset;
- military insignia;
- third party rights the Information Provider is not authorised to license;
- other intellectual property rights, including patents, trade marks, and design rights; and
- identity documents such as the British Passport

Non-endorsement

This licence does not grant you any right to use the Information in a way that suggests any official status or that the Information Provider and/or Licensor endorse you or your use of the Information.

No warranty

The Information is licensed 'as is' and the Information Provider and/or Licensor excludes all representations, warranties, obligations and liabilities in relation to the Information to the maximum extent permitted by law.

The Information Provider and/or Licensor are not liable for any errors or omissions in the Information and shall not be liable for any loss, injury or damage of any kind caused by its use. The Information Provider does not guarantee the continued supply of the Information.

Governing Law

This licence is governed by the laws of the jurisdiction in which the Information Provider has its principal place of business, unless otherwise specified by the Information Provider.

Definitions

In this licence, the terms below have the following meanings:

'Information' means information protected by copyright or by database right (for example, literary and artistic works, content, data and source code) offered for use under the terms of this licence.

'Information Provider' means the person or organisation providing the Information under this licence.

'Licensor' means any Information Provider which has the authority to offer Information under the terms of this licence or the Keeper of Public Records, who has the authority to offer Information subject to Crown copyright and Crown database rights and Information subject to copyright and database right that has been assigned to or acquired by the Crown, under the terms of this licence.

'Use' means doing any act which is restricted by copyright or database right, whether in the original medium or in any other medium, and includes without limitation distributing, copying, adapting, modifying as may be technically necessary to use it in a different mode or format.

'You', 'you' and 'your' means the natural or legal person, or body of persons corporate or incorporate, acquiring rights in the Information (whether the Information is obtained directly from the Licensor or otherwise) under this licence.

About the Open Government Licence

The National Archives has developed this licence as a tool to enable Information Providers in the public sector to license the use and re-use of their Information under a common open licence. The National Archives invites public sector bodies owning their own copyright and database rights to permit the use of their Information under this licence.

The Keeper of the Public Records has authority to license Information subject to copyright and database right owned by the Crown. The extent of the offer to license this Information under the terms of this licence is set out in [the UK Government Licensing Framework](#).

This is version 3.0 of the Open Government Licence. The National Archives may, from time to time, issue new versions of the Open Government Licence. If you are already using Information under a previous version of the Open Government Licence, the terms of that licence will continue to apply.

These terms are compatible with the Creative Commons Attribution License 4.0 and the Open Data Commons Attribution License, both of which license copyright and database rights. This means that when the Information is adapted and licensed under either of those licences, you automatically satisfy the conditions of the OGL when you comply with the other licence. The OGLv3.0 is Open Definition compliant.

Further context, best practice and guidance can be found in the [UK Government Licensing Framework section](#) on The National Archives website.



[Go to the version 1 of the licence.](#)

[Go to the version 2 of the licence.](#)

[Go to the Welsh version of the licence.](#)



Strategic SuDS Features Schedule							
Strategic SuDS Feature	Contributing Catchment (ha)	% of Impermeability	Q ₁₀₀ for Catchment (l/s)	1 in 1 Year Storage Volume (m ³)	1 in 1 Year Resulting Discharge (l/s)	1 in 100-40% CC Storage Volume (m ³)	1 in 100-40% CC Resulting Discharge (l/s)
A	2.037	65	18.4	165	17.8	802	18.3
	0.260	100					
B	3.750	65	30.0	260	28.1	1224	29.9
C	6.808	65	54.5	405	50.1	2172	54.4
D	2.381	65	27.1	244	23.7	1112	27
	3.650	65					
E	0.382	100	32.3	337	24.8	1706	32.3
F	3.360	65	26.9	241	23.9	1103	26.9
G	2.762	65	41.5	267	34.7	1450	40.3
	2.415	50					
H	1.603	30					
	0.409	100	70.8	683	44.1	2694	70.8
I	6.831	65					
	1.556	65	29.6	314	26.7	1339	28.7
J	2.139	65					
K	1.696	65	13.6	127	11.0	560	13.5
L	3.884	65	39.6	433	32.5	1860	39.5
M	1.046	100					
	2.213	65	17.7	156	16.2	728	17.7
N	5.759	65	46.1	477	31.1	1924	46.0
EM(Employment)	2.029	85	16.3	150	15.5	878	16.3

Stratton Park House, Wanborough Road
Swindon, SN3 4HG


Telephone
01793 828000
Website
www.pfaplcp.com

For Planning
This drawing is produced for the purposes of supporting a planning application and should not be relied upon for tender, pricing, or construction purposes.

- NOTES
- This drawing should be read in conjunction with PFA Consulting's Flood Risk Assessment (Doc ref G277-0001 FRA - Issue 2) dated May 2021.
 - This drawing is based on the Topographical Survey undertaken by Meyer Brown Limited, Drawing No:R.SAV.1.21.1, Rev E, dated 05 May 2014.
 - This site layout is based on Thrive's Concept Masterplan, Drawing number EAST200403 CMP 01 Rev P13, dated 04.12.20
 - Main River designation based on Flood Map for Planning.
 - All SuDS features shown on this drawing are subject to detailed design.
 - Typical Layout of Strategic SuDS Features to Inform Detailed Design shown on drawing number G277/23.
 - Detailed design of highway drainage features to provide attenuation and restrict flow to the downstream watercourse system. Sufficient attenuation should be provided to ensure discharge rates are restricted for all return periods up to the 100 year design event, including an appropriate allowance for climate change. Refer to PFA's Flood Risk Assessment (dated My 2021) document for guidance on flow rate restrictions.

Key

- Risk of Flooding from Surface Water Outfall
- Basin Catchment Allocation
- Q100+1050C Flood Outlines
- Q100+450C Flood Outlines
- Indicative Location of Foul Water Sewage Pumping Station with 10m water effect
- 5m Maintenance Access from Ordinary Watercourse
- 8m Maintenance Access offset from Main Rivers
- Opportunity for waste conveyance feature
- Direction of Excessance Flows
- Outlet from SuDS Feature to be conveyance swale where feasible
- Indicative Proposed Foul Rising Main
- Indicative Proposed Strategic Foul Sewer
- Indicative Foul flow direction



Rev	Date	Description	Drawn	Check
#	27/11/20	First Issue	DAB	SAM
A	11/12/20	Revised to latest Masterplan & link road design	DAB	SAM
B	20/05/21	Revised following EA comments	DAB	MWS
C	21/05/21	Updated Proposed Foul sewer routes	DAB	SAM

Status
FOR PLANNING

Client
Eastleigh Borough Council

Project
One Horton Heath Hampshire

Drawing Title
Preliminary Water Management Strategy Plan (Sheet 1 of 2)

Drawing No. **G277/21** Rev C
Date: November 2020 Scale: 1:1250 @ AO
E-Mail: DBuciak@pfaplcp.com



Watercourse Crossing
Crossing requires a clear span of channel with soffit set to a minimum of 600mm above the 1 in 100 year flood level with an appropriate allowance for climate change.
Detailed design to include Level for Level Flood Plain Compensatory Storage.

Proposed location of highway drainage feature. Refer to Note 7.

SOLAR FARM

Existing Drainage Ditch to be aligned with layout (subject to detail design)

SuDS feature serving Southern Access. Part of infrastructure works to be implemented under Planning Permission X/19/86475 : (0/14/75735)

Offsite Foul Sewer connection proposed via Bubbs Lane to existing 525mm Foul Water Sewer located at Grange Road/Lacks Road roundabout (node SU4913 3703)

Strategic SuDS Features Schedule							
Strategic SuDS Feature	Contributing Catchment (ha)	% of impermeability	Q ₁₀₀ for Catchment (l/s)	1 in 1 Year Storage Volume (m³)	1 in 1 Year Resulting Discharge (l/s)	1 in 100+40%CC Storage Volume (m³)	1 in 100+40%CC Resulting Discharge (l/s)
A	2.037	65	18.4	165	17.8	802	18.3
	0.260	100					
B	3.750	65	30.0	260	28.1	1224	29.9
C	6.808	65	54.5	405	50.1	2172	54.4
D	3.381	65	27.1	244	23.7	1112	27
E	3.650	65	32.3	337	24.8	1706	32.3
	0.382	100					
F	3.360	65	26.9	241	23.9	1103	26.9
G	2.762	65	41.5	267	34.7	1450	40.3
	2.415	50					
H	1.603	30	70.8	683	44.1	2694	70.8
	0.409	100					
I	6.831	65	29.6	314	26.7	1339	28.7
	1.556	65					
J	2.139	65	13.6	127	11.0	560	13.5
K	1.696	65	39.6	433	32.5	1860	39.5
L	3.894	65	17.7	156	16.2	728	17.7
	1.046	100					
M	2.213	65	46.1	477	31.1	1924	46.0
N	5.759	65	16.3	150	15.5	878	16.3
EM(Employment)	2.029	85					

Stratton Park House, Wanborough Road
Swindon, SN3 4HG

Telephone
01793 828000

Website
www.pfapl.com

For Planning
This drawing is produced for the purposes of supporting a planning application and should not be relied upon for tender, pricing, or construction purposes.

- NOTES**
- This drawing should be read in conjunction with PFA Consulting's Flood Risk Assessment (Doc ref G277-0001 FRA - Issue 2) dated May 2021.
 - This drawing is based on the Topographical Survey undertaken by Mayer Brown Limited, Drawing No:IR.SAV.1.21.1, Rev E, dated 05 May 2014.
 - This site layout is based on Thrive's Concept Masterplan, Drawing number EAST200403 CMP 01 Rev P13, dated 04.12.20
 - Main River designation based on Flood Map for Planning.
 - All SuDS features shown on this drawing are subject to detailed design.
 - Typical Layout of Strategic SuDS Features to Inform Detailed Design shown on drawing number G277/23.
 - Detailed design of highway drainage features to provide attenuation and restrict flow to the downstream watercourse system. Sufficient attenuation should be provided to ensure discharge rates are restricted for all return periods up to the 100 year design event, including an appropriate allowance for climate change. Refer to PFA's Flood Risk Assessment (dated May 2021) document for guidance on flow rate restrictions.

- Key**
- Risk of Flooding from Surface Water Outfall
 - Basin Catchment Allocation
 - Q100 + 100CC Flood Outlines
 - Q100 + 40CC Flood Outlines
 - Indicative Location of Foul Water Sewage Pumping Station with 10m buffer offset
 - 5m Maintenance Access from Ordinary Watercourse
 - 8m Maintenance Access offset from Main Rivers
 - Opportunity for waste conveyance feature
 - Direction of Excessance Flows
 - Outlet from SuDS Feature to be conveyance swale where feasible
 - Indicative Proposed Foul Rising Main
 - Indicative Proposed Strategic Foul Sewer
 - Indicative Foul flow direction

Sheet Key

Status	
FOR PLANNING	
Client	
Eastleigh Borough Council	
Project	
One Horton Heath Hampshire	
Drawing Title	
Preliminary Water Management Strategy Plan (Sheet 2 of 2)	
Drawing No. G277/22 Rev C	
Date: November 2020	Scale: 1:1250 @ AO
E-Mail: DBuciak@pfapl.com	