

BS5837:2012 Tree Survey

John Shutler Tree Services

Client: Mr D Taylor
 Project: 11 Lionheart Way, Bursledon, Southampton
 Survey Date: 12/05/2021
 Surveyor: John Shutler



St Mawes
 Bashley Common Road
 Bashley
 Hampshire
 BH255SG
 Phone: 01590690456

Tree and Tag No Species	Hght (m)	Stems		Crown		Age	RP A (m) R (m)	Phys Condition	Structural Condition	Preliminary Recommendations Survey Comment	Cat ERC
		No	Ø (mm)	Spread (m)	Clear (m)						
T1 Common Alder <i>Alnus glutinosa</i>	8	1	260	N E S W	3 3 3 3	Dead	A: 30.6 R: 3.12	Dead	C: Poor S: Poor B: Poor	Fell :: Unspecified Dead tree	U n/a
T2 Sycamore <i>Acer pseudoplatanus</i>	14	3	598 (Eq)	N E S W	5 5 6 4	M	A: 161.8 R: 7.17	Good	C: Good S: Good B: Fair	Reduce crown(s) :: Unspecified Tree positioned on boundary. Multi-stemmed from ground level. Reduce crown extending over boundary by circa 2m. Crown lift by the removal of x3 lowest branches on eastern aspect	C.2 20 to 40 yrs
T3 Silver Birch <i>Betula pendula</i>	15	1	350	N E S W	4 5 3 2	M	A: 55.4 R: 4.19	Good	C: Good S: Good B: Fair	Raise low canopy :: To 5.0m Crown weighted predominantly towards property. Tree positioned on opposite side of ditch to site. Crown lift to 5m over property	C.2 10 to 20 yrs
T4 Silver Birch <i>Betula pendula</i>	15	1	270	N E S W	3 3 3 1	M	A: 33 R: 3.24	Good	C: Good S: Good B: Good	Tree positioned on opposite side of ditch to site	Estimated Measurements C.2 10 to 20 yrs
Age Classifications: N Newly planted EM Early Mature Y Young M Mature SM Semi-mature OM Over Mature Condition: C Crown S Stem B Basal area Stems: Ø Diameter (Eq) Equivalent stem diameter using BS5837:2012 definition ERC: Estimated Remaining Contribution											

Page 1 13

TreeMinder
 John Shutler Tree Services

15 May 2021

Tree and Tag No Species	Hght (m)	Stems		Crown		Age	RP A (m) R (m)	Phys Condition	Structural Condition	Preliminary Recommendations Survey Comment	Cat ERC
		No	Ø (mm)	Spread (m)	Clear (m)						
T5 Sycamore <i>Acer pseudoplatanus</i>	16	3	577 (Eq)	N E S W	5 5 5 5	M	A: 150.7 R: 6.92	Good	C: Good S: Fair B: Poor	Reduce crown(s) :: Unspecified Multiple stems from ground level Tree dominates small garden overhanging circa 50%. Reduce crown overhanging boundary by up to 2.5m Position of tree is unsuitable for long term retention and removal should be considered in the long-term pending separate application to LPA	Estimated Measurements C.2 10 to 20 yrs
T6 Sweet Chestnut <i>Castanea sativa</i>	5	1	180	N E S W	3 2 4 2	SM	A: 14.7 R: 2.16	Good	C: Good S: Good B:		Estimated Measurements C.2 10 to 20 yrs
T7 Sycamore <i>Acer pseudoplatanus</i>	6	1	180	N E S W	3 2 4 2	SM	A: 14.7 R: 2.16	Good	C: Good S: Good B:		Estimated Measurements C.2 10 to 20 yrs
Age Classifications: N Newly planted EM Early Mature Y Young M Mature SM Semi-mature OM Over Mature Condition: C Crown S Stem B Basal area Stems: Ø Diameter (Eq) Equivalent stem diameter using BS5837:2012 definition ERC: Estimated Remaining Contribution											

Page 2 14

TreeMinder
 John Shutler Tree Services

15 May 2021