

EASTLEIGH BOROUGH COUNCIL



Itchen Valley Country Park, Allington Lane, Eastleigh

Hard Materials Schedule and Outline Bill of Quantities



Stage 4 Issue

Prepared by	SL
Checked by	KM
Date	4 th October 2022
Reference	LLD2475-LAN-SCH-002
Revision	02

Note: 'Equal and approved'. All alternatives to proposed materials and suppliers shall be fit for purpose, of equal performance and be approved by Lizard Landscape Design and Ecology/ Landscape Architect.

KERBS AND EDGINGS								
ITEM	LOCATION	PROPOSED PRODUCT	SIZE	COLOUR & FINISH	PROPOSED SUPPLIER	CONTACT DETAILS	QUANTITY	IMAGE
Metal Edge (K1)	To Resin Bound Surfaces	'ExcelEdge AluExcel'	Depth varies	Mill Finish	Kinley	https://www.kinley.co.uk/ Tel: +44 (0)1580 830688 Email: sales@kinley.co.uk	368 m	
Pre-cast Concrete Road Kerb (K2)	Tarmac Access Road	Standard road kerb (CS2) to match existing	914 x 150 x 125 mm, laid flush	Natural	Contractor's choice	Contractor's choice	140 m	
Timber Sleeper Kerb (K3)	Main Car Park	Seasoned hardwood (oak) timber sleeper, with 5mm chamfer to leading edge	2600 x 250 x 150 mm, laid on edge, with 100 mm upstand or (DK) drop kerb – laid flush	Natural	Local Timber Mills	Contractor to provide proposal	447 m	
Pre-cast Concrete Pin Kerb Edging	Coloured tarmac Footpath	Standard flat top pin kerb edging (EF)	900 x 150 x 50 mm	Natural	Contractor's choice	Contractor's choice	58 m	


Note: 'Equal and approved'. All alternatives to proposed materials and suppliers shall be fit for purpose, of equal performance and be approved by Lizard Landscape Design and Ecology/ Landscape Architect.

SURFACING								
ITEM	LOCATION	SPECIFICATION	SIZE	COLOUR & FINISH	PROPOSED SUPPLIER	CONTACT DETAILS	QUANTITY	IMAGE
Gravel Retention System	Main Car Park	Golpla Plastic Mesh System, with car parking bay markers	640 x 330 x 38mm	Buff, with white markers	Geosynthetics	https://www.geosyn.co.uk/ Tel.: 01455 617139 Email: sales@geosyn.co.uk	3050 m ²	
Grass Reinforcement System	Overflow Car Park	Golpla Plastic Mesh System, with car parking bay markers	640 x 330 x 38mm	Green, with white markers	Geosynthetics	https://www.geosyn.co.uk/ Tel.: 01455 617139 Email: sales@geosyn.co.uk	1405 m ²	
Gravel Infill to Plastic Mesh	Main Car Park	Natural aggregate, angular	6-10 mm	Buff	W.H. Berry and Son	Contractor to provide proposal	3050 m ²	
Gravel Surface (Vehicular)	To River Access and Memorial Path	Self-binding Gravel	0-40 mm	'Romsey Red'	W.H. Berry and Son	www.whberryandson.co.uk Telephone: 01794 322 908 paul@naturalstoneandtimber.co.uk	3305 m ²	
Hoggin Path	Footpaths	Rolled gravel paths	0-30 mm	'Romsey Red'	W.H. Berry and Son	www.whberryandson.co.uk Telephone: 01794 322 908 paul@naturalstoneandtimber.co.uk	2058 m ²	
Pre-cast concrete slabs	Feature Paving around Buildings	'Organa' (precast concrete paving) on flexible sub-base	600 x 600 x 50 mm	'Organa'	Marshalls	https://www.marshalls.co.uk/ Sales Office: 0345 302 0600 Technical Advice: 0370 411 3344 Email: info@marshalls.co.uk	524 m ²	
Resin Bound Gravel	Feature Paving around Buildings	'Natural Aggregate' on permeable tarmac sub-base	6 mm aggregate size	'Pearl Jam'	SureSet	https://www.sureset.co.uk/ Tel: 0800 612 6501 Email: website@sureset.co.uk	898 m ²	

Note: 'Equal and approved'. All alternatives to proposed materials and suppliers shall be fit for purpose, of equal performance and be approved by Lizard Landscape Design and Ecology/ Landscape Architect.

SURFACING								
ITEM	LOCATION	SPECIFICATION	SIZE	COLOUR & FINISH	PROPOSED SUPPLIER	CONTACT DETAILS	QUANTITY	IMAGE
Granite Setts	Thresholds	Granite Setts	100 x 100 x 100 mm	Tumbled	Contractor's choice	Contractor's choice	20 m ²	
Stone Steps	To Swale	Natural Stone Step	1200 x 350 x 150 mm	Natural (light, buff)	Contractor to provide proposals	Contractor to provide proposals	3 No.	
Play Surface	High Hill Field Play Area (Willow arch)	Bark Mulch	As standard	Natural	W.H. Berry and Son	www.whberryandson.co.uk Telephone: 01794 322 908 paul@naturalstoneandtimber.co.uk	33 m ²	
Boardwalk with Hardwood Decking	Highwood Barn Hub Play Area	'Gripdeck' Oak Hardwood decking, grooved, with non-slip strips as standard	28 x 145 mm	Natural	GripDeck	https://www.gripdeck.co.uk/ Tel: 01206 242 494 Email: sales@gripdeck.co.uk	54 m ²	
Geocell	To Sub-base within Root Protection Areas	'Geocell', filled with no-fines aggregate	6 x 3 m panels. Cell size: 22/20	Black	Terram	https://terram.com/ Tel: +44 (0) 1621 874200 Email: info@terram.com	232 m ²	

Note: 'Equal and approved'. All alternatives to proposed materials and suppliers shall be fit for purpose, of equal performance and be approved by Lizard Landscape Design and Ecology/ Landscape Architect.

BOUNDARIES AND RETAINING STRUCTURES								
ITEM	LOCATION	SPECIFICATION	SIZE	COLOUR & FINISH	PROPOSED SUPPLIER	CONTACT DETAILS	QUANTITY	IMAGE
Timber Low Fence, Seating Edge (F1)	To Visitor Gathering Point and Car Park Demarcation	Timber Knee Rail Log	300 mm high	Treated, natural	Jupiterplay	https://jupiterplay.co.uk/ Email: info@jupiterplay.co.uk Phone: 0115 969 9859	63 m	
Timber Knee Rail (F1*)	To Visitor Gathering Point	Timber Seating Edge	550 mm and 300 mm high	Treated, natural	Jupiterplay	https://jupiterplay.co.uk/ Email: info@jupiterplay.co.uk Phone: 0115 969 9859	40 m	
Stock Fence (F2)	Around Field	'Special Post & Heavy Rail Fencing' with heavy duty metal mesh	1.27 m high	Jackured, natural	Jackson's Fencing	https://www.jacksons-fencing.co.uk/ Email: sales@jacksons-fencing.co.uk Tel.: 01233 750393	220 m	
Barrier Gate (G1)	As shown	Timber Vehicular Barrier Gate	1.0 m high, 4.0 m wide Single barrier, lockable, 2 no. slamming posts with hanging and security feature	Natural	Crestala Fencing	www.crestalafencing.co.uk Phone: 01892 864646 Email: sales@crestalafencingcentre.co.uk	3 No.	
Pedestrian Gate (G2)	As shown	'Universal Field Gate', self-closing	1.27 m high, 1.5 m wide	Jackured, natural	Jackson's Fencing	https://www.jacksons-fencing.co.uk/ Email: sales@jacksons-fencing.co.uk Tel.: 01233 750393	2 No.	

Note: 'Equal and approved'. All alternatives to proposed materials and suppliers shall be fit for purpose, of equal performance and be approved by Lizard Landscape Design and Ecology/ Landscape Architect.

BOUNDARIES AND RETAINING STRUCTURES								
ITEM	LOCATION	SPECIFICATION	SIZE	COLOUR & FINISH	PROPOSED SUPPLIER	CONTACT DETAILS	QUANTITY	IMAGE
Maintenance Gate (Vehicular) (G3)	As shown	'Universal Field Gate', lockable	1.27 m high, 3.5 m wide	Jackured, natural	Jackson's Fencing	https://www.jacksons-fencing.co.uk/ Email: sales@jacksons-fencing.co.uk Tel.: 01233 750393	4 No.	

Note: timber fence posts, and logs has to be set in soil without concrete so they are easily replaceable by the Country Park Maintenance Team.

Note: 'Equal and approved'. All alternatives to proposed materials and suppliers shall be fit for purpose, of equal performance and be approved by Lizard Landscape Design and Ecology/ Landscape Architect.

FURNITURE / STRUCTURE / SUB-STRUCTURE								
ITEM	LOCATION	PROPOSED PRODUCT	SIZE	COLOUR & FINISH	PROPOSED SUPPLIER	CONTACT DETAILS	QUANTITY	IMAGE
Picnic Set	To Picnic Areas and Terraces	Timber 8 seater, round picnic table and seats, or 6 seater wheelchair and pushchair friendly table and seats, heavy duty treated timber	2.1 m diameter at widest point	Natural	S.C. Softe & Sons Ltd	Tel.: 023 8081 2278	40 No.	
Café Tables and Seating	To Highwood Barn Hub	'Catena' Table and Chairs (Stackable)	As standard	Powder coated to dark grey	Artform Urban	www.artformurban.co.uk Tel: 0800 542 8118 Int: +44 (0)1625 877554 enquiries@artformurban.co.uk	TBC by Client	
Meeting Point / Shelter	To Visitor Gathering Point	'Pavilion Lea'	3.0 x 3.0 x 4.7 m	Natural	Jupiterplay	https://jupiterplay.co.uk/ Email: info@jupiterplay.co.uk Phone: 0115 969 9859	1 No.	
Log Bench	To Visitor Gathering Point and Play Areas	Log Bench	As standard	Natural	Jupiterplay	https://jupiterplay.co.uk/ Email: info@jupiterplay.co.uk Phone: 0115 969 9859	7 No.	
Lighting Bollard	Along pedestrian paths	Oak Bollard with Pyramid Top	1000 x 95 x 95 mm	Natural	Collingwood Lighting	www.collingwoodlighting.co.uk/ T: +44 (0) 1604 495 151 sales@collingwoodgroup.com	Detailed by Others	

Note: 'Equal and approved'. All alternatives to proposed materials and suppliers shall be fit for purpose, of equal performance and be approved by Lizard Landscape Design and Ecology/ Landscape Architect.

FURNITURE / STRUCTURE / SUB-STRUCTURE								
ITEM	LOCATION	PROPOSED PRODUCT	SIZE	COLOUR & FINISH	PROPOSED SUPPLIER	CONTACT DETAILS	QUANTITY	IMAGE
Concrete Bollard (B1)	To Paypoints and Pedestrian Site Access	'Boulevard 500'	Ø 260mm, 495 mm height	'Conservation Harvest Buff'	Marshalls	https://www.marshalls.co.uk/ Sales Office: 0345 302 0600 Technical Advice: 0370 411 3344 Email: info@marshalls.co.uk	9 No.	
Timber Bollard (B2)	For Demarcation	Square Hardwood Bollard with Pyramid Top	1000 x 150 x 150 mm	Natural	Marshalls	https://www.marshalls.co.uk/ Sales Office: 0345 302 0600 Technical Advice: 0370 411 3344 Email: info@marshalls.co.uk	6 No.	
Bike Store	Main Car Park	'Sheldon' Cycle Shelter	Length/bay (mm): 5100 Width (mm): 3900 Height (mm): 2600	Natural	Langley Design	https://langleydesign.co.uk/ Tel: 01793 676787 Email: info@langleydesign.co.uk	1 No. (double bay)	
Shelter Over Paypoints	Car Parks	'Sheldon' Shelter	TBC	Natural	Langley Design	https://langleydesign.co.uk/ Tel: 01793 676787 Email: info@langleydesign.co.uk	2 No.	
Cycle Stand	To Cycle Shelter and Northern Play Area	'Cambridge' Cycle Stand	1070 x 750 x 150 mm	Oak, natural finish	Landmark	madebylandmark.com 0808 129 3773 enquiries@madebylandmark.com	11 No.	

Note: 'Equal and approved'. All alternatives to proposed materials and suppliers shall be fit for purpose, of equal performance and be approved by Lizard Landscape Design and Ecology/ Landscape Architect.

FURNITURE / STRUCTURE / SUB-STRUCTURE								
ITEM	LOCATION	PROPOSED PRODUCT	SIZE	COLOUR & FINISH	PROPOSED SUPPLIER	CONTACT DETAILS	QUANTITY	IMAGE
Information Board	To Welcome Building and Visitor Gathering Point	Oak Noticeboard	TBC	Oak, natural finish	Branson Street Furniture	https://www.bransonleisure.com/ 01279 432151 info@bransonleisure.co.uk	TBC by Client	
Signage	TBC	'Brecon' Timber Ladder Signs	TBC	Natural Finish	Landmark	madebylandmark.com 0808 129 3773 enquiries@madebylandmark.com	TBC by Client	
Barbecue	To Event Space and Picnic Lawn	'B-BQ Corten Steel Barbecue', with lockable grill and packing space to the sides	Single and double size	Corten Steel as standard	Artform Urban	www.artformurban.co.uk Tel: 0800 542 8118 Int: +44 (0)1625 877554 enquiries@artformurban.co.uk	2 No. double And 1 No. single	



LIZARD

Landscape Design and Ecology

The Old Bank, 34 South Street, Tarring, Worthing, West Sussex, BN14 7LH
T. 01903 216033 E. lizard.landscape@btconnect.com W. lizardlandscapeecology.com