

Eastleigh Borough Council Tree Preservation Order and Conservation Area Assessment Form

Application Number	NC/23/94561					
Surveyor	Charlotte Holloway					
Address	Land adjacent to Shears Mill, Bishopstoke, SO50 6BF					
Proposed work	1 no. Group of self set Ash & Sycamore (G1) - Fell and treat stumps to prevent regrowth, trees are pressing on boundary features and disrupting structures.					
Assessment Date	23/02/23					
Officer comments	The trees are a group feature situated along the top of a bank adjacent to a boundary fence. The trees appear in good health, are highly visible and have good amenity value. The trees are predominantly pole stage ash. Given that the trees are likely to conflict with the boundary fencing and ash dieback in the area and is noted to have the biggest effect on young ash trees, the trees would not be suitable for a tree preservation order. Therefore, I would not object to their removal.					
Decision	Consent	Refuse	Part consent/ Part refuse	Withdrawn / Invalid	Conservation Area	
					Raise no objection	TPO
					X	
Decision notice	No Objection: 1 no. Group of self-set Ash & Sycamore (G1) - Fell and treat stumps					
Conditions	n/a					
Notes to applicant	None					
Parish comments	None					
Public objection/ support	Support		Objection		Observation	
	0		0		0	
Objection/ support consideration	n/a					