

Do not scale off this drawing. All discrepancies to be reported to Portakabin Limited.

© Portakabin Limited 2007
This drawing is the property of Portakabin Limited, it must not be copied or reproduced or divulged to anyone without written permission.


Rev.	Date	By




REAR ELEVATION



END ELEVATION



FRONT ELEVATION




END ELEVATION

FOUNDATIONS


Simple foundations of level hardstandings are required to be capable of taking the foundation design load at each foot position of 35kN, which includes the dead weight of the building, imposed floor load of 3kN/m², imposed roof load of 0.75kN/m² , and a basic wind speed to meet the requirements of BS6399: Part 2.
The foundations are to designed in accordance with BS8004 with level tops of a tolerance of ±3mm.
The area of ground under the building, plus a surrounding 500mm must be no higher than 50mm below the tops of the building foundations.
All buildings are to be anchored to the foundations via the baseplate using M20 anchor bolts, unless it can be extablished that no climatic or other forces are likely to be applied so as to exceed the intrinsic stability of the building in its unloaded state.

It is recommended that professional advice is obtained for the design of the foundations.



PLAN

FOOT BASEPLATE DETAIL
PLAN VIEW



KEY

O OPEN WINDOW

F FIXED WINDOW

RWP RAIN WATER PIPE

STANDARD COLOURS

External : Wall Cladding	–	Albatross nearest BS ref. 18 B 17
Door leaf	–	Britannia Blue nearest BS ref. 18 E 58
Door Frame	–	Silver Anodised Aluminium.
Door Furniture	–	Manhatten Grey NCS S 2502-Y RAL-DS 080 70 05.
Windows	–	Britannia Blue nearest BS ref. 18 E 58
Roof	–	White nearest BS ref. 00 E 55
Fascia & Corner Wall Trims	–	Albatross nearest BS ref. 18 B 17
Bottom Wall Trims	–	Albatross nearest BS ref. 18 B 17
Feet	–	Hot dipped galvanised

Portakabin®

Portakabin Limited Huntington York YO32 9PT
Telephone 01904 611655 Fax 01904 611644

Project: PORTAKABIN SOLUS

Client:

Title:

SPECIFICATION
DRAWING
SL102
FOOT OPTION

Date	Drawn
2.10.07	R.SCHOFIELD

Scale: 1:5 & 1:50

Drg. No.	Rev.
DQ2686	C