



Stratton Park House, Wanborough Road
Swindon, SN3 4HG

Telephone
01793 828000
Website
www.pfaplcl.com

For Construction
These drawings are produced, together with any related
data, to inform the setting out and construction of the
works. To be read in conjunction with all working
drawings.

NOTES

1. All pipe diameters/culvert sizes in millimetres unless otherwise shown.
2. Pipe materials as follows:
Type CLUT = Clay pipes to BS EN 295-1, Strength Class 160 or above (where relevant)
Type CCNC = Concrete pipes to BS 5911-1: 2002 + A2: 2010, Strength Class 120
3. All pipe bed and surrounds to be Type S unless otherwise shown.
4. All sewers shown are to be offered for adoption under a S104 Agreement unless otherwise shown.
5. S104 systems to be adopted by Icoso Water.
6. All drainage works shall be constructed in accordance with the Design and Construction Guidance (DCG) published by Water UK. Any conflict between the proposals and the DCG then the DCG shall override.
7. Existing ground levels are potentially filled with material from previous phases - refer to the existing and as-built topographical surveys.
8. SUBJECT TO TECHNICAL APPROVAL

KEY

- S1 Phase 2 S104 Storm System
- F1 Phase 2 S104 Foul Sewer
- S1 Other S104 Storm System
- F1 Other S104 Foul Sewer
- H1 Highway Drainage (HCC or Management Co.)

