



HAZARD SAFETY AUDIT

Bursledon Parish Council

Site: Great Down Park, Bursledon



Chesil House, Arrow Close,
Boyatt Wood, Hampshire, SO50 4SY
Tel: 023 8098 6229 [www: info@cbatrees.co.uk](mailto:info@cbatrees.co.uk)

[www: cbatrees.co.uk](http://www.cbatrees.co.uk)
The Complete Arboricultural Consultancy

September 2023
CBA11083GDP v3A



HAZARD SURVEY AUDIT NOTES

This Hazard Survey Audit has been undertaken in consideration of current good arboricultural practice with regards to the health and safety of the tree stock on this site.

Inspection Method

This survey is a basic data collection exercise undertaken from ground level only, and records tree condition at the time of survey. This will identify any visible signs of ill-health or major defects, advising further detailed investigation where appropriate. No assessment has been carried out in respect of ingress of roots into underground services or the potential of indirect property damage. Such matters are beyond the scope of this survey.

- Each tree has been numbered and, where instructed, for future identification on site, tagged using small durable metal or plastic tags.
- An assessment of a tree's **age classification** is made in terms of its maturity within the site's landscape and recorded thus:

Y	=	young trees i.e. newly planted or just established
SM	=	semi-mature trees, i.e. those that have reached one-third of their anticipated life expectancy
EM	=	early-mature trees, i.e. those that have reached two-thirds of their anticipated life expectancy
M	=	mature trees, i.e. those that have entered the final third of their anticipated life expectancy
OM	=	over-mature trees, as above but showing signs of low vigour and decline
V	=	veteran, trees that achieved their full life expectancy, are of exceptional size/age and of conservation value

- The **trees height** is recorded in 5 metre (m) increments: -

<5	=	under 5 metres in height
5-10	=	between 5 and 10 metres in height
10-15	=	between 10 and 15 metres in height
15-20	=	between 15 and 20 metres in height
>20	=	over 20 metres in height

- The **trunk diameter** is recorded in 150 millimetre (mm) increments, taken at 1.5 metres above ground level on single stem trees and just above the root flare on multi-stemmed trees:-

<150	=	under 150 millimetres diameter
150-300	=	between 150 and 300 millimetres diameter
300-450	=	between 300 and 450 millimetres diameter
450-600	=	between 450 and 600 millimetres diameter
>600	=	over 600 millimetres diameter

- The **crown spread** is recorded in 5 metre (m) increments and is an average overall crown spread taken from drip line to drip line

<5	=	under 5 metres crown spread
5-10	=	between 5 and 10 metres crown spread
10-15	=	between 10 and 15 metres crown spread
15-20	=	between 15 and 20 metres crown spread
>20	=	over 20 metres crown spread

- An assessment of a tree's structural and physiological **overall condition** is to be made as:

Good	=	none or limited structural defects and good physiological condition
Fair	=	remediable structural defects and/or below average physiological condition
Poor	=	irremediable structural defects and/or poor physiological condition
Dead	=	moribund, no further useful life

- It is strongly recommended that tree works should be undertaken within the timescales denoted in the Priorities column, and are recorded as action required:

Imminently dangerous	=	Immediate
Urgent	=	Within 1 month
Necessary	=	Within 3 months
Important	=	Within 6 months
Routine	=	Within 12 months

- Where ivy is identified on a tree, to prevent the tree from becoming suppressed, to reduce the risk of wind-throw and to alleviate additional weight, it has been recommended that a 300mm section of the ivy should be severed and removed around the base of the tree, unless otherwise stated.
- At the time of inspection, due to ivy cover, location etc, it may not be possible to verify the health and safety of the trees and it is therefore essential that re-inspections be undertaken within the recommended timescales to reduce the risk of potential hazard.
- Comments have been provided only where considered appropriate or necessary to provide additional information.
- Any tree groups have been assessed using estimated and representative data only.
- All dimensions recorded have been estimated and are given for guidance purposes only.
- The data collected and any advice provided within this report is supplied in the interests of sound arboricultural management. Trees are a living dynamic organism that can be affected by external conditions (high winds, storms, snow, heavy rain or drought) and may occasionally fail without warning. It is therefore not possible to state with any certainty that any tree or group of trees is completely safe. The condition of a tree or group of trees can change rapidly as a result of external factors; we would advise that the occupier/ owners inspect the trees at least every 12 months or following periods of extreme weather and where concerns are raised relating to tree health that would be considered beyond the knowledge of a layperson, further arboricultural advice should be sought.



HAZARD SAFETY AUDIT

Client:	Bursledon Parish Council
Site	Great Down Park, Bursledon
Date of Survey:	4th September 2023
Consultant:	Alexa Monk <i>TechCert (Arbor A) NCH Arb</i>
Tagged:	No
Weather:	Sunny and hot

CONSERVATION AREA STATUS: The trees are within the Old Bursledon Conservation Area.

Tree No	Species	Age Class	Height (m)	Trunk Diameter (mm)	Crown Spread (m)	Overall Condition	Defects and other Relevant Comments	Recommended Works	Priority (months)	Recommended Re-inspection Interval
1	Common Ash <i>Fraxinus excelsior</i>	SM	10-15	<150	<5	Fair	Growing on bank Branch tear wound at base on east side Ivy on trunk and in crown Crown shape distorted due to group pressure Dominated by T2 Leans over highway	Sever ivy Consider removal in medium term as no viable future as a good tree due to dominance by T2	Routine - within 12 months	2 years
2	Turkey Oak <i>Quercus cerris</i>	EM	15-20	450-600	10-15	Good	Growing on bank Dead ivy on trunk and in crown - previously cut Basal suckers Epicormics on trunk Multi-stemmed at 5m above ground level Major deadwood in crown but no significant target	No works required at time of survey	N/A	2 years
3	Field Maple <i>Acer campestre</i>	SM	5-10	<150	<5	Fair	Bifurcated at ground level	No works required at time of survey	N/A	2 years
4	Pedunculate Oak <i>Quercus robur</i>	SM	5-10	150-300	5-10	Fair	Growing on bank Ivy on trunk Crown shape distorted due to group pressure Old pruning wounds on west side of trunk, occluded Bark wounds in crown Trunk shape distorted Minor deadwood in crown	No works required at time of survey	N/A	2 years

Tree No	Species	Age Class	Height (m)	Trunk Diameter (mm)	Crown Spread (m)	Overall Condition	Defects and other Relevant Comments	Recommended Works	Priority (months)	Recommended Re-inspection Interval
5	Monterey Pine <i>Pinus radiata</i>	EM	15-20	300-450	15-20	Good	Growing on bank Minor deadwood and stubs in crown	No works required at time of survey	N/A	2 years
6	Horse Chestnut <i>Aesculus hippocastanum</i>	SM	5-10	150-300	5-10	Fair	Old pruning wounds on trunk Bark wounds at base	No works required at time of survey	N/A	2 years
7	Flowering Cherry <i>Prunus spp</i>	SM	5-10	150-300	5-10	Fair	Ivy on trunk Trifurcated at 1.2m above ground level Minor deadwood in crown View of basal area restricted by brambles	No works required at time of survey	N/A	2 years
8	Flowering Cherry <i>Prunus spp</i>	SM	5-10	150-300	5-10	Poor	Bifurcated at ground level Tight forks with included bark Stems intertwine Crossing and rubbing trunks	No works required at time of survey	N/A	2 years
9	Hornbeam <i>Carpinus spp</i>	SM	5-10	150-300	5-10	Fair	Ivy on trunk Old pruning wounds on trunk and in crown Minor deadwood in crown	No works required at time of survey	N/A	2 years
10	Hornbeam <i>Carpinus spp</i>	SM	5-10	150-300	5-10	Fair	Old pruning wounds on trunk Bifurcated at 1.6m above ground level	No works required at time of survey	N/A	2 years
11	Hornbeam <i>Carpinus spp</i>	SM	5-10	150-300	5-10	Fair	Old pruning wounds on trunk	No works required at time of survey	N/A	2 years
12	Hornbeam <i>Carpinus spp</i>	SM	5-10	<150	5-10	Fair	Multi-stemmed at 1m above ground level Old pruning wounds on trunk Bark wounds in crown Branch tear wound on west side of crown	No works required at time of survey	N/A	2 years
13	Hornbeam <i>Carpinus spp</i>	SM	5-10	150-300	5-10	Poor	Old pruning wounds on trunks Basal suckers	No works required at time of survey	N/A	2 years
14	Common Ash <i>Fraxinus excelsior</i>	SM	10-15	150-300	5-10	Good	Old pruning wounds on trunk	No works required at time of survey	N/A	2 years

Tree No	Species	Age Class	Height (m)	Trunk Diameter (mm)	Crown Spread (m)	Overall Condition	Defects and other Relevant Comments	Recommended Works	Priority (months)	Recommended Re-inspection Interval
15	Hornbeam <i>Carpinus spp</i>	SM	5-10	150-300	5-10	Fair	Old pruning wounds on trunk	No works required at time of survey	N/A	2 years
16	Hornbeam <i>Carpinus spp</i>	SM	10-15	150-300	5-10	Fair	Bifurcated at 5m above ground level Crown shape distorted due to group pressure	No works required at time of survey	N/A	2 years
17	Flowering Cherry <i>Prunus spp</i>	SM	5-10	<150	5-10	Fair	Ivy on trunk and in crown - previously cut Bifurcated at 1.2m above ground level Crown shape distorted due to group pressure Minor deadwood in crown	No works required at time of survey	N/A	2 years
18	Poplar <i>Populus spp</i>	EM	15-20	300-450	10-15	Fair	Multi-stemmed at approximately 5m above ground level Minor deadwood in crown	No works required at time of survey	N/A	2 years
19	Poplar <i>Populus spp</i>	EM	15-20	300-450	5-10	Fair	Ivy on trunk previously cut and new growth limits survey Minor deadwood in crown	No works required at time of survey	N/A	2 years
20	Previously removed	-	-	-	-	-	-	-	-	-
21	Poplar <i>Populus spp</i>	SM	10-15	300-450	5-10	Good	Bifurcated at 6m above ground level Memorial tree	No works required at time of survey	N/A	2 years
22	Common Lime <i>Tilia x europaea</i>	SM	5-10	<150	5-10	Fair	Ivy on trunk Crown shape distorted due to group pressure Minor deadwood in crown Weighted east	No works required at time of survey	N/A	2 years
23	Flowering Cherry <i>Prunus spp</i>	SM	10-15	150-300	5-10	Fair	Bifurcated at 1m above ground level Tight forks with included bark Minor deadwood in crown	No works required at time of survey	N/A	2 years
24	Flowering Cherry <i>Prunus spp</i>	SM	10-15	150-300	5-10	Fair	Old pruning wounds on trunk Leans and weighted north	No works required at time of survey	N/A	2 years

Tree No	Species	Age Class	Height (m)	Trunk Diameter (mm)	Crown Spread (m)	Overall Condition	Defects and other Relevant Comments	Recommended Works	Priority (months)	Recommended Re-inspection Interval
25	Poplar <i>Populus spp</i>	SM	15-20	150-300	10-15	Fair	Bifurcated at 1.2m above ground level Tight forks with included bark Weighted east Minor deadwood in crown Historically root plate lifted but stabilised	No works required at time of survey	N/A	2 years
26	Monterey Pine <i>Pinus radiata</i>	EM	15-20	450-600	5-10	Fair	Crown shape distorted due to group pressure Weighted east Bifurcated at 3m above ground level Tight forks with included bark Minor deadwood and stubs in crown	No works required at time of survey	N/A	2 years
27	Common Lime <i>Tilia x europaea</i>	SM	10-15	300-450	5-10	Fair	Bifurcated at 2m above ground level Tight forks with included bark Minor deadwood in crown	No works required at time of survey	N/A	2 years
28	Pedunculate Oak <i>Quercus robur</i>	SM	5-10	150-300	5-10	Fair	Trunk and crown shape distorted due to group pressure Weighted north east Minor deadwood in crown	No works required at time of survey	N/A	2 years
29	Monterey Pine <i>Pinus radiata</i>	SM	15-20	300-450	5-10	Fair	Trunk and crown shape distorted due to group pressure Minor deadwood and stubs in crown	No works required at time of survey	N/A	2 years
30	Monterey Pine <i>Pinus radiata</i>	EM	15-20	450-600	10-15	Good	Minor deadwood and stubs in crown Leans north	No works required at time of survey	N/A	2 years
31	Poplar <i>Populus spp</i>	SM	15-20	150-300	5-10	Good	Trunk shape distorted due to group pressure Minor deadwood in crown	No works required at time of survey	N/A	2 years
32	Wild Cherry <i>Prunus avium</i>	SM	10-15	150-300	5-10	Fair	Crown shape distorted due to group pressure Weighted north Minor deadwood in crown	No works required at time of survey	N/A	2 years
33	Pedunculate Oak <i>Quercus robur</i>	SM	10-15	150-300	5-10	Fair	Growing on top of bank edge Ivy on trunk and in crown Multi-stemmed at 3m above ground level	No works required at time of survey	N/A	2 years

Tree No	Species	Age Class	Height (m)	Trunk Diameter (mm)	Crown Spread (m)	Overall Condition	Defects and other Relevant Comments	Recommended Works	Priority (months)	Recommended Re-inspection Interval
34	Common Ash <i>Fraxinus excelsior</i>	EM	15-20	300-450	15-20	Fair	Possibly offsite Growing on top of bank Multi-stemmed at ground level One stem has cavity on north side of trunk Major deadwood in crown over road Bark wound at base	If owned: Remove stem with cavity on north side	Necessary - within 3 months	2 years
35	Pedunculate Oak <i>Quercus robur</i>	EM	15-20	450-600	15-20	Good	Possibly offsite Growing on bank Minor deadwood in crown over road Epicormics in crown	No works required at time of survey	N/A	2 years
36	Blackthorn <i>Prunus spinosa</i>	EM	5-10	150-300	5-10	Fair	Ivy on trunk and in crown Bifurcated at 2m above ground level Old pruning wounds on trunk and in crown Branches cut to clear neighbouring property Crown shape distorted Minor deadwood in crown	No works required at time of survey	N/A	2 years
37	Common Lime <i>Tilia x europaea</i>	SM	10-15	150-300	5-10	Fair	Bifurcated at 1m above ground level Tight forks with included bark Dead ivy on trunks and in crown - previously cut Minor deadwood in crown	No works required at time of survey	N/A	2 years
38	Common Lime <i>Tilia x europaea</i>	SM	10-15	150-300	5-10	Fair	Bifurcated at 0.5m above ground level Minor deadwood in crown	No works required at time of survey	N/A	2 years
39	Poplar <i>Populus spp</i>	EM	15-20	300-450	5-10	Good	Minor deadwood in crown	No works required at time of survey	N/A	2 years
40	Wild Cherry <i>Prunus avium</i>	SM	10-15	150-300	5-10	Fair	Minor deadwood in crown Trifurcated at 3m above ground level	No works required at time of survey	N/A	2 years
41	Field Maple <i>Acer campestre</i>	SM	5-10	150-300	5-10	Fair	Bifurcated at 0.5m above ground level Ivy on trunk and in crown - previously cut Minor deadwood in crown Bleeding canker on trunk	No works required at time of survey	N/A	2 years

Tree No	Species	Age Class	Height (m)	Trunk Diameter (mm)	Crown Spread (m)	Overall Condition	Defects and other Relevant Comments	Recommended Works	Priority (months)	Recommended Re-inspection Interval
42	Hawthorn <i>Crataegus spp</i>	M	5-10	150-300	5-10	Fair	Multi-stemmed at ground level Minor deadwood in crown	No works required at time of survey	N/A	2 years
43	Common Ash <i>Fraxinus excelsior</i>	SM	10-15	150-300	5-10	Fair	Ivy on trunk - previously cut Bifurcated at 4m above ground level Minor deadwood in crown	No works required at time of survey	N/A	2 years
44	Previously removed	-	-	-	-	-	-	-	-	-
45	Flowering Cherry <i>Prunus spp</i>	SM	10-15	<150	5-10	Fair	Ivy on trunk and in crown Minor deadwood in crown Crown shape distorted due to group pressure	No works required at time of survey	N/A	2 years
46	Flowering Cherry <i>Prunus spp</i>	SM	10-15	150-300	5-10	Fair	Growing on bank Crown shape distorted due to group pressure Minor deadwood in crown	No works required at time of survey	N/A	2 years
47	Flowering Cherry <i>Prunus spp</i>	SM	10-15	150-300	5-10	Fair	Growing on bank Bifurcated at 4m and 6m above ground level Crown shape distorted due to group pressure Minor deadwood in crown	No works required at time of survey	N/A	2 years
48	Flowering Cherry <i>Prunus spp</i>	SM	10-15	300-450	5-10	Fair	Trunk shape distorted Minor deadwood in crown	No works required at time of survey	N/A	2 years
49	Goat Willow <i>Salix caprea</i>	SM	5-10	150-300	5-10	Fair	Basal suckers Epicormics on trunk Minor deadwood in crown Old pruning wounds Bark wounds at base Decay forming at base	No works required at time of survey	N/A	2 years
50	Flowering Cherry <i>Prunus spp</i>	M	10-15	300-450	10-15	Fair	Ivy on trunk and in crown Bifurcated at 1m above ground level Tight forks with included bark Minor deadwood in crown	Sever ivy	Routine - within 12 months	2 years
51	Flowering Cherry Field Maple	SM	10-15	150-300	5-10	Fair	Two trees growing together Ivy on trunk and in crown limits survey Crossing and rubbing branches Minor deadwood in crown	Sever ivy	Routine - within 12 months	2 years

Tree No	Species	Age Class	Height (m)	Trunk Diameter (mm)	Crown Spread (m)	Overall Condition	Defects and other Relevant Comments	Recommended Works	Priority (months)	Recommended Re-inspection Interval
52	Pedunculate Oak <i>Quercus robur</i>	SM	10-15	150-300	5-10	Good	Major deadwood in crown	Remove deadwood	Necessary - within 3 months	2 years
53	Field Maple <i>Acer campestre</i>	SM	10-15	150-300	5-10	Fair	Bifurcated at 3m above ground level Minor deadwood in crown	No works required at time of survey	N/A	2 years
54	Previously removed	-	-	-	-	-	-	-	-	-
55	Flowering Cherry <i>Prunus spp</i>	SM	10-15	150-300	5-10	Fair	Leans and weighted east Bifurcated at 3m above ground level Minor deadwood in crown	No works required at time of survey	N/A	2 years
56	Cabbage Palm <i>Cordyline australis</i>	SM	<5	<150	<5	Fair	Bark wounds on trunk	No works required at time of survey	N/A	2 years
57	Horse Chestnut <i>Aesculus hippocastanum</i>	SM	10-15	150-300	5-10	Good	Growing on bank Ivy on trunk Minor deadwood in crown	No works required at time of survey	N/A	2 years
58	Goat Willow <i>Salix caprea</i>	SM	5-10	<150	5-10	Fair	Epicormics on trunk Bark wounds on trunk Minor deadwood in crown	No works required at time of survey	N/A	2 years
59	Previously removed	-	-	-	-	-	-	-	-	-
60	Flowering Cherry <i>Prunus spp</i>	SM	5-10	150-300	5-10	Fair	Ivy on trunk and in crown - previously cut but growing back Trunk shape distorted due to group pressure Minor deadwood in crown	No works required at time of survey	N/A	2 years
61	Field Maple <i>Acer campestre</i>	SM	5-10	150-300	5-10	Fair	Trunk shape distorted due to group pressure Minor deadwood in crown	No works required at time of survey	N/A	2 years

Tree No	Species	Age Class	Height (m)	Trunk Diameter (mm)	Crown Spread (m)	Overall Condition	Defects and other Relevant Comments	Recommended Works	Priority (months)	Recommended Re-inspection Interval
62	Monterey Cypress <i>Cupressus macrocarpa</i>	M	15-20	450-600	10-15	Poor	Major decay at base Major deadwood in crown In decline Ivy on trunk Target is debris collection area	Fell to a height of 5m and retain as standing stump for ecological habitat	Necessary - within 3 months	N/A
63	Monterey Pine <i>Pinus radiata</i>	M	>20	>600	15-20	Fair	Branch tear wound on east side of trunk Mechanical damage to surface roots Multi-stemmed by 2.5m above ground level Tight forks with included bark Ivy on trunk Major deadwood and stubs in crown over footpath	Remove deadwood over footpath and grassed area	Important - within 6 months	2 years
64	Common Ash <i>Fraxinus excelsior</i>	EM	15-20	450-600	10-15	Fair	Bifurcated at 2m above ground level Crown shape distorted due to group pressure Major deadwood in crown but no significant target	No works required at time of survey	N/A	2 years
65	Common Ash <i>Fraxinus excelsior</i>	EM	15-20	300-450	10-15	Fair	Possibly offsite Major deadwood in crown but no significant target	No works required at time of survey	N/A	2 years
66	Common Ash <i>Fraxinus excelsior</i>	EM	10-15	300-450	5-10	Dead	Dead Tree	Advise removal	Routine - within 12 months	2 years
67	Common Ash <i>Fraxinus excelsior</i>	M	15-20	450-600	15-20	Poor	Bifurcated at 3.5m above ground level Cavity and decay at base on south west side Inonotus hispidus fungal fruiting body at base of trunk Old pruning wounds on south side of west stem at 5m above ground level Wildlife holes in crown	Reduce to single 5-8m pole and retain for ecological habitat	Important - within 6 months	2 years
68	Pedunculate Oak <i>Quercus robur</i>	M	15-20	>600	150-20	Fair	Trunk and crown shape distorted due to group pressure Weighted south east Old pruning wounds on trunk and in crown Major deadwood in crown over footpath Rubbing wounds on trunk from T69	Remove deadwood over footpath and grass area	Necessary - within 3 months	2 years

Tree No	Species	Age Class	Height (m)	Trunk Diameter (mm)	Crown Spread (m)	Overall Condition	Defects and other Relevant Comments	Recommended Works	Priority (months)	Recommended Re-inspection Interval
69	Pedunculate Oak <i>Quercus robur</i>	M	>20	>600	15-20	Fair	Major deadwood in crown close to seating area Crossing and rubbing branches with wounds present	Remove deadwood on south side of crown close to seating area	Necessary - within 3 months	2 years
70	Monterey Cypress <i>Cupressus macrocarpa</i>	M	15-20	>600	5-10	Poor	Apical dieback In decline Branch tip dieback throughout crown Major deadwood in crown and dieback on north side of crown	Advise removal	Routine - within 12 months	N/A
71	Previously removed	-	-	-	-	-	-	-	-	-
72	Turkey Oak <i>Quercus cerris</i>	SM	5-10	300-450	10-15	Fair	Possibly offsite Trunk and crown shape distorted due to group pressure Heavily weighted south Minor deadwood in crown	No works required at time of survey	N/A	2 years
73	Pedunculate Oak <i>Quercus robur</i>	SM	10-15	300-450	10-15	Fair	Possibly offsite Crown shape distorted due to group pressure Minor deadwood in crown	No works required at time of survey	N/A	2 years
74	Pedunculate Oak <i>Quercus robur</i>	EM	10-15	300-450	10-15	Fair	Possibly offsite Trunk shape distorted due to group pressure Crossing and rubbing branches in crown from neighbouring tree Minor deadwood in crown Recently snapped limb on south side, balancing on ground and neighbouring tree	Clear fallen limb	Urgent - within 1 month	2 years
75	Pedunculate Oak <i>Quercus robur</i>	M	15-20	300-450	15-20	Fair	Bifurcated at ground level Tight forks with included bark Crown shape distorted due to group pressure Weighted south Major deadwood in crown over footpath	Remove deadwood over footpath	Urgent - within 1 month	2 years


Tree No	Species	Age Class	Height (m)	Trunk Diameter (mm)	Crown Spread (m)	Overall Condition	Defects and other Relevant Comments	Recommended Works	Priority (months)	Recommended Re-inspection Interval
76	Pedunculate Oak <i>Quercus robur</i>	EM	15-20	450-600	10-15	Fair	Bifurcated at 1m above ground level Tight forks with included bark Ivy on trunk Major deadwood in crown but no significant target Crown shape distorted due to group pressure Weighted north east	No works required at time of survey	N/A	2 years
76A	Goat Willow <i>Salix caprea</i>	Y	5-10	<150	<5	Dead	Dead young tree beside footpath	Advise removal	Urgent - within 1 month	N/A
77	Pedunculate Oak <i>Quercus robur</i>	M	>20	>600	10-15	Good	Ivy on trunk Trifurcated at 2m above ground level Major deadwood in crown but no significant target	No works required at time of survey	N/A	2 years
78	Aspen <i>Populus tremula</i>	SM	15-20	150-300	5-10	Fair	Tall and etiolated due to group pressure Minor deadwood in crown	No works required at time of survey	N/A	2 years
79	Common Sycamore <i>Acer pseudoplatanus</i>	SM	15-20	300-450	5-10	Fair	Ivy on trunk and in crown Crown shape distorted due to group pressure Weighted west Major deadwood in crown but no significant target Tall and etiolated due to group pressure	No works required at time of survey	N/A	2 years
80	Common Ash <i>Fraxinus excelsior</i>	EM	15-20	150-300	10-15	Fair	Grows by wooden fencing Bifurcated at ground level Subsidiary stems form multiple stems Ivy on trunk and in crown limits survey Wooden fence occluded in unions Suffering from Ash Dieback which will inevitably get worse over time Early leaf drop	Advise removal	Necessary - within 3 months	N/A
81	Previously removed	-	-	-	-	-	-	-	-	-
82	Common Ash <i>Fraxinus excelsior</i>	SM	10-15	150-300	5-10	Poor	Bifurcated at ground level Ivy on trunks Major decay in trunks	Reduce to 4m poles and retain for ecological habitat	Important - within 6 months	N/A

Tree No	Species	Age Class	Height (m)	Trunk Diameter (mm)	Crown Spread (m)	Overall Condition	Defects and other Relevant Comments	Recommended Works	Priority (months)	Recommended Re-inspection Interval
83	Aspen <i>Populus tremula</i>	EM	15-20	450-600	10-15	Fair	Trunk shape distorted Leans and weighted north Major deadwood in crown but no significant target	No works required at time of survey	N/A	2 years
84	Common Ash <i>Fraxinus excelsior</i>	EM	15-20	300-450	10-15	Fair	Bifurcated at 1.3m above ground level Ivy on trunk Minor deadwood in crown	No works required at time of survey	N/A	2 years
85	Aspen <i>Populus tremula</i>	EM	15-20	300-450	10-15	Fair	Trunk shape distorted Leans north Major deadwood in crown but no significant target	No works required at time of survey	N/A	2 years
86	Common Ash <i>Fraxinus excelsior</i>	SM	10-15	150-300	5-10	Fair	Ivy on trunk Minor deadwood in crown	No works required at time of survey	N/A	2 years
87	Previously removed	-	-	-	-	-	-	-	-	-
88	Pedunculate Oak <i>Quercus robur</i>	EM	15-20	450-600	10-15	Good	Minor deadwood throughout crown Major deadwood on east side of crown but no significant target Trifurcated at 3m above ground level	No works required at time of survey	N/A	2 years
89	Previously removed	-	-	-	-	-	-	-	-	-
Grp 1	Common Ash Hazel Goat Willow Alder Blackthorn	SM	10-15	150-300	5-10	Fair	Ivy on trunks Multi-stemmed at various heights Minor deadwood in crowns Minor cavities forming on some trunks	No works required at time of survey	N/A	2 years
Grp 2	Common Ash x4	EM	10-15	150-300	10-15	Fair	Four trees growing on boundary Ivy on trunks Multi-stemmed at various heights Canker on trunks Minor deadwood in crowns but no significant target Access and view of basal areas limited by ivy and brambles	Sever ivy and clear brambles around base	Routine - within 12 months	2 years

Tree No	Species	Age Class	Height (m)	Trunk Diameter (mm)	Crown Spread (m)	Overall Condition	Defects and other Relevant Comments	Recommended Works	Priority (months)	Recommended Re-inspection Interval
Grp 3	Hawthorn Field Maple Flowering Cherry Apple Hazel Poplar	Y	5-10	<150	<5	Fair	Some planted trees but mostly natural regeneration Minor deadwood in crowns	No works required at time of survey	N/A	2 years
Grp 4	Hawthorn Pedunculate Oak Hazel Field Maple	SM	5-10	<150	<5	Fair	Boundary edge group Trunks and crown shapes distorted due to group pressure Minor deadwood in crowns Ivy on trunks Ash is old coppice stool with decay at base Possibly offsite Bark wounds and major deadwood in crowns on roadside Inonotus hispidus on trunk on Ash opposite driveway to Fairfield More mature Oaks	If owned: Remove Ash with Inonotus hispidus Coppice remaining Ash stems at ground level	Routine - within 12 months	2 years
Grp 5	Common Ash Common Hawthorn Field Maple Flowering Cherry Hazel Pedunculate Oak Turkey oak	SM	10-15	150-300	5-10	Fair	Closely grown trees on site boundary Trunks and crown shapes distorted due to group pressure Ivy on trunks Some natural regeneration Minor deadwood in crowns Some Oaks appear to grow offsite	No works required at time of survey	N/A	2 years
Grp 6	Common Hawthorn Poplar Field Maple Flowering Cherry Hazel Common Ash Pedunculate Oak Crack Willow	SM	5-10	150-300	5-10	Fair	Closely grown trees on site boundary Trunks and crown shapes distorted due to group pressure Ivy on trunks Minor deadwood in crowns One Goat Willow collapsed and leans into T48	Advise removal of fallen Goat Willow	Important - within 6 months	2 years

Tree No	Species	Age Class	Height (m)	Trunk Diameter (mm)	Crown Spread (m)	Overall Condition	Defects and other Relevant Comments	Recommended Works	Priority (months)	Recommended Re-inspection Interval
Grp 7	Flowering Cherry Hazel Field Maple	SM	10-15	150-300	5-10	Fair	Closely grown trees growing along cemetery boundary Trunks and crown shapes distorted due to group pressure Crossing and rubbing branches Ivy on trunks Minor deadwood in crowns	No works required at time of survey	N/A	2 years
Grp 8	Field Maple x3	SM	10-15	150-300	5-10	Fair	Closely grown trees growing along cemetery boundary Trunks and crown shapes distorted due to group pressure Crossing and rubbing branches Ivy on trunks Minor deadwood in crowns	No works required at time of survey	N/A	2 years
Grp 9	Sycamore x3 Silver Birch x9 Field Maple x4 Flowering Cherry x4 Pedunculate Oak x2 Goat Willow x1 Common Ash x1 Rowan x1	SM	10-15	150-300	5-10	Fair	Growing on bank Trunks and crown shapes distorted due to group pressure Minor deadwood in crowns Crossing and rubbing branches Bark wounds on trunks of Goat Willow that leans heavily over road Bleeding on some trunks	Remove Goat Willow	Important - within 6 months	2 years
Grp 10	Flowering Cherry x5	SM	5-10	<150	5-10	Fair	Ivy on trunks Growing in hedge Bifurcated at various heights Minor deadwood in crown	No works required at time of survey	N/A	2 years
Grp 11	Blackthorn Goat Willow Flowering Cherry Field Maple	SM	5-10	<150	<5	Fair	Closely grown group Trunks and crown shapes distorted due to group pressure Minor deadwood in crowns	No works required at time of survey	N/A	2 years
Grp 12	Goat Willow Hazel Common Ash Common Hawthorn Wild Cherry Silver Birch Elder Monterey Pine	SM	10-15	150-300	5-10	Good	Small group growing in corner of site Ivy on trunks Crown shapes distorted due to group pressure Minor deadwood in crowns Small dead trees within group but no significant target	No works required at time of survey	N/A	2 years

Tree No	Species	Age Class	Height (m)	Trunk Diameter (mm)	Crown Spread (m)	Overall Condition	Defects and other Relevant Comments	Recommended Works	Priority (months)	Recommended Re-inspection Interval
Grp 13	Sycamore Ash Horse Chestnut Wild Cherry	EM	15-20	300-450	10-15	Fair	Possibly offsite Major decay at base of Ash to eastern end of group Trunks and crown shapes distorted due to group pressure Ivy on trunks Major deadwood in crowns but no significant target	If owned: Fell decayed Ash Sever ivy	Important - within 6 months	2 years
Grp 14	Common Ash x8	EM	15-20	150-300	10-15	Fair	Possibly offsite Multi-stemmed at ground level Tight forks with included bark Ivy on trunk and in crown Crown shape distorted due to group pressure Major deadwood in crown	If owned: Remove deadwood on south side of crown over footpath Sever ivy Consider future phased removal starting from west aspect and between trees 74 and 75	Necessary - within 3 months	2 years
Grp 15	Horse Chestnut x2	EM	10-15	150-300	5-10	Fair	Possibly offsite Multi-stemmed at ground level Tight forks with included bark Bark wounds on trunks Minor deadwood in crowns	No works required at time of survey	N/A	2 years
Grp 16	Aspen x6	SM	15-20	150-300	5-10	Fair	Crown shape distorted due to group pressure Major deadwood in crown	Remove deadwood over footpath	Important - within 6 months	2 years
Grp 17	Goat Willow Aspen Common Alder	Y	10-15	<150	5-10	Fair	Natural regeneration Bark wounds on trunks Crown shapes distorted due to group pressure Minor deadwood in crowns Some trees multi-stemmed at ground level	No works required at time of survey	N/A	2 years
Grp 18	Goat Willow x10 Hazel x13 Crack Willow x1	EM	10-15	150-300	5-10	Fair	Linear group along side of car park Some trees multi-stemmed at ground level Crown shapes distorted due to group pressure Major deadwood in crowns Ivy on trunks	Remove deadwood over footpath and car park	Necessary - within 3 months	2 years



© Crown copyright and database rights (2015) Ordnance Survey (LA100019622)



Title
Great Down Park
Long Lane



CBA Trees

Chesil House, Arrow Close
Boyatt Wood, Hampshire, SO50 4SY
Tel: 02380 986229
Email: info@cbatrees.co.uk
Web: www.cbatrees.co.uk

CBA11083GDP
Great Down Park, Bursledon
Tree Location Plan

SCALE :
NOT TO SCALE

DATE :
07/09/2023



MAP FILENAME :
CBA11083GDP.01C TLP

Map data shown may contain Ordnance Survey © products supplied by
Pear Technology Services Ltd; Email: info@peartechnology.co.uk
© Crown Copyright and database rights from date shown above
Ordnance Survey © licence number 100023148

CONSERVATION AREA STATUS:
THE TREES ARE WITHIN THE OLD BURSLEDON CONSERVATION AREA



TREES THAT HAVE BEEN PREVIOUSLY REMOVED

NOTE: ALL TREES AND GROUPS ARE
INDICATIVELY PLOTTED





The Professional Arboricultural Consultancy

Company Profile, Qualifications and Experience

CBA Trees is acknowledged as one of the UK's leading arboricultural consultancies offering a full range of tree related services from BS5837 tree surveys, arboricultural impact assessments and method statements to health and safety audits. Based near Southampton in Hampshire with easy access to the motorway network and transport links, we provide a professional solution to your tree problem throughout southern England and nationwide across the UK.

Whether the instruction is in respect of a single tree in a garden, a mortgage report, a development site or a new settlement that needs a full arboricultural report for a planning application, CBA Trees has the tree expertise to provide a professional solution. We employ a team of qualified and experienced arboricultural consultants to ensure that at every stage of the arboricultural process our clients receive the very best in expert knowledge and the highest standard of professional service.

Stefan Rose *BSc(Hons), TechCert (Arbor A), TechArbor.A* joined CBA Trees in 1998 as a junior surveyor and having gained extensive knowledge and a wealth of experience over the years including the Professional Tree Inspectors Certification (LANTRA), has progressed to Principal Consultant. His vast experience in working as a locum for local authorities, assessing new and extant Tree Preservation Orders, as well as working on some of the largest development sites nationwide enables him to provide expert advice and guidance on initial feasibility site assessments to full scale planning applications, working with individual homeowners and within multi-disciplinary teams to achieve successful arboricultural outcomes.

Dominic Poston *F.Arbor.A. MICFor, CEnv, Prof Dip (RFS), BSc (Hons), HND* joined CBA Trees in 2015 as a Senior Consultant and brings with him a wealth of knowledge and experience. Having attained a Bachelor of Science Degree in Horticulture, a Higher National Diploma in Landscape Management and the Royal Forestry Society's Professional Diploma in Arboriculture, Dominic is a fellow of the Arboricultural Association and a Chartered Arboriculturist and Chartered Environmentalist. Through local authority experience he has been involved as a supervising officer and advisor to planning teams on many developments near trees. Through private sector experience he has provided arboricultural advice, ranging from feasibility through to implementation on many development projects near trees. He has extensive experience in the management of large tree stocks, implementing the recommendations within BS5837 and acting as an expert witness. He has considerable experience working closely with clients and as part of a multi-disciplinary team.

Alexa Monk *TechCert (Arbor.A), NCH.Arb* has a background in tree surgery, running her own small business for many years. Working with CBA Trees for over 10 years, Alexa has experience of pre-planning work for developers, Tree Preservation Order legislation work, tree inspection including decay detection with sophisticated decay detection equipment and general arboricultural health and safety surveys.

Joe Beznosiuk *Dip Arb L4 (ABC)* the newest member of our team, Joe started his career as a tree surgeon before he made the transition into consultancy 10 years ago, where he has worked for both local authorities and private consultancies, providing a wide range of arboricultural advice, which has involved tree stock management, development projects in relation to BS5837, planning advice and Health and Safety risk assessment surveys.

Listed below are some of the services we provide:

- Arboricultural Consultancy
- BS5837 tree surveys (for residential sites and development projects)
- Arboricultural Impact Assessments and Method Statements
- Advice on Tree Preservation Orders including Objections
- Arboricultural Health and Safety Surveys
- Arboricultural site and project management

CBA Trees is very proud of its client base which includes the following companies:

Acorn Tree Specialist Ltd
Ampfield Parish Council
Burseldon Parish Council
Contractual Ltd
Crest Strategic Properties
Croudace
David Wilson Homes
Dhand Construction Ltd
Drew Smith Group

Draycott Chartered Surveyor
Eastleigh Borough Council
English Heritage Trust
Genesis Design Studio
Gillings Planning
Knight Architectural Design
Lakewood Tree Surgeons
NHS Property Services
Portsmouth City Council

Radian
Southampton City Council
SLR Consulting Ltd
Taylor Wimpey
University of Portsmouth
University of Winchester
Unsted Design
West Wittering Parish Council
Whiterok Architectural Services Ltd

CBA Trees can be found at:

Chesil House
Arrow Close
Boyatt Wood
Hampshire
SO50 4SY

For further information visit our website at www.cbatrees.co.uk which provides more detail on our expertise, and of course, our team are always willing to help answer any queries you may have.

Tel: 02380 986229
Email: info@cbatrees.co.uk