

Conservation Area Assessment Form

Application Number	T/23/95879					
Surveyor						
Address	7 RUNNYMEDE, WEST END, SOUTHAMPTON, SO30 3BG HRG Tree Surgeons					
Proposed work	Group of conifers (G1) - Crown lift to gain 4m clearance over parking bays and trim back to the boundary line of No.16. 2 no. Sycamore - Fell self-set sycamore trees near to the corner of the driveway. Trees are leaning.					
Assessment Date	25/09/23					
Officer comments	Site visited. Address reference is incorrect, it is not near No 7 (unless this is a flat in the block), it is by No 16 September Close so worked to the supplied plan which does represent what is found on site. Sycamore are several self-set stems, establishing as a tight form group but inappropriate for the location and will foreseeably cause damage. The conifers are a boundary feature/screening planting that have somewhat outgrown their location – lifting for clearance is reasonable management.					
Decision	Consent	Refuse	Part consent/ Part refuse	Withdrawn / Invalid	Conservation Area	
					Raise no objection	TPO
	X					
Decision notice	CONSENT: Group of conifers (G1) - Crown lift to gain 4m clearance over parking bays and trim back to the boundary line of No.16. 2 no. Sycamore - Fell					
Conditions	Standard.					
Notes to applicant	Consider treating the cut stumps with herbicide (e.g., Ecoplugs™ or other glyphosate-based product) to prevent sycamore regrowing,					
Parish comments	None					
Public objection/ support	Support		Objection		Observation	
	0		0		0	
Objection/ support consideration	n/a					