H29
H24
H23
H25
G57*
G56
T73
G55
T67
T69
T68
T66
G57*
T71
T72
T70
H29
T74
T78
G57
T65
H31
H34
H37
T77
T76
H34
H35
H44
G58
W7*
T60
T59
No hedgerow present in application area
H40
H36
Dead stem
H39
W7*
H39
Approximate location of ash with stem failure collapse
T61 (removed)
W7*
H38
G54*
T64*
T63*
H51
G54*
G69
1
2
3
4
5
6
7
8
0
25m
North

Tyler Grange

Head Office: Marsden Estate, Rendcomb,
Cirencester, Gloucestershire, GL7 7EX

E:info@tylergrange.co.uk
W: www.tylergrange.co.uk

Key:

- Site Boundary
- Category A - Trees of High Quality and Value
- Category B - Trees of Moderate Quality and Value
- Category C - Trees of Low Quality and Value
- Category U - Trees Recommended for Removal
- Approximate Extent of BS5837 Calculated Root Protection Areas (RPAs)
- Veteran Tree and Ancient Woodland Buffer Zones
- BS 5837 Calculated Tree Shadow Constraints
- Approximate Locations of the Trees Covered by a TPO

*Denotes trees and groups not identified on topographical. Locations approximated using measurements taken on site.

This document should not be relied on or used in circumstances other than those for which it was prepared and for which Tyler Grange was appointed.

Tyler Grange accepts no responsibility for this document to any other party other than the person by whom it was appointed.

Tyler Grange Group Limited
Copyright © Tyler Grange Group Limited 2023

Rev	Description	Date
J	Additional tree survey (Fir Tree Lane)	23.02.2023
I	Additional tree survey	17.11.2022

Project title
Land at Horton Heath

Drawing title
Tree Constraints Plan - Sheet 6 of 8

Scale 1:750 @ A0
Date 23.02.2023
Drawn JP/LB
Checked JP

Drawing number
11705_P01

Revision