



-  INDICATES A RESIDUAL RISK REQUIRING A COMPULSORY ACTION
-  INDICATES A RESIDUAL RISK REQUIRING A PROHIBITIVE ACTION
-  INDICATES A RESIDUAL RISK AS A WARNING
-  INDICATES A RESIDUAL RISK FOR INFORMATION

© This drawing is the copyright of ARCH Associates Limited. It may not be copied, altered or reproduced without their written authority.
This drawing must not be scaled. IF IN DOUBT ASK.

1. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL RELEVANT ARCHITECTS, ENGINEERS AND SPECIALISTS' SPECIFICATIONS AND ALL RELEVANT DETAILS.
2. ALL FIGURED DIMENSIONS TO BE TAKEN IN PREFERENCE TO SCALED DIMENSIONS.
3. ANY DISCREPANCIES BETWEEN THIS DRAWING AND OTHER INFORMATION SHOULD BE BROUGHT TO THE ATTENTION OF THE ENGINEER PRIOR TO THE COMMENCEMENT OF THE WORKS ON SITE.
4. THE MAIN CONTRACTOR SHALL BE RESPONSIBLE FOR THE ACCURACY AND COMPLETENESS OF THE DIMENSIONS.
5. THE CONTRACTOR IS TO ENSURE THE STABILITY AND STRUCTURAL INTEGRITY OF THE EXISTING PROPERTY AT ALL TIMES DURING WORKS AND IS TO BE RESPONSIBLE FOR BRACING AND PROPPING AS NECESSARY.
6. THE MAIN CONTRACTOR TO PROVIDE AND FIX SUITABLE BRACING AND PROPPING FOR ALL ELEMENTS IN THE TEMPORARY CONDITION DURING CONSTRUCTION STAGE, SUCH AS TO ENSURE STRUCTURE STABILITY AT ALL TIMES.
7. IT IS THE CONTRACTORS SOLE RESPONSIBILITY FOR ASCERTAINING SAFE DISPOSAL OF ANY OFF-SITE MATERIALS AND SPILL ON SITE. ANY EXISTING ENVIRONMENTAL ABNORMAL TYP REQUIREMENTS WILL BE ENTERTAINED.

1. ALL WORKS TO TO COMPLY WITH RELEVANT COUNTY COUNCIL OR LOCAL AUTHORITY SPECIFICATION, AS REQUIRED.
2. ALL DRAINAGE WORKS IN ADOPTABLE AREAS TO BE IN ACCORDANCE WITH WATER AUTHORITY ASSOCIATION 'SEWERS FOR ADOPTION' - 7th EDITION.

COLOURED
DRAWING
REQUEST A COLOURED COPY I
THIS STAMP IS NOT RED

	EXISTING SURFACE / STORM WATER SEWER / MANHOLE
	EXISTING FOUL WATER SEWER / MANHOLE
	SURFACE WATER MANHOLE / INSPECTION CHAMBER / ACCESS CHAMBER
	SURFACE WATER CATCHPIT MANHOLE
	100mm Dia. PVCu. S8 STORM WATER DRAIN (U.N.O.)
	RAIN WATER DOWNPIPE (LOCATION AS ARCHITECTS DRGS).
	ROAD GULLY
	RODDING EYE.
	ATTENUATION TANK / SOAKAWAY OUT OF PROPRIETARY CRATE SYSTEM
	FOUL WATER MANHOLE / INSPECTION CHAMBER / ACCESS CHAMBER
	100mm Dia. PVCu. S8 FOUL WATER DRAIN (U.N.O.)
	FOUL WATER RISING MAIN B SPECIALIST
	SOIL VENT PIPE / STUB STACK (LOCATION AS ARCHITECTS DRGS)



ARCH
ASSOCIATES

01489 890004
admin@archassociates.co.uk
www.archassociates.co.uk

Drawing title
DRAINAGE LAYOUT,
GENERAL ARRANGEMENT,
SHEET 1.

Name	Project code	Originator	Functional breakdown	Spatial breakdown	Form	Discipline	Number	Revision
FHLO14	-AAL-	ED	XX	DP	C	5008	P01	