

Eastleigh Borough Council Tree Preservation Order and Conservation Area Assessment Form

Application Number	T/26/100896					
Surveyor	AM					
Address	11 STIRLING CRESCENT, HEDGE END, SOUTHAMPTON, SO30 2SA					
Proposed work	1no. Group of Oak - Prune back the overhang such that the closest point is 2m away from the nearest point of the house (including conservatory), crown lift to 6m above ground such that the canopy's lowest point over the garden is 6m. The tree in question is on the other side of the fence in the Garden of 21 Stirling Crescent. Posing a risk of structural damage to a conservatory should any break off. Therefore wish to carry out crown reduction to reduce the overhang.					
Assessment Date	23 rd March 2026					
Officer comments	Trees at this location are protected by an area classification (A3) within TPO 114-E, confirmed 4th February 1986. There is also a separate, current application (T/26/100831) to reduce part of this tree. This application does not conflict or stack on 100896. The proposed reduction is reasonable as this tree overhangs most of the rear garden of the property and will no doubt adversely affect living conditions. Providing 2m clearance from the property will not have a major impact on tree health nor visual amenity. Crownlifting to 6m is also reasonable, so long as pruning wounds are limited to 75mm diameter.					
Decision	Consent	Refuse	Part consent/ Part refuse	Withdrawn / Invalid	Conservation Area	
					Raise no objection	TPO
Decision notice	GRANT CONSENT: Oak in rear garden of 21 Stirling Crescent - Prune back the overhang such that the closest point is 2m away from the nearest point of the house (including conservatory), crown lift to 6m above ground such that the canopy's lowest point over the garden is 6m.					
Conditions	BS3998					
Notes to applicant	N/A					
Parish comments	HETC comments: No Objection subject to the usual conditions of the tree officer. AM response: Noted.					
	Support		Objection		Observation	

Public objection/ support	1	0	0
Objection/ support consideration	Public comment: These trees have not been maintained for a while now and are in my opinion getting out of hand. I support this application to carry out pruning works. AM response: Noted and considered.		