



HAZARD SAFETY AUDIT

Bursledon Parish Council:

Site : Lionheart Way Ecology Park



Chesil House, Arrow Close,
Boyatt Wood, Hampshire, SO50 4SY
Tel: 023 8098 6229 [www: info@cbatrees.co.uk](http://www.info@cbatrees.co.uk)
[www: cbatrees.co.uk](http://www.cbatrees.co.uk)
The Complete Arboricultural Consultancy

April 2026
CBA11114 v4



HAZARD SURVEY AUDIT NOTES

This Hazard Survey Audit has been undertaken in consideration of current good arboricultural practice with regards to the health and safety of the tree stock on this site.

Inspection Method

This survey is a basic data collection exercise undertaken from ground level only, and records tree condition at the time of survey. This will identify any visible signs of ill-health or major defects, advising further detailed investigation where appropriate. No assessment has been carried out in respect of ingress of roots into underground services or the potential of indirect property damage. Such matters are beyond the scope of this survey.

- Each tree has been numbered and, where instructed, for future identification on site, tagged using small durable metal or plastic tags.
- An assessment of a tree's **age classification** is made in terms of its maturity within the site's landscape and recorded thus:

Y	=	young trees i.e. newly planted or just established
SM	=	semi-mature trees, i.e. those that have reached one-third of their anticipated life expectancy
EM	=	early-mature trees, i.e. those that have reached two-thirds of their anticipated life expectancy
M	=	mature trees, i.e. those that have entered the final third of their anticipated life expectancy
OM	=	over-mature trees, as above but showing signs of low vigour and decline
V	=	veteran, trees that achieved their full life expectancy, are of exceptional size/age and of conservation value

- The **trees height** is recorded in 5 metre (m) increments: -

<5	=	under 5 metres in height
5-10	=	between 5 and 10 metres in height
10-15	=	between 10 and 15 metres in height
15-20	=	between 15 and 20 metres in height
>20	=	over 20 metres in height

- The **trunk diameter** is recorded in 150 millimetre (mm) increments, taken at 1.5 metres above ground level on single stem trees and just above the root flare on multi-stemmed trees:-

<150	=	under 150 millimetres diameter
150-300	=	between 150 and 300 millimetres diameter
300-450	=	between 300 and 450 millimetres diameter
450-600	=	between 450 and 600 millimetres diameter
>600	=	over 600 millimetres diameter

- The **crown spread** is recorded in 5 metre (m) increments and is an average overall crown spread taken from drip line to drip line

<5	=	under 5 metres crown spread
5-10	=	between 5 and 10 metres crown spread
10-15	=	between 10 and 15 metres crown spread
15-20	=	between 15 and 20 metres crown spread
>20	=	over 20 metres crown spread

- An assessment of a tree's structural and physiological **overall condition** is to be made as:

Good	=	none or limited structural defects and good physiological condition
Fair	=	remediable structural defects and/or below average physiological condition
Poor	=	irremediable structural defects and/or poor physiological condition
Dead	=	moribund, no further useful life

- It is strongly recommended that tree works should be undertaken within the timescales denoted in the Priorities column, and are recorded as action required:

Imminently dangerous	=	Immediate
Urgent	=	Within 1 month
Necessary	=	Within 3 months
Important	=	Within 6 months
Routine	=	Within 12 months

- Where ivy is identified on a tree, to prevent the tree from becoming suppressed, to reduce the risk of wind-throw and to alleviate additional weight, it has been recommended that a 300mm section of the ivy should be severed and removed around the base of the tree, unless otherwise stated.
- At the time of inspection, due to ivy cover, location etc, it may not be possible to verify the health and safety of the trees and it is therefore essential that re-inspections be undertaken within the recommended timescales to reduce the risk of potential hazard.
- Comments have been provided only where considered appropriate or necessary to provide additional information.
- Any tree groups have been assessed using estimated and representative data only.
- All dimensions recorded have been estimated and are given for guidance purposes only.
- The data collected and any advice provided within this report is supplied in the interests of sound arboricultural management. Trees are a living dynamic organism that can be affected by external conditions (high winds, storms, snow, heavy rain or drought) and may occasionally fail without warning. It is therefore not possible to state with any certainty that any tree or group of trees is completely safe. The condition of a tree or group of trees can change rapidly as a result of external factors; we would advise that the occupier/ owners inspect the trees at least every 12 months or following periods of extreme weather and where concerns are raised relating to tree health that would be considered beyond the knowledge of a layperson, further arboricultural advice should be sought.

	HAZARD SAFETY AUDIT	
	Client:	Bursledon Parish Council
	Site	Lionheart Way Ecology Park
	Date of Survey:	29th and 30th April 2026
	Consultant:	Alexa Monk <i>TechCert(Arbor A) NCH Arb</i>
	Tagged:	Yes (1-250)

TREE PRESERVATION ORDER (TPO) STATUS:

Following consultation with Eastleigh Borough Council it is confirmed that there are two Tree Preservation Orders covering all species across the whole of the ecology park (ref: TPO 95-H and TPO 39-E).

Tree No	Species	Age Class	Height (m)	Trunk Diameter (mm)	Crown Spread (m)	Overall Condition	Defects and other Relevant Comments	Recommended Works	Priority (months)	Recommended Re-inspection Interval
1	Previously removed	-	-	-	-	-	-	-	-	-
2	Previously removed	-	-	-	-	-	-	-	-	-
3	Previously removed	-	-	-	-	-	-	-	-	-
4	Previously removed	-	-	-	-	-	-	-	-	-
5	Wild Cherry <i>Prunus avium</i>	Early Mature	15-20	150-300	<5	Fair	Dead ivy on trunk and in crown Tall and etiolated due to group pressure Young Beech establishing at base Deadwood in crown but no significant target	No works required at time of survey	N/A	24 months
005A	Common Alder <i>Alnus glutinosa</i>	Semi-mature	10-15	150-300	5-10	Good	Grows at edge of pond beside path Bifurcated at ground level	No works required at time of survey	N/A	24 months
6	Common Sycamore <i>Acer pseudoplatanus</i>	-	-	-	-	-	Previously removed Basal suckers growing from cut stump	-	-	-
7	Common Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	10-15	300-450	5-10	Fair	Appears to be natural regeneration from old stump Basal suckers Multi-stemmed at ground level	No works required at time of survey	N/A	24 months

Tree No	Species	Age Class	Height (m)	Trunk Diameter (mm)	Crown Spread (m)	Overall Condition	Defects and other Relevant Comments	Recommended Works	Priority (months)	Recommended Re-inspection Interval
8	Goat Willow Salix caprea	Semi-mature	10-15	150-300	10-15	Fair	Growing on bank Epicormics on trunk and in crown Minor deadwood in crown Branch tear wound on north side of trunk at 5m above ground level	No works required at time of survey	N/A	24 months
9	Common Sycamore Acer pseudoplatanus	Early Mature	15-20	150-300	10-15	Fair	Bifurcated at ground level Western trunk bifurcated again at 1m above ground level Ivy on trunk and in crown Minor deadwood in crown	Sever ivy at base	Routine - within 12 months	24 months
10	Common Sycamore Acer pseudoplatanus	Semi-mature	15-20	150-300	10-15	Fair	Trunk and crown shape distorted due to group pressure Bifurcated at 5m above ground level Tall and etiolated due to group pressure	No works required at time of survey	Routine - within 12 months	24 months
11	Common Sycamore Acer pseudoplatanus	Early Mature	15-20	300-450	10-15	Fair	Ivy on trunk Low hanging branches Minor deadwood in crown	No works required at time of survey	N/A	24 months
12	Common Alder Alnus glutinosa	Semi-mature	15-20	150-300	5-10	Fair	Tall and etiolated due to group pressure Leans west Ivy on trunk limits survey Minor deadwood in crown Previously bifurcated at 1m above ground level but one stem has been removed	Sever ivy at base	Routine - within 12 months	24 months
13	Common Alder Alnus glutinosa	Early Mature	15-20	300-450	10-15	Good	Basal suckers Ivy on trunk and in crown limits survey Minor deadwood in crown	Sever ivy at base	Routine - within 12 months	24 months
14	Common Alder Alnus glutinosa	Early Mature	15-20	300-450	10-15	Fair	Ivy on trunk limits survey Minor deadwood in crown Leans east	Sever ivy at base	Routine - within 12 months	24 months
15	Common Alder Alnus glutinosa	Early Mature	15-20	300-450	10-15	Fair	Bifurcated at 1m above ground level Ivy on trunk Eastern stem reduced to 4m Tall and etiolated due to group pressure	Sever ivy	Routine - within 12 months	24 months

Tree No	Species	Age Class	Height (m)	Trunk Diameter (mm)	Crown Spread (m)	Overall Condition	Defects and other Relevant Comments	Recommended Works	Priority (months)	Recommended Re-inspection Interval
16	Common Ash Fraxinus excelsior	Early Mature	15-20	450-600	10-15	Fair	Ivy on trunk Bifurcated at 1.5m above ground level Tight forks with included bark Minor deadwood in crown	No works required at time of survey	N/A	24 months
17	Hazel Cherry Alder Pedunculate Oak Birch	Semi-mature	5-10	<150	<5	Fair	Group of 13 A mix of planted and natural regeneration growing in close proximity on woodland edge	No works required at time of survey	N/A	24 months
18	Wild Cherry Prunus avium	Early Mature	15-20	150-300	5-10	Fair	Ivy on trunk Tall and etiolated due to group pressure Minor deadwood in crown Crown shape distorted due to group pressure Bifurcated at 7-8m above ground level	No works required at time of survey	N/A	24 months
19	Wild Cherry Prunus avium	Early Mature	15-20	150-300	5-10	Fair	Ivy on trunk Tall and etiolated due to group pressure Minor deadwood in crown Crown shape distorted due to group pressure	No works required at time of survey	N/A	24 months
20	Pedunculate Oak Quercus robur	Semi-mature	10-15	150-300	5-10	Good	Trifurcated at 6m above ground level Crown shape distorted due to group pressure Ivy on trunk	No works required at time of survey	N/A	24 months
21	Wild Cherry Prunus avium	Early Mature	10-15	300-450	10-15	Fair	Ivy on trunk Trifurcated at 4m above ground level	Sever ivy at base	Routine - within 12 months	24 months
22	Common Ash Fraxinus excelsior	Semi-mature	10-15	220 at base	5-10	Fair	Trifurcated at 1m above ground level Minor deadwood in crown	No works required at time of survey	N/A	24 months
23	Common Ash Fraxinus excelsior	Semi-mature	10-15	150-300	5-10	Fair	Trunk and crown shape distorted due to group pressure Minor deadwood in crown Weighted east	No works required at time of survey	N/A	24 months
24	Common Ash Fraxinus excelsior	Semi-mature	10-15	150-300	5-10	Fair	Bark wounds on trunk Crown shape distorted due to group pressure Minor deadwood in crown	No works required at time of survey	N/A	24 months

Tree No	Species	Age Class	Height (m)	Trunk Diameter (mm)	Crown Spread (m)	Overall Condition	Defects and other Relevant Comments	Recommended Works	Priority (months)	Recommended Re-inspection Interval
25	Common Alder <i>Alnus glutinosa</i>	Semi-mature	10-15	150-300	10-15	Fair	Tall and etiolated due to group pressure Ivy on trunk Leans east Minor deadwood in crown Crown shape distorted due to group pressure Ivy on trunk establishing	No works required at time of survey	N/A	24 months
26	Silver Birch <i>Betula pendula</i>	Early Mature	15-20	150-300	10-15	Fair	Multi-stemmed at ground level Bark wounds at base Tight forks with included bark Epicormics on trunk Minor deadwood in crown Exposed roots	No works required at time of survey	N/A	24 months
27	Previously removed	-	-	-	-	-	-	-	-	-
28	Previously removed	-	-	-	-	-	-	-	-	-
29	Common Sycamore <i>Acer pseudoplatanus</i>	Early Mature	15-20	300-450	10-15	Fair	Trunk shape distorted due to group pressure Kinked at base Crown shape distorted due to group pressure Minor deadwood in crown	No works required at time of survey	N/A	24 months
30	Previously removed	-	-	-	-	-	-	-	-	-
31	Previously removed	-	-	-	-	-	-	-	-	-
32	Common Sycamore <i>Acer pseudoplatanus</i>	Early Mature	15-20	300-450	10-15	Fair	Ivy on trunk Bifurcated at 8m above ground level Crown shape distorted due to group pressure Minor deadwood in crown	No works required at time of survey	N/A	24 months
33	Common Alder <i>Alnus glutinosa</i>	Semi-mature	15-20	150-300	5-10	Fair	Tall and etiolated due to group pressure Weighted south Minor deadwood in crown Ivy on trunk limits survey	Sever ivy at base	Routine - within 12 months	24 months
34	Common Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	15-20	300-450	5-10	Fair	Crown shape distorted due to group pressure Bark wound in crown Major deadwood in crown over footpath	Remove major deadwood	Necessary - within 3 months	24 months

Tree No	Species	Age Class	Height (m)	Trunk Diameter (mm)	Crown Spread (m)	Overall Condition	Defects and other Relevant Comments	Recommended Works	Priority (months)	Recommended Re-inspection Interval
35	Common Alder <i>Alnus glutinosa</i>	Mature	>20	450-600	10-15	Fair	Basal suckers Ivy on trunk Major deadwood in crown but no significant target	No works required at time of survey	N/A	24 months
36	Common Sycamore x4 <i>Acer pseudoplatanus</i>	Semi-mature	15-20	150-300	5-10	Fair	Four trees growing in close proximity Ivy on trunks Lean west Crown shapes distorted due to group pressure Tall and etiolated due to group pressure	No works required at time of survey	N/A	24 months
37	Common Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	15-20	150-300	<5	Fair	Basal suckers forming subsidiary stem Leans and weighted west Tall and etiolated due to group pressure	No works required at time of survey	N/A	24 months
38	Common Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	15-20	150-300	5-10	Fair	Trunk and crown shape distorted due to group pressure Weighted and leans west Minor deadwood in crown Tall and etiolated due to group pressure Exposed surface roots	No works required at time of survey	N/A	24 months
39	Sweet Chestnut <i>Castanea sativa</i>	Mature	>20	>600	15-20	Fair	Bifurcated at 2m above ground level Decay on north side of trunk Both trunks bifurcated again Major deadwood in crown but no significant target Stems fuse at 4m above ground level	No works required at time of survey	N/A	24 months
40	Common Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	15-20	150-300	5-10	Fair	Tall and etiolated due to group pressure Ivy on trunk and in crown Crown shape distorted due to group pressure Minor deadwood in crown Leans south	No works required at time of survey	N/A	24 months
41	Common Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	15-20	150-300	5-10	Fair	Tall and etiolated due to group pressure Ivy on trunk and in crown Crown shape distorted due to group pressure Minor deadwood in crown	No works required at time of survey	N/A	24 months
42	Common Alder <i>Alnus glutinosa</i>	Semi-mature	15-20	150-300	5-10	Fair	Tall and etiolated due to group pressure Ivy on trunk Crown shape distorted due to group pressure Minor deadwood in crown	No works required at time of survey	N/A	24 months

Tree No	Species	Age Class	Height (m)	Trunk Diameter (mm)	Crown Spread (m)	Overall Condition	Defects and other Relevant Comments	Recommended Works	Priority (months)	Recommended Re-inspection Interval
43	Common Alder Alnus glutinosa	Semi-mature	15-20	150-300	5-10	Fair	Tall and etiolated due to group pressure Ivy on trunk Crown shape distorted due to group pressure Minor deadwood in crown	No works required at time of survey	N/A	24 months
44	Common Alder Alnus glutinosa	Semi-mature	>20	150-300	5-10	Fair	Tall and etiolated due to group pressure Minor deadwood in crown	No works required at time of survey	N/A	24 months
45	Previously removed	-	-	-	-	-	-	-	-	-
46	Previously removed	-	-	-	-	-	-	-	-	-
47	Silver Birch Betula pendula	Early Mature	>20	300-450	10-15	Good	Ivy on trunk Minor deadwood in crown	No works required at time of survey	N/A	24 months
48	Silver Birch Betula pendula	Semi-mature	10-15	150-300	5-10	Good	Crown shape distorted due to group pressure Minor deadwood in crown	No works required at time of survey	N/A	24 months
49	Previously removed	-	-	-	-	-	-	-	-	-
50	Previously removed	-	-	-	-	-	-	-	-	-
51	Silver Birch Betula pendula	Semi-mature	<5	150-300	<5	Fair	Heavily leans north east Tall and etiolated due to group pressure Crown shape distorted due to group pressure 5m pole	No works required at time of survey	N/A	N/A
52	Previously removed	-	-	-	-	-	-	-	-	-
53	Silver Birch Betula pendula	Early Mature	>20	150-300	5-10	Good	Ivy on trunk and in crown Tall and etiolated due to group pressure Crown shape distorted due to group pressure Minor deadwood in crown	Sever ivy at base	Important - within 6 months	24 months

Tree No	Species	Age Class	Height (m)	Trunk Diameter (mm)	Crown Spread (m)	Overall Condition	Defects and other Relevant Comments	Recommended Works	Priority (months)	Recommended Re-inspection Interval
54	Silver Birch Betula pendula	Semi-mature	15-20	150-300	<5	Fair	Tall and etiolated due to group pressure Ivy on trunk Crown shape distorted due to group pressure Minor deadwood in crown	No works required at time of survey	N/A	24 months
55	Silver Birch Betula pendula	Early Mature	15-20	300-450	10-15	Fair	Leans and weighted east Ivy on trunk Crown shape distorted due to group pressure	No works required at time of survey	N/A	24 months
56	Silver Birch Betula pendula	Early Mature	15-20	150-300	5-10	Fair	Dying ivy on trunk and in crown Minor deadwood in crown	No works required at time of survey	N/A	24 months
57	Silver Birch Betula pendula	Semi-mature	15-20	150-300	5-10	Poor	Snapped out at 6m above ground level	No works required at time of survey	N/A	N/A
58	Silver Birch Betula pendula	Early Mature	15-20	150-300	10-15	Fair	Ivy on trunk Minor deadwood in crown Crown shape distorted due to group pressure	Sever ivy	Routine - within 12 months	24 months
59	Silver Birch Betula pendula	Semi-mature	15-20	<150	5-10	Fair	Ivy on trunk Minor deadwood in crown Crown shape distorted due to group pressure Tall and etiolated due to group pressure	Sever ivy	Routine - within 12 months	24 months
60	Silver Birch Betula pendula	Semi-mature	10-15	150-300	5-10	Fair	Ivy on trunk Crown shape distorted due to group pressure Major deadwood in crown but no significant target	Sever ivy at base	Important - within 6 months	24 months
61	Previously removed	-	-	-	-	-	-	-	-	-
62	Silver Birch Betula pendula	Semi-mature	10-15	<150	5-10	Fair	Ivy on trunk and in crown Crown shape distorted due to group pressure Minor deadwood in crown Leans south	Sever ivy at base	Important - within 6 months	24 months
63	Previously removed	-	-	-	-	-	-	-	-	-

Tree No	Species	Age Class	Height (m)	Trunk Diameter (mm)	Crown Spread (m)	Overall Condition	Defects and other Relevant Comments	Recommended Works	Priority (months)	Recommended Re-inspection Interval
64	Silver Birch x4 <i>Betula pendula</i>	Semi-mature	10-15	<150	5-10	Fair	Four trees growing in close proximity Trunk and crown shape distorted due to group pressure Ivy on trunks Minor deadwood in crowns	No works required at time of survey	N/A	24 months
65	Pedunculate Oak <i>Quercus robur</i>	Mature	>20	>600	>20	Good	Trunk and crown shape distorted due to group pressure Minor deadwood in crown Leans south west	No works required at time of survey	N/A	24 months
66	Sweet Chestnut <i>Castanea sativa</i>	Early Mature	15-20	300-450	5-10	Poor	Ivy on trunk and in crown Major deadwood in crown but no significant target Leans east Dead top (leader) but no significant target	No works required at time of survey	N/A	24 months
67	Common Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	15-20	150-300	5-10	Fair	Tall and etiolated due to group pressure Ivy on trunk Crown shape distorted due to group pressure Minor deadwood in crown	No works required at time of survey	N/A	24 months
68	Silver Birch <i>Betula pendula</i>	Semi-mature	10-15	150-300	5-10	Good	Ivy on trunk Trunk and crown shape distorted due to group pressure Minor deadwood in crown	No works required at time of survey	N/A	24 months
69	Silver Birch <i>Betula pendula</i>	Semi-mature	15-20	150-300	5-10	Good	Epicormics on trunk Crown shape distorted due to group pressure Minor deadwood in crown	No works required at time of survey	N/A	24 months
70	Silver Birch <i>Betula pendula</i>	Semi-mature	15-20	150-300	5-10	Fair	Ivy on trunk and in crown Tall and etiolated due to group pressure Minor deadwood in crown Crown shape distorted due to group pressure	Sever ivy at base	Important - within 6 months	24 months
71	Previously removed	-	-	-	-	-	-	-	-	-
72	Common Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	5	150-300	-	Poor	Reduced leaving 5m pole	No works required at time of survey	N/A	24 months

Tree No	Species	Age Class	Height (m)	Trunk Diameter (mm)	Crown Spread (m)	Overall Condition	Defects and other Relevant Comments	Recommended Works	Priority (months)	Recommended Re-inspection Interval
73	Common Sycamore Acer pseudoplatanus	Mature	>20	>600	15-20	Good	Bifurcated at 6m above ground level Old pruning wounds and associated cavities on trunk and in crown Major deadwood in crown but no significant target	No works required at time of survey	N/A	24 months
74	Common Sycamore Acer pseudoplatanus	Mature	>20	450-600	15-20	Fair	Previously bifurcated at 1m above ground level but western stem removed Leans and weighted east Ivy on trunk Major deadwood in crown but no significant target	No works required at time of survey	N/A	24 months
75	Silver Birch Betula pendula	Early Mature	15-20	300-450	5-10	Good	Dead ivy on trunk Minor deadwood in crown Dead stem to east leaning over path	No works required at time of survey	N/A	24 months
76	Silver Birch Betula pendula	Semi-mature	15-20	150-300	5-10	Fair	Dead ivy on trunk Tall and etiolated due to group pressure Minor deadwood in crown	No works required at time of survey	N/A	24 months
77	Pedunculate Oak Quercus robur	Mature	>20	450-600	15-20	Fair	Epicormics in crown Old pruning wounds in crown	No works required at time of survey	N/A	24 months
78	Common Sycamore Acer pseudoplatanus	Semi-mature	15-20	150-300	5-10	Fair	Ivy on trunk and in crown Crown shape distorted due to group pressure Minor deadwood in crown	Sever ivy at base	Routine - within 12 months	24 months
79	Common Sycamore Acer pseudoplatanus	Early Mature	15-20	300-450	10-15	Fair	Ivy on trunk Crown shape distorted due to group pressure Minor deadwood in crown Unable to verify health and safety due to no access Weighted south	Sever ivy at base	Important - within 6 months	24 months
80 (No Tag)	Common Sycamore Acer pseudoplatanus	Semi-mature	15-20	150-300	5-10	Fair	Growing to south of T79 Unable to verify health and safety due to no access Ivy on trunk and in crown Weighted west Crown shape distorted due to group pressure Tall and etiolated due to group pressure Minor deadwood in crown	Sever ivy	Important - within 6 months	24 months

Tree No	Species	Age Class	Height (m)	Trunk Diameter (mm)	Crown Spread (m)	Overall Condition	Defects and other Relevant Comments	Recommended Works	Priority (months)	Recommended Re-inspection Interval
81	Common Sycamore Acer pseudoplatanus	Early Mature	15-20	300-450	10-15	Fair	Growing beneath more dominant Oaks Basal suckers Epicormics on trunk Ivy on trunk and in crown limits survey Minor deadwood in crown	Sever ivy at base	Important - within 6 months	24 months
82	Common Beech Fagus sylvatica	Early Mature	15-20	300-450	10-15	Good	Growing near stream bank Growing beneath more dominant Oak Minor deadwood in crown Bifurcated at 11m above ground level Crown shape distorted due to group pressure	No works required at time of survey	N/A	24 months
83 (No Tag)	Pedunculate Oak Quercus robur	Mature	>20	>600	15-20	Fair	Bifurcated at 6m above ground level Epicormics on trunk Crown shape distorted due to group pressure Dead ivy on trunk and in crown Major deadwood in crown but no significant target Weighted west	No works required at time of survey	N/A	24 months
84	Pedunculate Oak Quercus robur	Over Mature	<5	>600	-	-	Stump	No works required at time of survey	N/A	N/A
85	Common Sycamore Acer pseudoplatanus	Semi-mature	10-15	300-450	5-10	Fair	Growing on stream bank Ivy on trunk and in crown Basal suckers Bifurcated at 6m above ground level	Sever ivy at base	Important - within 6 months	24 months
86	Common Sycamore Acer pseudoplatanus	Semi-mature	10-15	150-300	5-10	Good	Trunk shape distorted Minor deadwood in crown Ivy on trunk and in crown Grows next to T85	Sever ivy	Routine - within 12 months	24 months
87	Goat Willow Salix caprea	Semi-mature	5-10	<150	5-10	Fair	Ivy on trunk and in crown Bifurcated at ground level Deadwood in crown but no significant target	Sever ivy	Routine - within 12 months	24 months
88 (no tag)	Common Sycamore Acer pseudoplatanus	Semi-mature	15-20	150-300	5-10	Fair	Growing on pond inlet bank South east of T87 Ivy on trunk Minor deadwood in crown Grows next to footpath	No works required at time of survey	N/A	24 months

Tree No	Species	Age Class	Height (m)	Trunk Diameter (mm)	Crown Spread (m)	Overall Condition	Defects and other Relevant Comments	Recommended Works	Priority (months)	Recommended Re-inspection Interval
89	Pedunculate Oak <i>Quercus robur</i>	Early Mature	15-20	450-600	15-20	Fair	Ivy on trunk Bleeding canker on trunk Crown shape distorted due to group pressure Weighted south Minor deadwood in crown Opposite side of stream to T88	No works required at time of survey	N/A	24 months
90	Common Beech <i>Fagus sylvatica</i>	Semi-mature	10-15	150-300	5-10	Fair	Growing on stream bank Crown shape distorted due to group pressure Minor deadwood in crown Bark wound on trunk	No works required at time of survey	N/A	24 months
91	Common Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	10-15	150-300	5-10	Fair	Growing on stream bank Crown shape distorted due to group pressure Minor deadwood in crown Bark wound on trunk	No works required at time of survey	N/A	24 months
92	Common Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	10-15	150-300	5-10	Fair	Crown shape distorted due to group pressure Ivy on trunk Minor deadwood in crown	No works required at time of survey	N/A	24 months
93	Silver Birch <i>Betula pendula</i>	Mature	>20	300-450	10-15	Fair	Dead ivy on trunk and in crown Crown shape distorted due to group pressure Weighted south west Minor deadwood in crown	No works required at time of survey	N/A	24 months
94	Common Alder <i>Alnus glutinosa</i>	Mature	15-20	450-600	10-15	Fair	Ivy on trunk and in crown Trunk and crown shape distorted due to group pressure west Minor deadwood in crown	No works required at time of survey	N/A	24 months
95	Goat Willow <i>Salix caprea</i>	Semi-mature	10-15	150-300	5-10	Fair	Bifurcated at 6m above ground level Crown shape distorted due to group pressure Minor deadwood in crown	No works required at time of survey	N/A	24 months
96	Common Alder <i>Alnus glutinosa</i>	Early Mature	5-10	150-300	<5	Dead	5m standing stump with wildlife holes present	No works required at time of survey	N/A	N/A

Tree No	Species	Age Class	Height (m)	Trunk Diameter (mm)	Crown Spread (m)	Overall Condition	Defects and other Relevant Comments	Recommended Works	Priority (months)	Recommended Re-inspection Interval
97	Common Alder <i>Alnus glutinosa</i>	Early Mature	15-20	150-300	5-10	Fair	Leans east Tall and etiolated due to group pressure Crown shape distorted due to group pressure Minor deadwood in crown Bark wounds on trunk	No works required at time of survey	N/A	24 months
98	Common Alder <i>Alnus glutinosa</i>	Early Mature	15-20	450-600	10-15	Good	Ivy on trunk Minor deadwood in crown	Sever ivy	Routine - within 12 months	24 months
99	Previously removed	-	-	-	-	-	-	-	-	-
100	Previously removed	-	-	-	-	-	-	-	-	-
101	Common Alder <i>Alnus glutinosa</i>	Mature	<5	450-600	-	Dead	Snapped out tree leaving 2m high stump	N/A	N/A	N/A
102	Common Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	15-20	300-450	5-10	Fair	Growing on bank Ivy on trunk and in crown Tall and etiolated due to group pressure Crown shape distorted due to group pressure Minor deadwood in crown	Sever ivy at base	Routine - within 12 months	24 months
103	Common Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	15-20	150-300	5-10	Fair	Growing on bank Ivy on trunk and in crown Tall and etiolated due to group pressure Crown shape distorted due to group pressure Minor deadwood in crown	Sever ivy at base	Routine - within 12 months	24 months
104	Common Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	15-20	150-300	5-10	Fair	Ivy on trunk and in crown Tall and etiolated due to group pressure Growing beneath tree 105 Minor deadwood in crown	No works required at time of survey	N/A	24 months
105	Pedunculate Oak <i>Quercus robur</i>	Mature	15-20	>600	>20	Fair	Bifurcated at ground level Subsidiary stem to south west Dead ivy on trunk Major deadwood in crown but no significant target Storm damage in crown leaving tear stubs	No works required at time of survey	N/A	24 months

Tree No	Species	Age Class	Height (m)	Trunk Diameter (mm)	Crown Spread (m)	Overall Condition	Defects and other Relevant Comments	Recommended Works	Priority (months)	Recommended Re-inspection Interval
106	Common Sycamore Acer pseudoplatanus	Semi-mature	15-20	150-300	5-10	Fair	Bark wounds on trunk Tall and etiolated due to group pressure Crown shape distorted due to group pressure Minor deadwood in crown Weighted north	No works required at time of survey	N/A	24 months
107	Pedunculate Oak Quercus robur	Mature	>20	>600	>20	Fair	Bifurcated at 9m above ground level Storm damage in crown Crown shape distorted due to group pressure	No works required at time of survey	N/A	24 months
108	Common Sycamore x3 Acer pseudoplatanus	Semi-mature	15-20	150-300	5-10	Fair	Tall and etiolated due to group pressure Ivy on trunk and in crown Crown shape distorted due to group pressure Minor deadwood in crown	No works required at time of survey	N/A	24 months
109	Common Sycamore x4 Acer pseudoplatanus	Semi-mature	10-15	150-300	5-10	Fair	Tall and etiolated due to group pressure Ivy on trunk and in crown Crown shape distorted due to group pressure Minor deadwood in crown	Sever ivy	Routine - within 12 months	24 months
110	Common Sycamore Acer pseudoplatanus	Semi-mature	15-20	150-300	5-10	Fair	Tall and etiolated due to group pressure Ivy on trunk and in crown Crown shape distorted due to group pressure Minor deadwood in crown	Sever ivy	Routine - within 12 months	24 months
111	Common Sycamore Acer pseudoplatanus	Semi-mature	15-20	150-300	5-10	Fair	Trunk and crown shape distorted due to group pressure Tall and etiolated due to group pressure Ivy on trunk limits survey	Sever ivy	Routine - within 12 months	24 months
112	Common Sycamore Acer pseudoplatanus	Semi-mature	15-20	150-300	5-10	Fair	Trunk and crown shape distorted due to group pressure Tall and etiolated due to group pressure Ivy on trunk Minor deadwood in crown	Sever ivy	Routine - within 12 months	24 months

Tree No	Species	Age Class	Height (m)	Trunk Diameter (mm)	Crown Spread (m)	Overall Condition	Defects and other Relevant Comments	Recommended Works	Priority (months)	Recommended Re-inspection Interval
113	Common Sycamore Acer pseudoplatanus	Semi-mature	15-20	150-300	5-10	Fair	Trunk and crown shape distorted due to group pressure Tall and etiolated due to group pressure Ivy on trunk Minor deadwood in crown	Sever ivy	Routine - within 12 months	24 months
114	Common Sycamore Acer pseudoplatanus	Semi-mature	15-20	150-300	5-10	Fair	Trunk and crown shape distorted due to group pressure Tall and etiolated due to group pressure Ivy on trunk Minor deadwood in crown	Sever ivy	Routine - within 12 months	24 months
115	Common Sycamore Acer pseudoplatanus	Semi-mature	15-20	150-300	5-10	Fair	Trunk and crown shape distorted due to group pressure Tall and etiolated due to group pressure Ivy on trunk Minor deadwood in crown	Sever ivy	Routine - within 12 months	24 months
116	Common Sycamore Acer pseudoplatanus	Semi-mature	15-20	150-300	5-10	Fair	Ivy on trunk Tall and etiolated due to group pressure Minor deadwood in crown	No works required at time of survey	N/A	24 months
117	Common Sycamore Acer pseudoplatanus	Semi-mature	15-20	150-300	5-10	Fair	Bifurcated at ground level Tall and etiolated due to group pressure Crown shape distorted due to group pressure Minor deadwood in crown	No works required at time of survey	N/A	24 months
118	Common Sycamore Acer pseudoplatanus	Semi-mature	15-20	300-450	5-10	Fair	Ivy on trunk and in crown - previously cut Tall and etiolated due to group pressure Minor deadwood in crown Crown shape distorted due to group pressure	No works required at time of survey	N/A	24 months
119	Common Sycamore Acer pseudoplatanus	Semi-mature	15-20	300-450	5-10	Fair	Ivy on trunk and in crown Tall and etiolated due to group pressure Crown shape distorted due to group pressure Minor deadwood in crown	Sever ivy	Routine - within 12 months	24 months

Tree No	Species	Age Class	Height (m)	Trunk Diameter (mm)	Crown Spread (m)	Overall Condition	Defects and other Relevant Comments	Recommended Works	Priority (months)	Recommended Re-inspection Interval
120	Common Sycamore Acer pseudoplatanus	Semi-mature	15-20	150-300	5-10	Fair	Bifurcated at ground level Ivy on trunk Major deadwood in crown over footpath	Sever ivy at base Remove major deadwood over footpath	Routine - within 12 months	24 months
121	Common Sycamore Acer pseudoplatanus	Semi-mature	15-20	150-300	5-10	Fair	Bifurcated at 1.5m above ground level Crown shape distorted due to group pressure Minor deadwood in crown	No works required at time of survey	N/A	24 months
122	Common Sycamore Acer pseudoplatanus	Semi-mature	15-20	300-450	5-10	Good	Tall and etiolated due to group pressure Minor deadwood in crown Bifurcated at 5m above ground level	No works required at time of survey	N/A	24 months
123	Pedunculate Oak Quercus robur	Mature	<5	>600	<5	Dead	Ivy covered decaying stump	No works required at time of survey	N/A	24 months
124	Silver Birch Betula pendula	Semi-mature	15-20	150-300	5-10	Fair	Bark wound on trunk Tall and etiolated due to group pressure Minor deadwood in crown Ivy establishing on trunk	No works required at time of survey	N/A	24 months
125	Common Sycamore Acer pseudoplatanus	Semi-mature	15-20	150-300	5-10	Fair	Tall and etiolated due to group pressure Crown shape distorted due to group pressure Ivy on trunk Minor deadwood in crown	No works required at time of survey	N/A	24 months
126	Common Sycamore Acer pseudoplatanus	Semi-mature	15-20	150-300	5-10	Fair	Tall and etiolated due to group pressure Crown shape distorted due to group pressure Ivy on trunk Minor deadwood in crown	No works required at time of survey	N/A	24 months
127	Common Sycamore Acer pseudoplatanus	Semi-mature	15-20	150-300	5-10	Fair	Tall and etiolated due to group pressure Crown shape distorted due to group pressure Ivy on trunk Minor deadwood in crown Bifurcated and trunk shape distorted at 9m above ground level	No works required at time of survey	N/A	24 months

Tree No	Species	Age Class	Height (m)	Trunk Diameter (mm)	Crown Spread (m)	Overall Condition	Defects and other Relevant Comments	Recommended Works	Priority (months)	Recommended Re-inspection Interval
128	Common Alder <i>Alnus glutinosa</i>	Early Mature	>20	300-450	5-10	Fair	Ivy on trunk Tall and etiolated due to group pressure Crown shape distorted due to group pressure Minor deadwood in crown Grows to edge of footpath	No works required at time of survey	N/A	24 months
129	Common Alder <i>Alnus glutinosa</i>	Early Mature	>20	150-300	5-10	Fair	Ivy on trunk Tall and etiolated due to group pressure Crown shape distorted due to group pressure Minor deadwood in crown	No works required at time of survey	N/A	24 months
130	Common Alder <i>Alnus glutinosa</i>	Early Mature	>20	150-300	5-10	Fair	Ivy on trunk Tall and etiolated due to group pressure Crown shape distorted due to group pressure Minor deadwood in crown Leans north	No works required at time of survey	N/A	24 months
131	Common Alder <i>Alnus glutinosa</i>	Early Mature	>20	300-450	5-10	Fair	Ivy on trunk Tall and etiolated due to group pressure Crown shape distorted due to group pressure Deadwood in crown but no significant target	No works required at time of survey	N/A	24 months
132	Common Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	15-20	150-300	5-10	Fair	Ivy on trunk Crown shape distorted due to group pressure Tall and etiolated due to group pressure Minor deadwood in crown	No works required at time of survey	N/A	24 months
133	Common Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	15-20	150-300	5-10	Fair	Bifurcated at ground level Tall and etiolated due to group pressure Minor deadwood in crown	No works required at time of survey	N/A	24 months
134	Common Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	15-20	150-300	5-10	Fair	Ivy on trunk Trunk and crown shape distorted due to group pressure Tall and etiolated due to group pressure Minor deadwood in crown	No works required at time of survey	N/A	24 months

Tree No	Species	Age Class	Height (m)	Trunk Diameter (mm)	Crown Spread (m)	Overall Condition	Defects and other Relevant Comments	Recommended Works	Priority (months)	Recommended Re-inspection Interval
135	Common Sycamore Acer pseudoplatanus	Semi-mature	10-15	150-300	5-10	Fair	Ivy on trunk and in crown Trunk and crown shape distorted due to group pressure Minor deadwood in crown	Sever ivy	Important - within 6 months	24 months
136	Common Sycamore Acer pseudoplatanus	Semi-mature	10-15	150-300	5-10	Fair	Trunk and crown shape distorted due to group pressure Ivy on trunk and in crown Minor deadwood in crown Leans and weighted north west	Sever ivy at base	Routine - within 12 months	24 months
137	Common Sycamore Acer pseudoplatanus	Early Mature	15-20	300-450	5-10	Fair	Ivy on trunk and in crown Crown shape distorted due to group pressure Bifurcated at 10m above ground level Tall and etiolated due to group pressure Deadwood in crown but no significant target	Sever ivy at base	Important - within 6 months	24 months
138	Common Sycamore Acer pseudoplatanus	Early Mature	15-20	300-450	10-15	Fair	Bifurcated at ground level Ivy on trunk and in crown Crown shape distorted due to group pressure Minor deadwood in crown Exposed surface roots	Sever ivy at base	Important - within 6 months	24 months
139	Field Maple Acer campestre	Semi-mature	10-15	150-300	5-10	Fair	Ivy on trunk and in crown Epicormics on trunk Minor deadwood in crown	Sever ivy at base	Important - within 6 months	24 months
140	Common Ash Fraxinus excelsior	Mature	15-20	450-600	15-20	Fair	Bifurcated at 1m above ground level Crown shape distorted Minor deadwood in crown	No works required at time of survey	N/A	24 months
141	Common Sycamore Acer pseudoplatanus	Semi-mature	15-20	150-300	5-10	Fair	Crown shape distorted due to group pressure Minor deadwood in crown Dead ivy on trunk	No works required at time of survey	N/A	24 months
142	Common Sycamore Acer pseudoplatanus	Semi-mature	15-20	150-300	5-10	Fair	Trunk and crown shape distorted due to group pressure Ivy on trunk and in crown Minor deadwood in crown Exposed surface roots	No works required at time of survey	N/A	24 months

Tree No	Species	Age Class	Height (m)	Trunk Diameter (mm)	Crown Spread (m)	Overall Condition	Defects and other Relevant Comments	Recommended Works	Priority (months)	Recommended Re-inspection Interval
143	Silver Birch <i>Betula pendula</i>	Early Mature	10-15	300-450	5-10	Fair	Dead ivy on trunk Minor deadwood in crown Bifurcated at 2.5m above ground level	No works required at time of survey	N/A	24 months
144	Field Maple <i>Acer campestre</i>	Semi-mature	5-10	150-300	5-10	Fair	Trunk and crown shape distorted due to group pressure Minor deadwood in crown	No works required at time of survey	N/A	24 months
145	Previously removed	-	-	-	-	-	-	-	-	-
146	Goat Willow <i>Salix caprea</i>	Semi-mature	5-10	150-300	5-10	Fair	Minor deadwood in crown Crown shape distorted due to group pressure Weighted west Leans west	No works required at time of survey	N/A	24 months
147	Horse Chestnut <i>Aesculus hippocastanum</i>	Early Mature	15-20	450-600	10-15	Fair	Large bark wound on north side of lower trunk Crown shape distorted due to group pressure Minor deadwood in crown Rope swing in lower crown	No works required at time of survey	N/A	24 months
148	Common Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	15-20	150-300	5-10	Fair	Basal suckers Ivy on trunk and in crown Tall and etiolated due to group pressure Crown shape distorted due to group pressure Minor deadwood in crown Exposed surface roots	Sever ivy at base	Important - within 6 months	24 months
149	Pedunculate Oak <i>Quercus robur</i>	Mature	>20	>600	15-20	Fair	Trifurcated at 1m above ground level Ivy on trunk Some sections previously crown reduced Storm damage in crown Dead hanger in fork Major deadwood in crown but no significant target Epicormics in crown Vertical wound on western stem occluding and decaying	Consider reducing height of decaying stem by 5m	Routine - within 12 months	24 months
150	Common Sycamore <i>Acer pseudoplatanus</i>	SM	5-10	150-300	5-10	Fair	Leans north west Trunk and crown shape distorted due to group pressure Ivy on trunk and in crown	No works required at time of survey	N/A	24 months

Tree No	Species	Age Class	Height (m)	Trunk Diameter (mm)	Crown Spread (m)	Overall Condition	Defects and other Relevant Comments	Recommended Works	Priority (months)	Recommended Re-inspection Interval
151	Pedunculate Oak Quercus robur	Mature	>20	>600	10-15	Fair	Crown shape distorted due to group pressure Major deadwood in crown but no significant target	No works required at time of survey	N/A	24 months
152	Pedunculate Oak Quercus robur	Early Mature	15-20	450-600	10-15	Fair	Crown shape distorted due to group pressure Major deadwood in crown but no significant target Dead ivy on trunk Cavity at base on south side, occluding well Epicormics on trunk	No works required at time of survey	N/A	24 months
153	Pedunculate Oak Quercus robur	Early Mature	4	300-450	<5	Poor	Bifurcated at ground level Remaining 4m standing pole Ivy on trunks	No works required at time of survey	N/A	24 months
154 (No Tag)	Common Sycamore Acer pseudoplatanus	Semi-mature	15-20	150-300	5-10	Fair	Crown shape distorted due to group pressure Minor deadwood in crown Ivy on trunk establishing Stands to side of footpath	No works required at time of survey	N/A	24 months
154A (No Tag)	Common Sycamore Acer pseudoplatanus	Semi-mature	15-20	150-300	5-10	Good	Stands to the north of T154 Crown shape distorted due to group pressure Minor deadwood in crown Stands to side of footpath Ivy on trunk and in crown limits survey	Sever ivy at base	Important - within 6 months	24 months
155	Goat Willow Salix caprea	Semi-mature	5-10	<150	5-10	Fair	Canker on trunk Bifurcated at 5m above ground level Crown shape distorted due to group pressure Minor deadwood in crown Leans and crown biased to south Ivy on trunk	No works required at time of survey	N/A	24 months
156	Previously removed	-	-	-	-	-	-	-	-	-
157	Pedunculate Oak Quercus robur	Mature	>20	>600	15-20	Fair	Trifurcated at 1m above ground level Crown shape distorted due to group pressure Major deadwood in crown but no significant target Epicormics in crown	No works required at time of survey	N/A	24 months
158	Common Sycamore Acer pseudoplatanus	Semi-mature	10-15	150-300	5-10	Fair	Ivy on trunk and in crown Minor deadwood in crown Leans and weighted west	Sever ivy at base	Routine - within 12 months	24 months

Tree No	Species	Age Class	Height (m)	Trunk Diameter (mm)	Crown Spread (m)	Overall Condition	Defects and other Relevant Comments	Recommended Works	Priority (months)	Recommended Re-inspection Interval
159	Pedunculate Oak Quercus robur	Mature	>20	>600	15-20	Fair	Dead ivy on trunk Bifurcated at 6m above ground level Major deadwood in crown (low risk) Crown shape distorted due to group pressure Epicormics on trunk and in crown	No works required at time of survey	N/A	24 months
160	Previously removed	-	-	-	-	-	-	-	-	-
161	Common Sycamore Acer pseudoplatanus	Semi-mature	10-15	150-300	10-15	Fair	Ivy on trunk beginning to establish Trunk shape distorted Weighted west Main leader historically lost Poor shape and form	No works required at time of survey	N/A	24 months
162	Common Sycamore Acer pseudoplatanus	Semi-mature	10-15	150-300	5-10	Fair	Bifurcated at 3m above ground level Leans and weighted west Poor shape and form	No works required at time of survey	N/A	24 months
163	Wild Cherry Prunus avium	Semi-mature	5-10	150-300	<5	Fair	Dead ivy on trunk and in crown Weighted west Suppressed and stunted	No works required at time of survey	N/A	24 months
164	Common Sycamore Acer pseudoplatanus	Semi-mature	15-20	150-300	5-10	Fair	Dead ivy on trunk Bifurcated at 4m above ground level Crown shape distorted due to group pressure	No works required at time of survey	N/A	24 months
165	Common Sycamore Acer pseudoplatanus	Semi-mature	15-20	150-300	5-10	Fair	Ivy on trunk and in crown Crown shape distorted due to group pressure Tall and etiolated due to group pressure	Sever ivy at base	Important - within 6 months	24 months
166	Common Sycamore Acer pseudoplatanus	Early Mature	15-20	300-450	10-15	Fair	Trunk and crown shape distorted due to group pressure Weighted west Minor deadwood in crown Rubbing limbs in crown	No works required at time of survey	N/A	24 months
167	Previously removed	-	-	-	-	-	-	-	-	-

Tree No	Species	Age Class	Height (m)	Trunk Diameter (mm)	Crown Spread (m)	Overall Condition	Defects and other Relevant Comments	Recommended Works	Priority (months)	Recommended Re-inspection Interval
168 and 169	Common Sycamore x2 Acer pseudoplatanus	Early Mature	15-20	300-450	10-15	Fair	Two trees growing as one Tree 169 bifurcated at 5m above ground level Crown shape distorted due to group pressure Minor deadwood in crown	No works required at time of survey	N/A	24 months
170	Common Sycamore Acer pseudoplatanus	Mature	15-20	450-600	10-15	Fair	Ivy on trunk and in crown limits survey Bifurcated at 3m above ground level Minor deadwood in crown	Sever ivy at base	Important - within 6 months	24 months
171	Common Sycamore Acer pseudoplatanus	Young	5-10	<150	<5	Fair	Trunk and crown shape distorted due to group pressure Growing under T172 Suppressed and stunted Weighted west	No works required at time of survey	N/A	24 months
172	Common Beech Fagus sylvatica	Mature	>20	>600	15-20	Fair	Ivy on trunk Bifurcated at approximately 14m above ground level Tight forks with included bark Minor deadwood in crown Apical dieback at top of crown Deadwood hanger in crown over footpath	Remove deadwood hanger over footpath	Necessary - within 3 months	24 months
173	Previously removed	-	-	-	-	-	-	-	-	-
174	Previously removed	-	-	-	-	-	-	-	-	-
175	Previously removed	-	-	-	-	-	-	-	-	-
176	Previously removed	-	-	-	-	-	-	-	-	-
177	Monterey Pine Pinus radiata	Mature	15-20	>600	10-15	Fair	Trunk and crown shape distorted due to group pressure Weighted south west Branch tear wounds in crown Old pruning wounds on trunk Minor deadwood in crown	No works required at time of survey	N/A	24 months
178	Holm Oak Quercus ilex	Semi-mature	5-10	300-450	10-15	Fair	Low hanging branches on north side Minor deadwood in crown	No works required at time of survey	N/A	24 months

Tree No	Species	Age Class	Height (m)	Trunk Diameter (mm)	Crown Spread (m)	Overall Condition	Defects and other Relevant Comments	Recommended Works	Priority (months)	Recommended Re-inspection Interval
179	Monterey Pine Pinus radiata	Mature	>20	>600	15-20	Fair	Ivy on trunk Branch tear out wound on trunk and in crown Old pruning wounds on trunk and in crown	Sever ivy at base	Important - within 6 months	24 months
180	Previously removed	-	-	-	-	-	-	-	-	-
181	Holm Oak Quercus ilex	Semi-mature	5-10	300-450	5-10	Fair	Bifurcated at 2m above ground level Minor deadwood	No works required at time of survey	N/A	24 months
182	Previously removed	-	-	-	-	-	-	-	-	-
183	Common Sycamore Acer pseudoplatanus	Semi-mature	10-15	150-300	5-10	Fair	Multi-stemmed at ground level Dead ivy on trunk Crown shape distorted due to group pressure Minor deadwood in crown	No works required at time of survey	N/A	24 months
184	Common Sycamore Acer pseudoplatanus	Semi-mature	10-15	150-300	5-10	Fair	Basal suckers Dead ivy on trunk Crown shape distorted due to group pressure Minor deadwood in crown Growing beneath T188	No works required at time of survey	N/A	24 months
185	Common Sycamore Acer pseudoplatanus	Semi-mature	10-15	150-300	5-10	Fair	Bifurcated at 2m above ground level Crown shape distorted due to group pressure Growing beneath T188 Minor deadwood in crown Basal suckers	No works required at time of survey	N/A	24 months
186	Common Sycamore Acer pseudoplatanus	Semi-mature	10-15	150-300	5-10	Fair	Bifurcated at 1m above ground level Ivy on trunks Crown shape distorted due to group pressure Growing beneath T188 Minor deadwood in crown	No works required at time of survey	N/A	24 months
187	Common Sycamore Acer pseudoplatanus	Semi-mature	5-10	150-300	<5	Fair	Dead ivy on trunk Crown shape distorted due to group pressure Growing beneath T188 Minor deadwood in crown	No works required at time of survey	N/A	24 months

Tree No	Species	Age Class	Height (m)	Trunk Diameter (mm)	Crown Spread (m)	Overall Condition	Defects and other Relevant Comments	Recommended Works	Priority (months)	Recommended Re-inspection Interval
188	Monterey Pine Pinus radiata	Mature	15-20	>600	15-20	Fair	Minor ivy on trunk Major deadwood and stubs but no significant target Branch tear wounds Storm damage in crown Bifurcated at 9m above ground level	No works required at time of survey	N/A	24 months
189	Common Sycamore Acer pseudoplatanus	Semi-mature	15-20	300-450	5-10	Fair	Ivy on trunk (minor) Bifurcated at 6m above ground level Crown shape distorted due to group pressure Exposed surface roots	No works required at time of survey	N/A	24 months
190	Common Sycamore Acer pseudoplatanus	Semi-mature	>20	150-300	5-10	Fair	Ivy on trunk Minor deadwood in crown	No works required at time of survey	N/A	24 months
191	Common Sycamore Acer pseudoplatanus	Semi-mature	10-15	150-300	<5	Fair	Ivy on trunk and in crown Epicormics on trunk Minor deadwood in crown	Sever ivy	Routine - within 12 months	24 months
192	Common Sycamore Acer pseudoplatanus	Early Mature	>20	300-450	10-15	Fair	Ivy on trunk and in crown Basal suckers Crown shape distorted due to group pressure Minor deadwood in crown Bifurcated at 5m above ground level	Sever ivy at base	Routine - within 12 months	24 months
193	Previously removed	-	-	-	-	-	-	-	-	-
194	Common Sycamore Acer pseudoplatanus	Semi-mature	15-20	300-450	5-10	Fair	Ivy on trunk Crown shape distorted due to group pressure Minor deadwood in crown	Sever ivy at base	Routine - within 12 months	24 months
195	Previously removed	-	-	-	-	-	-	-	-	-
196	Common Sycamore Acer pseudoplatanus	Semi-mature	15-20	150-300	5-10	Fair	Trifurcated at ground level Ivy on trunks Minor deadwood in crown	Sever ivy	Routine - within 12 months	24 months

Tree No	Species	Age Class	Height (m)	Trunk Diameter (mm)	Crown Spread (m)	Overall Condition	Defects and other Relevant Comments	Recommended Works	Priority (months)	Recommended Re-inspection Interval
197	Common Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	10-15	150-300	5-10	Fair	Bifurcated at ground level Growing on bank Crown shape distorted due to group pressure Minor deadwood in crown	Sever ivy at base	Routine - within 12 months	24 months
198	Pedunculate Oak <i>Quercus robur</i>	Young	5-10	150-300	5-10	Fair	Growing on bank Trunk and crown shape distorted due to group pressure Suppressed and stunted by T197 Poor shape and form Weighted south	No works required at time of survey	N/A	24 months
199	Common Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	10-15	150-300	<5	Fair	Ivy on trunk Crown shape distorted due to group pressure Suppressed and stunted Minor deadwood in crown	Sever ivy	Routine - within 12 months	24 months
200	Elm <i>Ulmus spp</i>	Semi-mature	10-15	300-450	5-10	Poor	Growing on bank Dead ivy on trunk Minor deadwood in crown Bifurcated at 4m above ground level Low crown density	No works required at time of survey	N/A	24 months
201	Common Sycamore <i>Acer pseudoplatanus</i>	Early Mature	15-20	300-450	10-15	Fair	Basal suckers Growing at top of bank Crown shape distorted due to group pressure Minor deadwood in crown	Sever ivy at base Remove basal suckers	Routine - within 12 months	24 months
202	Common Sycamore <i>Acer pseudoplatanus</i>	Early Mature	15-20	300-450	5-10	Fair	Growing on top of bank Minor deadwood in crown	No works required at time of survey	N/A	24 months
203	Common Sycamore <i>Acer pseudoplatanus</i>	Early Mature	15-20	300-450	5-10	Fair	Growing on top of bank Minor deadwood in crown	No works required at time of survey	N/A	24 months
204	Previously removed	-	-	-	-	-	-	-	-	-

Tree No	Species	Age Class	Height (m)	Trunk Diameter (mm)	Crown Spread (m)	Overall Condition	Defects and other Relevant Comments	Recommended Works	Priority (months)	Recommended Re-inspection Interval
205	Common Sycamore Acer pseudoplatanus	Semi-mature	15-20	150-300	5-10	Fair	Trifurcated at ground level Ivy on trunks and in crowns Tall and etiolated due to group pressure Crown shapes distorted due to group pressure Weighted south	Sever ivy at base	Routine - within 12 months	24 months
206	Previously removed	-	-	-	-	-	-	-	-	-
207	Common Sycamore Acer pseudoplatanus	Early Mature	10-15	300-450	10-15	Fair	Ivy on trunk and in crown Crown shape distorted due to group pressure Weighted south	Sever ivy	Routine - within 12 months	24 months
208	Common Sycamore Acer pseudoplatanus	Early Mature	15-20	450-600	10-15	Fair	Ivy on trunk and in crown Crown shape distorted due to group pressure Growing on bank Minor deadwood in crown	Sever ivy	Routine - within 12 months	24 months
209	Previously removed	-	-	-	-	-	-	-	-	-
210	Previously removed	-	-	-	-	-	-	-	-	-
211	Common Sycamore Acer pseudoplatanus	Semi-mature	15-20	150-300	5-10	Fair	Ivy on trunk and in crown Trunk and crown shape distorted due to group pressure Leans and weighted east Tall and etiolated due to group pressure Vegetation limits survey	Sever ivy Remove basal suckers Clear vegetation	Important - within 6 months	24 months
212	Previously removed	-	-	-	-	-	-	-	-	-
213	Common Alder Alnus glutinosa	Early - mature	15-20	300-450	5-10	Fair	Ivy on trunk and in crown Trunk and crown shape distorted due to group pressure Minor deadwood in crown Vegetation limits survey	Sever ivy at base Clear vegetation	Important - within 6 months	24 months
214	Previously removed	-	-	-	-	-	-	-	-	-


Tree No	Species	Age Class	Height (m)	Trunk Diameter (mm)	Crown Spread (m)	Overall Condition	Defects and other Relevant Comments	Recommended Works	Priority (months)	Recommended Re-inspection Interval
215	Common Alder Alnus glutinosa	Early - mature	>20	450-600	10-15	Fair	Ivy on trunk and in crown Trunk and crown shape distorted due to group pressure Minor deadwood in crown Vegetation limits survey	Sever ivy at base Clear vegetation	Important - within 6 months	24 months
216	Previously removed	-	-	-	-	-	-	-	-	-
217	Common Alder Alnus glutinosa	Early Mature	10-15	300-450	5-10	Fair	Trunk and crown shape distorted due to group pressure Weighted east Ivy on trunk and in crown Minor deadwood in crown Vegetation limits survey	Sever ivy at base Clear vegetation	Important - within 6 months	24 months
218	Silver Birch Betula pendula	Semi-mature	15-20	150-300	5-10	Fair	Crown shape distorted due to group pressure Ivy on trunk Minor deadwood in crown	Sever ivy at base	Important - within 6 months	24 months
219	Silver Birch Betula pendula	Semi-mature	10-15	150-300	5-10	Fair	Trunk and crown shape distorted due to group pressure Ivy on trunk Minor deadwood in crown	Sever ivy at base	Important - within 6 months	24 months
220	Common Sycamore Acer pseudoplatanus	Early Mature	>20	300-450	10-15	Fair	Crown shape distorted due to group pressure Tall and etiolated due to group pressure Minor deadwood in crown Basal suckers	Remove basal suckers	Routine - within 12 months	24 months
221	Common Sycamore Acer pseudoplatanus	Early Mature	>20	300-450	10-15	Fair	Bifurcated at 1m above ground level Tight forks with included bark Crown shape distorted due to group pressure Minor deadwood in crown Vegetation limits survey	Sever ivy at base Clear vegetation	Important - within 6 months	24 months
222	Common Sycamore Acer pseudoplatanus	Early Mature	>20	300-450	10-15	Fair	Ivy on trunk Crown shape distorted due to group pressure Minor deadwood in crown Vegetation limits survey	Sever ivy Clear vegetation	Important - within 6 months	24 months

Tree No	Species	Age Class	Height (m)	Trunk Diameter (mm)	Crown Spread (m)	Overall Condition	Defects and other Relevant Comments	Recommended Works	Priority (months)	Recommended Re-inspection Interval
223	Common Sycamore Acer pseudoplatanus	Early Mature	>20	300-450	10-15	Fair	Ivy on trunk Crown shape distorted due to group pressure Weighted east Minor deadwood in crown Vegetation limits survey	Sever ivy at base Clear vegetation	Important - within 6 months	24 months
224	Common Sycamore Acer pseudoplatanus	Early Mature	>20	300-450	10-15	Fair	Ivy on trunk Crown shape distorted due to group pressure Minor deadwood in crown Vegetation limits survey	Sever ivy at base Clear vegetation	Important - within 6 months	24 months
225	Previously removed	-	-	-	-	-	-	-	-	-
226	Common Sycamore Acer pseudoplatanus	Semi-mature	15-20	300-450	10-15	Fair	Bifurcated at 0.5 m above ground level North stem appears to have lost its central leader Minor deadwood in crown Crown shape distorted due to group pressure Dead ivy on trunk	No works required at time of survey	N/A	24 months
227	Common Sycamore Acer pseudoplatanus	Mature	>20	450-600	15-20	Fair	Ivy on trunk and in crown Crown shape distorted due to group pressure Minor deadwood in crown	Sever ivy at base	Routine - within 12 months	24 months
228	Common Sycamore Acer pseudoplatanus	Mature	15-20	450-600	10-15	Dead	Bark wound at base on south side Subsidiary stem on south side previously reduced at base Dead tree Ivy on trunk and in crown	Advise removal	Important - within 6 months	N/A
229	Common Sycamore Acer pseudoplatanus	Mature	>20	300-450	10-15	Fair	Bifurcated at ground level Ivy on trunk and in crown Crown shape distorted due to group pressure Minor deadwood in crown	Sever ivy	Routine - within 12 months	24 months
230	Common Alder Alnus glutinosa	Semi-mature	>20	150-300	10-15	Fair	Bifurcated at ground level Bark wounds on trunk Tall and etiolated due to group pressure Crown shape distorted due to group pressure Ivy on trunk and in crown	Sever ivy	Routine - within 12 months	24 months

Tree No	Species	Age Class	Height (m)	Trunk Diameter (mm)	Crown Spread (m)	Overall Condition	Defects and other Relevant Comments	Recommended Works	Priority (months)	Recommended Re-inspection Interval
231	Common Sycamore Acer pseudoplatanus	Mature	>20	450-600	10-15	Fair	Crown shape distorted due to group pressure Ivy on trunk and in crown Minor deadwood in crown	Sever ivy at base	Routine - within 12 months	24 months
232	Common Alder Alnus glutinosa	Semi-mature	15-20	150-300	5-10	Fair	Tall and etiolated due to group pressure Crown shape distorted due to group pressure Ivy on trunk and in crown	Sever ivy at base	Routine - within 12 months	24 months
233	Common Sycamore Acer pseudoplatanus	Early Mature	15-20	150-300	5-10	Fair	Ivy on trunk Bifurcated at 6m above ground level Tight forks with included bark Minor deadwood in crown Crown shape distorted due to group pressure	No works required at time of survey	Routine - within 12 months	24 months
234	Previously removed	-	-	-	-	-	-	-	-	-
235	Common Sycamore Acer pseudoplatanus	Mature	15-20	450-600	10-15	Fair	Bifurcated at ground level Ivy on trunk and in crown Crown shape distorted due to group pressure Minor deadwood in crown Southern trunk has storm damage	Sever ivy at base	Routine - within 12 months	24 months
236	Common Sycamore Acer pseudoplatanus	Mature	>20	300-450	15-20	Fair	Multi-stemmed at ground level Ivy on trunks and in crowns Crown shape distorted due to group pressure Major deadwood in crown but no significant target	Sever ivy at base	Routine - within 12 months	24 months
236A	Common Sycamore Acer pseudoplatanus	Semi-mature	15-20	150-300	10-15	Fair	Trunk and crown shape distorted due to group pressure Weighted west Minor deadwood in crown Ivy on trunk	Sever ivy at base	Routine - within 12 months	24 months

Tree No	Species	Age Class	Height (m)	Trunk Diameter (mm)	Crown Spread (m)	Overall Condition	Defects and other Relevant Comments	Recommended Works	Priority (months)	Recommended Re-inspection Interval
237	Common Sycamore Acer pseudoplatanus	Mature	>20	450-600	15-20	Fair	Trunk shape distorted at base Ivy on trunk and in crown Minor deadwood in crown	No works required at time of survey	Routine - within 12 months	24 months
238	Pedunculate Oak Quercus robur	Mature	>20	>600	15-20	Fair	Trunk shape distorted Epicormics on trunk Ivy on trunk	No works required at time of survey	N/A	24 months
239	Common Sycamore Acer pseudoplatanus	Mature	>20	450-600	15-20	Fair	Bifurcated at ground level Major deadwood in crown over footpath	Remove major deadwood over footpath	Necessary - within 3 months	24 months
240	Common Sycamore Acer pseudoplatanus	Early Mature	>20	300-450	15-20	Fair	Bifurcated at 0.5m above ground level Ivy on trunk and in crown limits survey Minor deadwood in crown	No works required at time of survey	N/A	24 months
241	Common Ash Fraxinus excelsior	Mature	>20	>600	15-20	Fair	Multi-stemmed at 8m above ground level Major deadwood in crown but no significant target Epicormics in crown Ivy on trunk	No works required at time of survey	N/A	24 months
242	Goat Willow Salix caprea	Semi-mature	5-10	<150	5-10	Fair	Trunk and crown shape distorted due to group pressure Leans west Poor quality tree Minor deadwood in crown Previously reduced back to 2m above ground level	No works required at time of survey	N/A	24 months
243	Common Sycamore Acer pseudoplatanus	Early Mature	15-20	300-450	10-15	Good	Two trees growing as one Crown shape distorted due to group pressure Minor deadwood in crown Ivy on trunks limits survey	Sever ivy at base	Important - within 6 months	24 months
244	Common Sycamore Acer pseudoplatanus	Early Mature	15-20	450-600	10-15	Poor	Basal suckers Major deadwood in crown but no significant target Almost dead Leave as dead habitat	No works required at time of survey	N/A	24 months

Tree No	Species	Age Class	Height (m)	Trunk Diameter (mm)	Crown Spread (m)	Overall Condition	Defects and other Relevant Comments	Recommended Works	Priority (months)	Recommended Re-inspection Interval
245 (No Tag)	Common Sycamore Acer pseudoplatanus	Early Mature	15-20	300-450	10-15	Fair	Trunk and crown shape distorted due to group pressure Major deadwood in crown but no significant target Ivy on trunk limits survey	Sever ivy at base	Important - within 6 months	24 months
246	Common Sycamore Acer pseudoplatanus	Semi-mature	15-20	150-300	10-15	Fair	Leans and weighted north Minor deadwood in crown	No works required at time of survey	N/A	24 months
247	Common Sycamore Acer pseudoplatanus	Semi-mature	15-20	300-450	10-15	Fair	Leans and weighted north Ivy on trunk and in crown limits survey Minor deadwood in crown Bifurcated at ground level	Sever ivy	Routine - within 12 months	24 months
248	Previously removed	-	-	-	-	-	-	-	-	-
249	Previously removed	-	-	-	-	-	-	-	-	-
250	Elm Sycamore Hazel Ash	Young	5-10	<150	5-10	Fair	Group of natural regeneration by large Pines Trunk and crown shape distorted due to group pressure Basal suckers	No works required at time of survey	N/A	24 months







The Professional Arboricultural Consultancy

Company Profile, Qualifications and Experience

CBA Trees is acknowledged as one of the UK's leading arboricultural consultancies offering a full range of tree related services from BS5837 tree surveys, arboricultural impact assessments and method statements to health and safety audits. Based near Southampton in Hampshire with easy access to the motorway network and transport links, we provide a professional solution to your tree problem throughout southern England and nationwide across the UK.

Whether the instruction is in respect of a single tree in a garden, a mortgage report, a development site or a new settlement that needs a full arboricultural report for a planning application, CBA Trees has the tree expertise to provide a professional solution. We employ a team of qualified and experienced arboricultural consultants to ensure that at every stage of the arboricultural process our clients receive the very best in expert knowledge and the highest standard of professional service.

Stefan Rose *BSc(Hons), TechCert (Arbor A), TechArbor.A* joined CBA Trees in 1998 as a junior surveyor and having gained extensive knowledge and a wealth of experience over the years including the Professional Tree Inspectors Certification (LANTRA), has progressed to Principal Consultant. His vast experience in working as a locum for local authorities, assessing new and extant Tree Preservation Orders, as well as working on some of the largest development sites nationwide enables him to provide expert advice and guidance on initial feasibility site assessments to full scale planning applications, working with individual homeowners and within multi-disciplinary teams to achieve successful arboricultural outcomes.

Alexa Monk *TechCert (Arbor.A), NCH.Arb* has a background in tree surgery, running her own small business for many years. Working with CBA Trees for over 10 years, Alexa has experience of pre-planning work for developers, Tree Preservation Order legislation work, tree inspection including decay detection with sophisticated decay detection equipment and general arboricultural health and safety surveys.

Listed below are some of the services we provide:

- Arboricultural Consultancy
- BS5837 tree surveys (for residential sites and development projects)
- Arboricultural Impact Assessments and Method Statements
- Advice on Tree Preservation Orders including Objections
- Arboricultural Health and Safety Surveys
- Arboricultural site and project management

CBA Trees is very proud of its client base which includes the following companies:

Acorn Tree Specialist Ltd
Ampfield Parish Council
Burseldon Parish Council
Contractual Ltd
Crest Strategic Properties
Croudace
David Wilson Homes
Dhand Construction Ltd
Drew Smith Group

Draycott Chartered Surveyor
Eastleigh Borough Council
English Heritage Trust
Genesis Design Studio
Gillings Planning
Knight Architectural Design
Lakewood Tree Surgeons
NHS Property Services
Portsmouth City Council

Radian
Southampton City Council
SLR Consulting Ltd
Taylor Wimpey
University of Portsmouth
University of Winchester
Unsted Design
West Wittering Parish Council
Whiterok Architectural Services Ltd

CBA Trees can be found at:

Chesil House
Arrow Close
Boyatt Wood
Hampshire
SO50 4SY

Tel: 02380 986229

Email: info@cbatrees.co.uk

For further information visit our website at www.cbatrees.co.uk which provides more detail on our expertise, and of course, our team are always willing to help answer any queries you may have.