

MPN: 0070-24186-HB3000

86" 24/7 4K UHD -Vandal & Waterproof - High Brightness 3000 NITS

Ernitec Water & Vandal Proof Monitor: Unmatched 4K HD Performance

Introducing the Ernitec Water & Vandal Proof Monitor, featuring an incredible 3000 nits brightness, making it the perfect solution for digital signage in any environment.

This monitor is built with an all-imported industrial-grade LED screen, ensuring high performance and durability.

Including heavy duty outdoor wall bracket.

Key Features:

Exceptional Brightness and Clarity: With high brightness, contrast, and definition, your content will stand out even in bright conditions.

Advanced Image Technology: Utilizes the latest 3D digital filtering and noise reduction technology for crystal-clear visuals.

Fast Response Time: Enjoy quick picture response, ensuring smooth transitions and dynamic content display.

Wide Viewing Angle: The 178° wide viewing angle guarantees that images remain clear and undistorted from any perspective.

Reliable Operation: Designed for 24/7 use, this monitor can operate continuously for up to 5 years, making it a dependable choice for any application.

Robust Construction: The metal chassis is anti-static, anti-magnetic, and resistant to interference, ensuring safe operation without radiation.

Extreme Temperature Range: Operates effectively in temperatures ranging from -30 to 85 degrees Celsius, suitable for various environments.

Flexible Mounting Options: Compatible with VESA 1000x1000, allowing for easy installation in diverse settings.

The Ernitec Water & Vandal Proof Monitor is your ideal choice for high-performance digital signage that withstands the elements.

Elevate your display capabilities today!

- 24/7 display Security monitor Outdoor HDMI cable included 5 years warranty Waterproof IP67 on front and IP65 on the back Vandalproof on the front IK10



Specifications

Design	Market positioning	Business
Display	Aspect ratio	16:9
	Contrast ratio (typical)	4000:1
	Display brightness (typical)	3000 cd/m ²

Display	Display diagonal	86 "
	Display resolution	3840 x 2160 pixels
	Display technology	LED
	HD type	4K Ultra HD
	Native aspect ratio	16:9
	Panel type	TFT
	Response time	5 ms
	Viewing angle, horizontal	178 °
	Viewing angle, vertical	178 °
Ergonomics	VESA mounting	Yes
	Wall mountable	Yes
Other features	Brightness	3000 cd/m ²
	Display brightness (peak)	3000 cd/m ²
	Display type	LED
	Easy to install	Yes
	Glass protection	Yes
	Light sensor	Yes
	Noise filter	Yes
	Power cord included	Yes
Package dimensions	Depth (package,cm)	30 cm
	Gross Weight (Package, kg)	170 kg
	Height (package,cm)	145 cm
	Width (package,cm)	228 cm
Packaging content	Quick start guide	Yes
Ports & interfaces	AC (power) in	Yes
	DisplayPorts quantity	1
	HDMI	Yes
	HDMI ports quantity	1
Power	AC adapter output voltage	100-240 V
	AC input frequency	50-60 Hz
	Power consumption (average)	120 W
Product dimensions	Net Weight (Product, kg)	140 kg
	Product Depth	13.2 cm
	Product Height	123.8 cm
	Product Width	205.5 cm
Vendor information	Brand Name	Ernitec
	Warranty	5 Year(s)

Other images

