

	HAZARD SAFETY AUDIT	
	Client:	Bursledon Parish Council
	Site	Long Lane Recreation Ground, Bursledon
	Date of Survey:	20th May 2026
	Consultant:	Alexa Monk <i>TechCert (Arbor A) NCH Arb</i>
	Tagged:	No

TREE PRESERVATION ORDER / CONSERVATION AREA:

CBA Trees has been informed by the client that trees are protected by a Tree Preservation Order and that they are located within The Old Bursledon Conservation Area.

Tree No	Species	Age Class	Height (m)	Trunk Diameter (mm)	Crown Spread (m)	Overall Condition	Defects and other Relevant Comments	Recommended Works	Priority (months)	Recommended Re-inspection Interval
1	Pedunculate Oak <i>Quercus robur</i>	M	15-20	>600	10-15	Good	Basal suckers Old pruning wounds on trunk and in crown Minor deadwood in crown Epicormics on trunk and in crown Ditch to north Trunk shape distorted Leans and weighted south Historically removed trunk on south side	No works required at time of survey	N/A	2 years
2	Pedunculate Oak <i>Quercus robur</i>	M	15-20	>600	10-15	Good	Old pruning wounds in crown Epicormics on trunk and in crown Ditch to south Branch tear wounds in crown Vegetation at base limits survey Possibly owned by No.9 Bursledon Heights	No works required at time of survey	N/A	2 years

Tree No	Species	Age Class	Height (m)	Trunk Diameter (mm)	Crown Spread (m)	Overall Condition	Defects and other Relevant Comments	Recommended Works	Priority (months)	Recommended Re-inspection Interval
3	Pedunculate Oak <i>Quercus robur</i>	M	15-20	450-600	10-15	Good	Old pruning wounds on trunk and in crown Minor deadwood in crown Low hanging branches Bifurcated at 1.6m above ground level Recently crown reduced away from property	No works required at time of survey	N/A	2 years
4	Pedunculate Oak <i>Quercus robur</i>	EM	10-15	450-600	10-15	Good	Ivy on trunk and in crown Old pruning wounds on trunk and in crown Minor deadwood in crown	Sever Ivy at base	Important - within 6 months	2 years
5	Wild Cherry <i>Prunus avium</i>	SM	5-10	150-300	5-10	Good	Old pruning wounds on trunk Minor deadwood in crown Ivy on trunk	No works required at time of survey	N/A	N/A
6	Wild Cherry <i>Prunus avium</i>	EM	5-10	150-300	5-10	Fair	Dead Ivy on trunk and in crown Minor deadwood in crown Low crown density with apical dieback Major deadwood in crown	Remove major deadwood	Important - within 6 months	2 years
7	Pedunculate Oak <i>Quercus robur</i>	EM	10-15	300-450	5-10	Fair	Bifurcated at ground level Crown shape distorted Crossing and rubbing branches in crown Minor deadwood in crown Old pruning wounds on trunk and in crown Ivy on trunk Trunks fused together at 1.8m and 4m above ground level Branches fusing together within crown	No works required at time of survey	N/A	2 years
8	Common Ash <i>Fraxinus excelsior</i>	EM	10-15	300-450	15-20	Fair	Multi-stemmed at ground level Minor deadwood in crown Cankers forming in crown Previously crown reduced	No works required at time of survey	N/A	2 years

Tree No	Species	Age Class	Height (m)	Trunk Diameter (mm)	Crown Spread (m)	Overall Condition	Defects and other Relevant Comments	Recommended Works	Priority (months)	Recommended Re-inspection Interval
9	Pedunculate Oak <i>Quercus robur</i>	EM	15-20	300-450	10-15	Fair	Trunk and crown shape distorted due to group pressure Minor deadwood in crown Epicormics on trunk and in crown Leans and weighted west over building	No works required at time of survey	N/A	2 years
9A	Common Ash <i>Fraxinus excelsior</i>	SM	5-10	<150	5-10	Fair	Regrowth from old stump Decay in stump Bifurcated at ground level	No works required at time of survey	N/A	2 years
10	Pedunculate Oak <i>Quercus robur</i>	M	10-15	450-600	10-15	Good	Epicormics on trunk Old pruning wounds on trunk	No works required at time of survey	N/A	2 years
11	Pedunculate Oak <i>Quercus robur</i>	EM	10-15	300-450	10-15	Fair	Leans and weighted north Major deadwood in crown but no significant target	No works required at time of survey	N/A	2 years
12	Pedunculate Oak <i>Quercus robur</i>	M	15-20	300-450	15-20	Fair	Bifurcated at ground level Bark wounds at base Old pruning wounds	No works required at time of survey	N/A	2 years
13	Previously removed	-	-	-	-	-	-	-	-	-
14	Common Ash <i>Fraxinus excelsior</i>	EM	15-20	300-450	10-15	Fair	Growing on bank Epicormics on trunk and in crown Old pruning wounds with cavities Crossing and rubbing branches in crown Storm damage in crown Branch tear wounds in crown Minor deadwood in crown	No works required at time of survey	N/A	2 years
15	Wild Cherry <i>Prunus avium</i>	M	5-10	300-450	15-20	Good	Mechanical damage to surface roots Old pruning wounds in crown Minor deadwood in crown	No works required at time of survey	N/A	2 years

Tree No	Species	Age Class	Height (m)	Trunk Diameter (mm)	Crown Spread (m)	Overall Condition	Defects and other Relevant Comments	Recommended Works	Priority (months)	Recommended Re-inspection Interval
16	Wild Cherry <i>Prunus avium</i>	SM	5-10	150-300	5-10	Fair	Growing on bank Trifurcated at 1m above ground level Old pruning wounds in crown Crown shape distorted due to group pressure Ivy on trunk Minor deadwood in crown	No works required at time of survey	N/A	2 years
17	London Plane <i>Platanus x acerifolia</i>	Y	5-10	<150	<5	Fair	Developing tree Bark wounds at base Old pruning wounds on trunk	Create mulch circle around base to prevent further damage and maintain mulch annually for 5 years	Necessary - within 3 months	2 years
18	Common Lime <i>Tilia x europaea</i>	SM	5-10	150-300	10-15	Fair	Mechanical damage to surface roots Epicormics on trunk and in crown Minor deadwood in crown Bifurcated at 3m above ground level with tight fork with included bark Bark wound on south side of trunk at 2.5m above ground level	No works required at time of survey	N/A	2 years
19	Previously removed	-	-	-	-	-	-	-	-	-
20	Wild Cherry <i>Prunus avium</i>	EM	10-15	300-450	10-15	Good	Mechanical damage to surface roots Old pruning wounds on trunk Minor deadwood in crown	No works required at time of survey	N/A	2 years
21	Purple Leaved Sycamore <i>Acer pseudoplatanus</i> 'Purpureum'	EM	10-15	300-450	10-15	Fair	Mechanical damage to surface roots Trifurcated at 2.5m above ground level Minor deadwood in crown	No works required at time of survey	N/A	2 years
22	Wild Cherry <i>Prunus avium</i>	SM	5-10	<150	5-10	Fair	Bifurcated at 0.25m above ground level Tight forks with included bark Mechanical damage to surface roots Crossing and rubbing trunks Old pruning wounds on trunks	No works required at time of survey	N/A	2 years
23	Wild Cherry <i>Prunus avium</i>	EM	5-10	300-450	10-15	Fair	Mechanical damage to surface roots Old pruning wounds on trunk	No works required at time of survey	N/A	2 years

Tree No	Species	Age Class	Height (m)	Trunk Diameter (mm)	Crown Spread (m)	Overall Condition	Defects and other Relevant Comments	Recommended Works	Priority (months)	Recommended Re-inspection Interval
24	Norway Maple <i>Acer platanoides</i>	SM	5-10	150-300	5-10	Good	Mechanical damage to surface roots Minor deadwood in crown	No works required at time of survey	N/A	2 years
25	Common Lime <i>Tilia x europaea</i>	SM	10-15	150-300	5-10	Good	Mechanical damage to surface roots Old pruning wounds on trunk and in crown Epicormics in crown Minor deadwood in crown	No works required at time of survey	N/A	2 years
26	Common Whitebeam <i>Sorbus aria</i>	EM	5-10	150-300	5-10	Fair	Mechanical damage to surface roots Multi-stemmed at 2m above ground level Old pruning wounds on trunk and in crown Minor deadwood in crown	No works required at time of survey	N/A	2 years
27	Silver Birch <i>Betula pendula</i>	SM	10-15	150-300	5-10	Good	Possibly offsite tree Growing on bank Minor deadwood in crown Exposed surface roots on highway side	No works required at time of survey	N/A	2 years
28	Goat Willow <i>Salix caprea</i>	SM	10-15	300-450	10-15	Fair	Possibly offsite tree Growing on bank Minor deadwood in crown	No works required at time of survey	N/A	2 years
29	Goat Willow <i>Salix caprea</i>	SM	5-10	150-300	5-10	Fair	Possibly offsite tree Growing on bank at base of utility pole Minor deadwood in crown Bifurcated at ground level	No works required at time of survey	N/A	2 years
30	Wild Cherry <i>Prunus avium</i>	EM	10-15	150-300	10-15	Fair	Trifurcated at 1m above ground level Old pruning wounds on trunk and in crown Minor deadwood in crown Tight forks with included bark Bleeding canker on trunk	No works required at time of survey	N/A	2 years
31	Wild Cherry <i>Prunus avium</i>	EM	10-15	150-300	10-15	Fair	Mechanical damage to surface roots Multi-stemmed at 0.5m above ground level Tight forks with included bark Old pruning wounds on trunk and in crown Bleeding canker on trunk Crossing and rubbing branches	No works required at time of survey	N/A	2 years

Tree No	Species	Age Class	Height (m)	Trunk Diameter (mm)	Crown Spread (m)	Overall Condition	Defects and other Relevant Comments	Recommended Works	Priority (months)	Recommended Re-inspection Interval
32	Common Alder <i>Alnus glutinosa</i>	SM	5-10	150-300	5-10	Fair	Multi-stemmed at 1m above ground level Old pruning wounds on trunk and in crown Mechanical damage to surface roots Bleeding canker on trunk Bark wounds at base Central stem previously removed leaving decaying stump	No works required at time of survey	N/A	2 years
33	Pedunculate Oak <i>Quercus robur</i>	EM	10-15	300-450	10-15	Good	Possibly offsite tree Growing on bank Dead ivy on trunk and in crown Minor deadwood in crown	No works required at time of survey	N/A	2 years
34	Pedunculate Oak <i>Quercus robur</i>	EM	10-15	450-600	15-20	Good	Possibly offsite tree Ivy on trunk Trunk shape distorted Major deadwood in crown over highway Epicormics in crown Exposed surface roots	If owned remove deadwood over highway	Important - within 6 months	2 years
35	Horse Chestnut <i>Aesculus hippocastanum</i>	SM	5-10	150-300	5-10	Poor	Bleeding canker on trunk Old pruning wounds on trunk and in crown Bark wound at base on east side Bark necrosis with peeling and lost bark	Consider removal and replacement	Routine - within 12 months	N/A
36	Horse Chestnut <i>Aesculus hippocastanum</i>	SM	5-10	150-300	10-15	Fair	Bifurcated at 0.5m above ground level Epicormics on trunk and in crown Bark wounds on trunk Low hanging branches over access Mechanical damage to surface roots Crown starting to obstruct road sign on west side	Crown lift over access to give 2 - 2.5m clearance	Necessary - within 3 months	2 years
37	Myrobalan Plum <i>Prunus cerasifera</i>	EM	10-15	150-300	5-10	Fair	Ivy on trunk and in crown Crown shape distorted due to group pressure Weighted north Storm damage in crown Minor deadwood in crown Previously crown reduced	No works required at time of survey	N/A	2 years

Tree No	Species	Age Class	Height (m)	Trunk Diameter (mm)	Crown Spread (m)	Overall Condition	Defects and other Relevant Comments	Recommended Works	Priority (months)	Recommended Re-inspection Interval
38	Common Ash <i>Fraxinus excelsior</i>	EM	15-20	300-450	10-15	Good	Bifurcated at ground level Low hanging branches Basal suckers Minor deadwood in crown Weighted north	No works required at time of survey	N/A	2 years
39	Previously removed	-	-	-	-	-	-	-	-	-
40	Common Ash <i>Fraxinus excelsior</i>	SM	15-20	300-450	5-10	Fair	Trunk and crown shape distorted due to group pressure Ivy on trunk, regrowing Minor deadwood in crown	No works required at time of survey	N/A	2 years
41	Common Ash <i>Fraxinus excelsior</i>	SM	15-20	300-450	10-15	Good	Bifurcated at 6m above ground level Minor deadwood in crown Growing on boundary	No works required at time of survey	N/A	2 years
42	Common Ash <i>Fraxinus excelsior</i>	EM	15-20	300-450	10-15	Fair	Bifurcated at ground level Crown shape distorted due to group pressure Minor deadwood in crown Dead ivy on trunk - previously cut	No works required at time of survey	N/A	2 years
43	Common Ash <i>Fraxinus excelsior</i>	SM	10-15	150-300	10-15	Fair	Bifurcated at ground level Crown shape distorted due to group pressure Minor deadwood in crown Mechanical damage to surface roots	No works required at time of survey	N/A	2 years
44	Pedunculate Oak <i>Quercus robur</i>	M	15-20	450-600	10-15	Fair	Leans north Trunk and crown shape distorted due to group pressure Epicormics on trunk and in crown	No works required at time of survey	N/A	2 years
44A	Bay Laurel <i>Laurus nobilis</i>	SM	5-10	150-300	5-10	Good	Multi-stemmed at ground level	No works required at time of survey	N/A	2 years

Tree No	Species	Age Class	Height (m)	Trunk Diameter (mm)	Crown Spread (m)	Overall Condition	Defects and other Relevant Comments	Recommended Works	Priority (months)	Recommended Re-inspection Interval
44B	Domestic Plum <i>Prunus domestica</i>	EM	5-10	150-300	5-10	Dead	Dead tree Multi-stemmed at ground level Grows under crown of T44 on eastern side	Advise removal	Important - within 6 months	N/A
45	Common Sycamore <i>Acer pseudoplatanus</i>	SM	10-15	150-300	5-10	Good	Bifurcated at 1.8m above ground level Crown weighted north	No works required at time of survey	N/A	2 years
46	Pedunculate Oak <i>Quercus robur</i>	SM	10-15	300-450	10-15	Fair	Leans and weighted north Minor deadwood in crown Epicormics in crown Adjacent Hawthorn leans into Oak	No works required at time of survey	N/A	2 years
47	Common Ash <i>Fraxinus excelsior</i>	SM	10-15	150-300	5-10	Fair	Bifurcated at 2.5m above ground level Ivy on trunk Minor deadwood in crown Tall and etiolated due to group pressure	No works required at time of survey	N/A	2 years
48	Previously removed	-	-	-	-	-	-	-	-	-
49	Pedunculate Oak <i>Quercus robur</i>	SM	5-10	150-300	5-10	Good	Bifurcated at 1.25m above ground level Trunk shape distorted	No works required at time of survey	N/A	2 years
50	Common Ash <i>Fraxinus excelsior</i>	Y	5-10	<150	<5	Fair	Trunk and crown shape distorted due to group pressure Minor deadwood in crown Developing tree	No works required at time of survey	N/A	2 years
51	Bay Laurel <i>Laurus nobilis</i>	M	5-10	150-300	5-10	Fair	Multi-stemmed at ground level Basal suckers Growing at base of boundary wall	Consider removal to avoid future damage to wall	Routine - within 12 months	2 years

Tree No	Species	Age Class	Height (m)	Trunk Diameter (mm)	Crown Spread (m)	Overall Condition	Defects and other Relevant Comments	Recommended Works	Priority (months)	Recommended Re-inspection Interval
52	Pedunculate Oak <i>Quercus robur</i>	SM	10-15	150-300	5-10	Fair	Growing at base of boundary wall Growing beneath T53 Trunk and crown shape distorted due to group pressure Weighted west Minor deadwood in crown	No works required at time of survey	N/A	2 years
53	Common Ash <i>Fraxinus excelsior</i>	EM	15-20	300-450	10-15	Good	Growing at base of boundary wall Crown shape distorted due to group pressure Epicormics in crown Minor deadwood in crown	No works required at time of survey	N/A	2 years
54	Common Ash <i>Fraxinus excelsior</i>	M	15-20	450-600	15-20	Good	Growing at base of boundary wall Ivy on trunk Old pruning wounds on trunk and in crown Major deadwood in crown but no significant target Epicormics on trunk and in crown	No works required at time of survey	N/A	2 years
55	Pedunculate Oak <i>Quercus robur</i>	EM	15-20	300-450	15-20	Fair	Growing at base of boundary wall Bifurcated at 6m above ground level Crown shape distorted due to group pressure Major deadwood in crown but no significant target	No works required at time of survey	N/A	2 years
56	Common Ash <i>Fraxinus excelsior</i>	SM	15-20	150-300	10-15	Fair	Bifurcated at ground level Weighted south Minor deadwood in crown Ivy on trunk	No works required at time of survey	N/A	2 years
57	Pedunculate Oak <i>Quercus robur</i>	EM	15-20	450-600	10-15	Fair	Crown shape distorted due to group pressure Weighted north Minor deadwood in crown	No works required at time of survey	N/A	2 years
58	Wild Cherry <i>Prunus avium</i>	SM	10-15	150-300	5-10	Fair	Two trees growing as one Crown shape distorted due to group pressure Minor deadwood in crown	No works required at time of survey	N/A	2 years

Tree No	Species	Age Class	Height (m)	Trunk Diameter (mm)	Crown Spread (m)	Overall Condition	Defects and other Relevant Comments	Recommended Works	Priority (months)	Recommended Re-inspection Interval
59	Wild Cherry <i>Prunus avium</i>	SM	10-15	150-300	5-10	Fair	Dead ivy on trunk and in crown Trunk and crown shape distorted due to group pressure Weighted north west Minor deadwood in crown	Clear around base	Routine - within 12 months	2 years
60	Wild Cherry x2 <i>Prunus avium</i>	EM	10-15	150-300	5-10	Fair	Dead ivy on trunks and in crowns - previously cut Crown shape distorted due to group pressure	No works required at time of survey	N/A	2 years
61	Pedunculate Oak <i>Quercus robur</i>	M	15-20	450-600	15-20	Good	Trunk and crown shape distorted due to group pressure Major deadwood in crown overhanging property Trifurcated at 5m above ground level	Remove dead limb at 6m above ground level	Necessary - within 3 months	2 years
61A	Elm <i>Ulmus spp</i>	SM	10-15	150-300	5-10	Fair	Tall and etiolated due to group pressure Basal suckers Ivy on trunk and in crown Minor deadwood in crown	No works required at time of survey	N/A	2 years
62	Pedunculate Oak <i>Quercus robur</i>	M	15-20	>600	10-15	Fair	Offsite tree Ivy on trunk Minor deadwood in crown Bifurcated at 2.5m above ground level Old pruning wounds on trunk and in crown	No works required at time of survey	N/A	2 years
63	Pedunculate Oak <i>Quercus robur</i>	EM	15-20	300-450	10-15	Fair	Appears to grow offsite Old pruning wounds on trunk and in crown Minor deadwood in crown Dead limb on north west side at 3m above ground level close to exit gate	Remove dead limb at 3m above ground level	Important - within 6 months	2 years
64	Pedunculate Oak <i>Quercus robur</i>	EM	15-20	300-450	10-15	Fair	Crown shape distorted due to group pressure Weighted north Ivy on trunk Minor deadwood in crown	No works required at time of survey	N/A	2 years

Tree No	Species	Age Class	Height (m)	Trunk Diameter (mm)	Crown Spread (m)	Overall Condition	Defects and other Relevant Comments	Recommended Works	Priority (months)	Recommended Re-inspection Interval
65	Pedunculate Oak <i>Quercus robur</i>	M	15-20	>600	15-20	Fair	Possibly offsite tree Unable to verify health and safety due to no access Growing on bank Multi-stemmed at approximately 3m above ground level Epicormics in crown Old pruning wounds in crown occluding	No works required at time of survey	N/A	2 years
66	Previously removed	-	-	-	-	-	-	-	-	-
67	Pedunculate Oak <i>Quercus robur</i>	SM	10-15	300-450	10-15	Fair	Trifurcated at 2.5m above ground level Storm damage in south side of crown Minor deadwood in crown Branch tear wound in crown at 3.5m above ground level	No works required at time of survey	N/A	2 years
68	Silver Birch <i>Betula pendula</i>	EM	15-20	150-300	5-10	Good	Old pruning wounds on trunk Minor deadwood in crown Branch tear out wounds in crown Bifurcated at 5m above ground level	No works required at time of survey	N/A	2 years
69	Field Maple <i>Acer campestre</i>	EM	5-10	150-300	5-10	Good	Minor deadwood in crown	No works required at time of survey	N/A	2 years
70	Crab Apple <i>Malus sylvestris</i>	SM	5-10	150-300	5-10	Good	Minor deadwood in crown Trifurcated at 3m above ground level	No works required at time of survey	N/A	2 years
71	Bay Laurel <i>Laurus nobilis</i>	SM	5-10	<150	5-10	Fair	Multi-stemmed at ground level Basal suckers	No works required at time of survey	N/A	2 years
72	Common Hawthorn <i>Crataegus monogyna</i>	EM	5-10	<150	5-10	Fair	Multi-stemmed at ground level Historically reduced Epicormics on trunk and in crown Minor deadwood in crown	No works required at time of survey	N/A	2 years

Tree No	Species	Age Class	Height (m)	Trunk Diameter (mm)	Crown Spread (m)	Overall Condition	Defects and other Relevant Comments	Recommended Works	Priority (months)	Recommended Re-inspection Interval
73	Common Hawthorn <i>Crataegus monogyna</i>	SM	5-10	<150	<5	Fair	Multi-stemmed at ground level Historically reduced Epicormics on trunk and in crown Minor deadwood in crown Old pruning wounds on trunk	No works required at time of survey	N/A	2 years
74	Common Sycamore <i>Acer pseudoplatanus</i>	SM	5-10	<150	<5	Fair	Bifurcated at 2.5m above ground level Ivy on trunk	Sever Ivy at base	Routine - within 12 months	2 years
75	Flowering Cherry <i>Prunus spp</i>	SM	5-10	150-300	5-10	Fair	Old pruning wounds on trunk Crown shape distorted due to group pressure Ivy on trunk	Sever Ivy at base	Routine - within 12 months	2 years
76	Rowan <i>Sorbus aucuparia</i>	SM	5-10	<150	<5	Good	Developing tree Trunk shape distorted	No works required at time of survey	N/A	2 years
77	Flowering Cherry <i>Prunus spp</i>	SM	5-10	<150	5-10	Fair	Leans and weighted east Minor deadwood in crown Previously bifurcated at ground level but one stem removed Mechanical damage at base with bark wounds	No works required at time of survey	N/A	2 years
78	Flowering Cherry <i>Prunus spp</i>	SM	5-10	<150	<5	Fair	Bifurcated at ground level Minor deadwood in crown Suppressed and stunted by T8	No works required at time of survey	N/A	2 years
79	Field Maple <i>Acer campestre</i>	SM	5-10	<150	5-10	Fair	Bifurcated at 1m above ground level Developing tree Ivy on trunk	No works required at time of survey	N/A	2 years
80	Rowan <i>Sorbus aucuparia</i>	SM	5-10	<150	<5	Fair	Trunk shape distorted Previously crown reduced Multi-stemmed at 2.1m above ground level	No works required at time of survey	N/A	2 years

Tree No	Species	Age Class	Height (m)	Trunk Diameter (mm)	Crown Spread (m)	Overall Condition	Defects and other Relevant Comments	Recommended Works	Priority (months)	Recommended Re-inspection Interval
Grp 1	Silver Birch Goat Willow Common Ash Scots Pine	SM	10-15	150-300	5-10	Good	Possibly offsite group Growing on bank by site entrance Unable to verify health and safety due to no access and dense vegetation of basal area Trunk and crown shapes distorted due to group pressure Ivy on trunks Minor deadwood in crowns	No works required at time of survey	N/A	2 years
Grp 2	Rowan Wild Cherry Common Hawthorn	SM	<5	<150	5-10	Fair	Multi-stemmed at ground level Tight forks with included bark	No works required at time of survey	N/A	2 years
Grp 3	Goat Willow Silver Birch x 1 Norway Maple x 1	EM	5-10	150-300	10-15	Fair	Possibly offsite group Growing on bank Multi-stemmed at ground level Low hanging branches Ivy on trunks Minor deadwood in crowns	No works required at time of survey	N/A	2 years
Grp 4	Common Ash x3 Field Maple x1 Pedunculate Oak x1 Common Holly x1 Flowering Cherry x1	SM	5-10	<150	5-10	Fair	Bark wounds in crown Some trees multi-stemmed at various heights Crown shape distorted due to group pressure Ivy on trunks Old pruning wounds on trunk and in crown One large Oak between substation fencing has minor deadwood in crown and unable to verify health and safety due to no access	No works required at time of survey	N/A	2 years
Grp 5	Myrobalan Plum Lawson Cypress Blackthorn	SM	<5	150-300	5-10	Fair	Some historically wind blown Old pruning wounds on trunks and in crowns Epicormics on trunks and in crowns	No works required at time of survey	N/A	2 years
Grp 6	Myrobalan Plum	EM	5-10	150-300	5-10	Fair	Basal suckers Ivy on trunks, regrowing Some multi-stemmed at various heights Old pruning wounds on trunks and in crowns	No works required at time of survey	N/A	2 years

Tree No	Species	Age Class	Height (m)	Trunk Diameter (mm)	Crown Spread (m)	Overall Condition	Defects and other Relevant Comments	Recommended Works	Priority (months)	Recommended Re-inspection Interval
Grp 7	Wild Cherry Dogwood Pedunculate Oak Common Beech Hawthorn	SM	5-10	150-300	<5	Good	Trunk and crown shapes distorted due to group pressure Low hanging branches Ivy on trunks Minor deadwood in crowns Developing trees	No works required at time of survey	N/A	2 years
Grp 8	Silver Birch Field Maple Pedunculate Oak Horse Chestnut Myrobalan Plum	SM	10-15	150-300	<5	Fair	Trunk and crown shapes distorted due to group pressure Low hanging branches Ivy on trunks Minor deadwood in crowns	No works required at time of survey	N/A	2 years
Grp 9	Rhus Elder Common Ash Myrobalan Plum Common Holly	SM	5-10	150-300	5-10	Fair	Understorey to more mature trees Trunk and crown shape distorted due to group pressure Low hanging branches Minor deadwood in crowns Ivy on trunks and in crowns limits survey of some trees	No works required at time of survey	N/A	2 years
Grp 10	Field Maple x1 Pedunculate Oak x2	EM	10-15	150-300	5-10	Fair	Trunk and crown shapes distorted due to group pressure Minor deadwood in crowns Low hanging branches on site side	No works required at time of survey	N/A	2 years
Grp 11	Blackthorn Hazel Wild Cherry Bay Laurel Hawthorn Horse Chestnut	SM	5-10	<150	5-10	Good	Growing along site boundary Lower crown clipped back Trunk and crown shapes distorted due to group pressure Several trees starting to form individually Some trees multi-stemmed at ground level	Continue regular maintenance	Routine - within 12 months	2 years
Grp 12	Cherry Laurel Bay Laurel	SM	5-10	<150	5-10	Good	Multi-stemmed at ground level Some branches previously cut and responding well to form dense lower level hedging	No works required at time of survey	N/A	2 years