

Eastleigh Borough Council Tree Preservation Order and Conservation Area Assessment Form

Application Number	T/26/101318				
Surveyor	IF				
Address	161 KINGSWAY, CHANDLER'S FORD, EASTLEIGH, SO53 5BY				
Proposed work	Sweet chestnut (252-E): I wish to carry out a 5-10% crown thin. specifically targeting inner epicormic growth, rubbing branches and unnecessary growth. This is to help to try and prevent any issues with the long term health and stability of the tree. I feel this will help remove some weight and wind sail from the canopy, as the tree is growing very lateral. The proposed work wont effect the shape or amenity of the tree.				
Assessment Date	26/05/2026				
Officer comments	TPO 252-E (T59) 1NO. Sweet Chestnut A large mature tree visible from the public realm. There is some die back currently present in the crown, the proposed crown thin by 5- 10% is considered minor works which will not affect the tree's public amenity nor is it likely to cause any effects on its long-term health and vitality.				
Decision	Consent	Refuse	Part consent/ Part refuse	Withdrawn / Invalid	Conservation Area
					Raise no objection TPO
	X				
Decision notice	Consent to: 1no. Sweet chestnut – Crown thin by 5-10% specifically targeting inner epicormic growth, rubbing branches and unnecessary growth.				
Conditions					
Notes to applicant					
Parish comments	None received.				
Public objection/ support	Support	Objection	Observation		
	0	0	0		
Objection/ support consideration					





