

|                                | <b>HAZARD SAFETY AUDIT</b>              |                                              |            |                     |                  |                   |                                                                                                                                                                                                                                      |                                     |                            |                                    |
|----------------------------------------------------------------------------------------------------------------|-----------------------------------------|----------------------------------------------|------------|---------------------|------------------|-------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|----------------------------|------------------------------------|
|                                                                                                                | <b>Client:</b>                          | Bursledon Parish Council                     |            |                     |                  |                   |                                                                                                                                                                                                                                      |                                     |                            |                                    |
|                                                                                                                | <b>Site</b>                             | Great Down Park, Bursledon                   |            |                     |                  |                   |                                                                                                                                                                                                                                      |                                     |                            |                                    |
|                                                                                                                | <b>Date of Survey:</b>                  | 13th May 2026                                |            |                     |                  |                   |                                                                                                                                                                                                                                      |                                     |                            |                                    |
|                                                                                                                | <b>Consultant:</b>                      | Alexa Monk <i>TechCert (Arbor A) NCH Arb</i> |            |                     |                  |                   |                                                                                                                                                                                                                                      |                                     |                            |                                    |
|                                                                                                                | <b>Tagged:</b>                          | No                                           |            |                     |                  |                   |                                                                                                                                                                                                                                      |                                     |                            |                                    |
|                                                                                                                | <b>Weather:</b>                         | Sunshine and showers                         |            |                     |                  |                   |                                                                                                                                                                                                                                      |                                     |                            |                                    |
| <p style="color: red;">CONSERVATION AREA STATUS: The trees are within the Old Bursledon Conservation Area.</p> |                                         |                                              |            |                     |                  |                   |                                                                                                                                                                                                                                      |                                     |                            |                                    |
| Tree No                                                                                                        | Species                                 | Age Class                                    | Height (m) | Trunk Diameter (mm) | Crown Spread (m) | Overall Condition | Defects and other Relevant Comments                                                                                                                                                                                                  | Recommended Works                   | Priority (months)          | Recommended Re-inspection Interval |
| 1                                                                                                              | Previously removed                      | -                                            | -          | -                   | -                | -                 | -                                                                                                                                                                                                                                    | -                                   | -                          | -                                  |
| 2                                                                                                              | Turkey Oak<br><i>Quercus cerris</i>     | EM                                           | 15-20      | 450-600             | 10-15            | Good              | Growing on bank<br>Epicormics on trunk<br>Multi-stemmed at 5m above ground level<br>Major deadwood in crown but no significant target                                                                                                | No works required at time of survey | N/A                        | 2 years                            |
| 3                                                                                                              | Field Maple<br><i>Acer campestre</i>    | SM                                           | 5-10       | <150                | <5               | Fair              | Bifurcated at ground level                                                                                                                                                                                                           | No works required at time of survey | N/A                        | 2 years                            |
| 4                                                                                                              | Pedunculate Oak<br><i>Quercus robur</i> | SM                                           | 5-10       | 150-300             | 5-10             | Fair              | Growing on bank<br>Ivy on trunk<br>Crown shape distorted due to group pressure<br>Old pruning wounds on west side of trunk, occluded<br>Bark wounds in crown<br>Trunk shape distorted<br>Deadwood in crown but no significant target | Sever ivy at base                   | Routine - within 12 months | 2 years                            |
| 5                                                                                                              | Monterey Pine<br><i>Pinus radiata</i>   | EM                                           | 15-20      | 450-600             | 15-20            | Good              | Growing on bank<br>Minor deadwood and stubs in crown                                                                                                                                                                                 | No works required at time of survey | N/A                        | 2 years                            |

| Tree No | Species                                         | Age Class | Height (m) | Trunk Diameter (mm) | Crown Spread (m) | Overall Condition | Defects and other Relevant Comments                                                                                                      | Recommended Works                                              | Priority (months)           | Recommended Re-inspection Interval |
|---------|-------------------------------------------------|-----------|------------|---------------------|------------------|-------------------|------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|-----------------------------|------------------------------------|
| 6       | Horse Chestnut<br><i>Aesculus hippocastanum</i> | SM        | 5-10       | 150-300             | 5-10             | Fair              | Old pruning wounds on trunk<br>Bark wounds at base                                                                                       | No works required at time of survey                            | N/A                         | 2 years                            |
| 7       | Flowering Cherry<br><i>Prunus spp</i>           | SM        | 5-10       | 150-300             | 5-10             | Fair              | Ivy on trunk<br>Trifurcated at 1.2m above ground level<br>Minor deadwood in crown                                                        | No works required at time of survey                            | N/A                         | 2 years                            |
| 8       | Flowering Cherry<br><i>Prunus spp</i>           | SM        | 5-10       | 150-300             | 5-10             | Dead              | Dead tree                                                                                                                                | Advise removal                                                 | Necessary - within 3 months | N/A                                |
| 9       | Hornbeam<br><i>Carpinus spp</i>                 | SM        | 5-10       | 150-300             | 5-10             | Fair              | Old pruning wounds on trunk and in crown<br>Minor deadwood in crown<br>Low hanging branches                                              | Raise crown over access to car park to give 2 - 2.5m clearance | Necessary - within 3 months | 2 years                            |
| 10      | Hornbeam<br><i>Carpinus spp</i>                 | SM        | 5-10       | 150-300             | 5-10             | Fair              | Old pruning wounds on trunk<br>Bifurcated at 1.6m above ground level                                                                     | No works required at time of survey                            | N/A                         | 2 years                            |
| 11      | Hornbeam<br><i>Carpinus spp</i>                 | SM        | 10-15      | 150-300             | 5-10             | Fair              | Old pruning wounds on trunk                                                                                                              | No works required at time of survey                            | N/A                         | 2 years                            |
| 12      | Hornbeam<br><i>Carpinus spp</i>                 | SM        | 5-10       | 150-300             | 5-10             | Fair              | Multi-stemmed at 1m above ground level<br>Old pruning wounds on trunk<br>Bark wounds in crown<br>Branch tear wound on west side of crown | No works required at time of survey                            | N/A                         | 2 years                            |
| 13      | Hornbeam<br><i>Carpinus spp</i>                 | SM        | 10-15      | 150-300             | 5-10             | Good              | Old pruning wounds on trunk<br>Basal suckers                                                                                             | No works required at time of survey                            | N/A                         | 2 years                            |
| 14      | Common Ash<br><i>Fraxinus excelsior</i>         | SM        | 10-15      | 150-300             | 5-10             | Fair              | Old pruning wounds on trunk<br>Minor deadwood in crown                                                                                   | No works required at time of survey                            | N/A                         | 2 years                            |

| Tree No | Species                                | Age Class | Height (m) | Trunk Diameter (mm) | Crown Spread (m) | Overall Condition | Defects and other Relevant Comments                                                                                                                                | Recommended Works                   | Priority (months)           | Recommended Re-inspection Interval |
|---------|----------------------------------------|-----------|------------|---------------------|------------------|-------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|-----------------------------|------------------------------------|
| 15      | Hornbeam<br><i>Carpinus spp</i>        | SM        | 5-10       | 150-300             | 5-10             | Fair              | Old pruning wounds on trunk                                                                                                                                        | No works required at time of survey | N/A                         | 2 years                            |
| 16      | Hornbeam<br><i>Carpinus spp</i>        | SM        | 10-15      | 150-300             | 10-15            | Fair              | Bifurcated at 5m above ground level<br>Crown shape distorted due to group pressure                                                                                 | No works required at time of survey | N/A                         | 2 years                            |
| 17      | Flowering Cherry<br><i>Prunus spp</i>  | SM        | 5-10       | 150-300             | 5-10             | Fair              | Dead ivy on trunk and in crown - previously cut<br>Bifurcated at 1.2m above ground level<br>Crown shape distorted due to group pressure<br>Minor deadwood in crown | No works required at time of survey | N/A                         | 2 years                            |
| 18      | Poplar<br><i>Populus spp</i>           | EM        | 15-20      | 300-450             | 10-15            | Fair              | Multi-stemmed at approximately 5m above ground level<br>Deadwood in crown over footpath                                                                            | Remove major deadwood over footpath | Important - within 6 months | 2 years                            |
| 19      | Poplar<br><i>Populus spp</i>           | EM        | 15-20      | 300-450             | 5-10             | Fair              | Ivy on trunk previously cut<br>Minor deadwood in crown                                                                                                             | No works required at time of survey | N/A                         | 2 years                            |
| 20      | Previously removed                     | -         | -          | -                   | -                | -                 | -                                                                                                                                                                  | -                                   | -                           | -                                  |
| 21      | Poplar<br><i>Populus spp</i>           | SM        | 10-15      | 300-450             | 10-15            | Good              | Bifurcated at 6m above ground level<br>Memorial tree                                                                                                               | No works required at time of survey | N/A                         | 2 years                            |
| 22      | Common Lime<br><i>Tilia x europaea</i> | SM        | 5-10       | <150                | 5-10             | Fair              | Ivy on trunk<br>Crown shape distorted due to group pressure<br>Minor deadwood in crown<br>Weighted east                                                            | No works required at time of survey | N/A                         | 2 years                            |
| 23      | Previously removed                     | -         | -          | -                   | -                | -                 | -                                                                                                                                                                  | -                                   | -                           | -                                  |
| 24      | Previously removed                     | -         | -          | -                   | -                | -                 | -                                                                                                                                                                  | -                                   | -                           | -                                  |
| 25      | Previously removed                     | -         | -          | -                   | -                | -                 | -                                                                                                                                                                  | -                                   | -                           | -                                  |

| Tree No | Species                                 | Age Class | Height (m) | Trunk Diameter (mm) | Crown Spread (m) | Overall Condition | Defects and other Relevant Comments                                                                                                                                        | Recommended Works                   | Priority (months)           | Recommended Re-inspection Interval |
|---------|-----------------------------------------|-----------|------------|---------------------|------------------|-------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|-----------------------------|------------------------------------|
| 26      | Monterey Pine<br><i>Pinus radiata</i>   | EM        | 15-20      | 450-600             | 10-15            | Fair              | Crown shape distorted due to group pressure<br>Weighted east<br>Bifurcated at 3m above ground level<br>Tight forks with included bark<br>Minor deadwood and stubs in crown | No works required at time of survey | N/A                         | 2 years                            |
| 27      | Common Lime<br><i>Tilia x europaea</i>  | SM        | 10-15      | 300-450             | 5-10             | Fair              | Bifurcated at 2m above ground level<br>Tight forks with included bark<br>Minor deadwood in crown                                                                           | No works required at time of survey | N/A                         | 2 years                            |
| 28      | Pedunculate Oak<br><i>Quercus robur</i> | SM        | 5-10       | 150-300             | 5-10             | Fair              | Trunk and crown shape distorted due to group pressure<br>Weighted north east<br>Minor deadwood in crown<br>Deadwood in crown over highway                                  | Remove major deadwood over highway  | Necessary - within 3 months | 2 years                            |
| 29      | Monterey Pine<br><i>Pinus radiata</i>   | SM        | 15-20      | 300-450             | 5-10             | Fair              | Trunk and crown shape distorted due to group pressure<br>Minor deadwood and stubs in crown                                                                                 | No works required at time of survey | N/A                         | 2 years                            |
| 30      | Monterey Pine<br><i>Pinus radiata</i>   | EM        | 15-20      | 450-600             | 10-15            | Good              | Minor deadwood and stubs in crown<br>Leans north<br>Exposed surface roots on path                                                                                          | No works required at time of survey | N/A                         | 2 years                            |
| 31      | Poplar<br><i>Populus spp</i>            | SM        | 15-20      | 150-300             | 5-10             | Good              | Trunk shape distorted due to group pressure<br>Minor deadwood in crown                                                                                                     | No works required at time of survey | N/A                         | 2 years                            |
| 32      | Wild Cherry<br><i>Prunus avium</i>      | SM        | 10-15      | 150-300             | 5-10             | Fair              | Crown shape distorted due to group pressure<br>Weighted north<br>Minor deadwood in crown                                                                                   | No works required at time of survey | N/A                         | 2 years                            |
| 33      | Pedunculate Oak<br><i>Quercus robur</i> | SM        | 10-15      | 150-300             | 5-10             | Fair              | Growing on top of bank edge<br>Ivy on trunk and in crown<br>Multi-stemmed at 3m above ground level<br>Deadwood in crown over highway                                       | Remove major deadwood over highway  | Necessary - within 3 months | 2 years                            |

| Tree No | Species                                                  | Age Class | Height (m) | Trunk Diameter (mm) | Crown Spread (m) | Overall Condition | Defects and other Relevant Comments                                                                                                                                                                             | Recommended Works                                                                        | Priority (months)           | Recommended Re-inspection Interval |
|---------|----------------------------------------------------------|-----------|------------|---------------------|------------------|-------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|-----------------------------|------------------------------------|
| 34      | Common Ash<br><i>Fraxinus excelsior</i>                  | EM        | 15-20      | 300-450             | 15-20            | Fair              | Possibly offsite<br>Growing on top of bank<br>Multi-stemmed at ground level<br>One stem has cavity on north side of trunk<br>Major deadwood in crown over road<br>Bark wound at base                            | If owned:<br>Remove stem with cavity on north side<br>Remove major deadwood over highway | Necessary - within 3 months | 2 years                            |
| 35      | Pedunculate Oak<br><i>Quercus robur</i>                  | EM        | 15-20      | 450-600             | 15-20            | Good              | Possibly offsite<br>Growing on bank<br>Minor deadwood in crown over road<br>Epicormics in crown                                                                                                                 | No works required at time of survey                                                      | N/A                         | 2 years                            |
| 36      | Blackthorn<br><i>Prunus spinosa</i>                      | EM        | 5-10       | 150-300             | 5-10             | Fair              | Ivy on trunk and in crown<br>Bifurcated at 2m above ground level<br>Old pruning wounds on trunk and in crown<br>Branches cut to clear neighbouring property<br>Crown shape distorted<br>Minor deadwood in crown | No works required at time of survey                                                      | N/A                         | 2 years                            |
| 37      | Common Lime<br><i>Tilia x europaea</i>                   | SM        | 10-15      | 150-300             | 5-10             | Fair              | Bifurcated at 1m above ground level<br>Tight forks with included bark<br>Dead ivy on trunks and in crown - previously cut<br>Minor deadwood in crown<br>Low hanging branches over footpath                      | Crown lift over footpath to give 2 - 2.5m clearance                                      | Important - within 6 months | 2 years                            |
| 38      | Common Lime<br><i>Tilia x europaea</i>                   | SM        | 10-15      | 150-300             | 5-10             | Fair              | Bifurcated at 0.5m above ground level<br>Minor deadwood in crown<br>Low hanging branches over footpath                                                                                                          | Crown lift over footpath to give 2 - 2.5m clearance                                      | Important - within 6 months | 2 years                            |
| 39      | Poplar<br><i>Populus spp</i>                             | EM        | 15-20      | 300-450             | 5-10             | Good              | Minor deadwood in crown                                                                                                                                                                                         | No works required at time of survey                                                      | N/A                         | 2 years                            |
| 39A     | Purple Beech<br><i>Fagus sylvatica</i> ' <i>Purpurea</i> | SM        | 10-15      | 150-300             | 5-10             | Good              | Grows in Blackthorn thicket, limits survey<br>Low hanging branches<br>Trifurcated at 2.5m above ground level                                                                                                    | No works required at time of survey                                                      | N/A                         | 2 years                            |

| Tree No | Species                                 | Age Class | Height (m) | Trunk Diameter (mm) | Crown Spread (m) | Overall Condition | Defects and other Relevant Comments                                                                                                        | Recommended Works                   | Priority (months) | Recommended Re-inspection Interval |
|---------|-----------------------------------------|-----------|------------|---------------------|------------------|-------------------|--------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|-------------------|------------------------------------|
| 40      | Wild Cherry<br><i>Prunus avium</i>      | SM        | 10-15      | 150-300             | 5-10             | Fair              | Minor deadwood in crown<br>Trifurcated at 3m above ground level                                                                            | No works required at time of survey | N/A               | 2 years                            |
| 41      | Field Maple<br><i>Acer campestre</i>    | SM        | 5-10       | 150-300             | 5-10             | Fair              | Bifurcated at 0.5m above ground level<br>Ivy on trunk and in crown - previously cut<br>Minor deadwood in crown<br>Bleeding canker on trunk | No works required at time of survey | N/A               | 2 years                            |
| 42      | Hawthorn<br><i>Crataegus spp</i>        | M         | 5-10       | 150-300             | 5-10             | Fair              | Multi-stemmed at ground level<br>Minor deadwood in crown                                                                                   | No works required at time of survey | N/A               | 2 years                            |
| 43      | Common Ash<br><i>Fraxinus excelsior</i> | SM        | 10-15      | 150-300             | 5-10             | Fair              | Bifurcated at 4m above ground level<br>Minor deadwood in crown                                                                             | No works required at time of survey | N/A               | 2 years                            |
| 44      | Previously removed                      | -         | -          | -                   | -                | -                 | -                                                                                                                                          | -                                   | -                 | -                                  |
| 45      | Flowering Cherry<br><i>Prunus spp</i>   | SM        | 10-15      | <150                | 5-10             | Fair              | Ivy on trunk and in crown<br>Minor deadwood in crown<br>Crown shape distorted due to group pressure                                        | No works required at time of survey | N/A               | 2 years                            |
| 46      | Flowering Cherry<br><i>Prunus spp</i>   | SM        | 10-15      | 150-300             | 5-10             | Fair              | Growing on bank<br>Crown shape distorted due to group pressure<br>Minor deadwood in crown                                                  | No works required at time of survey | N/A               | 2 years                            |
| 47      | Flowering Cherry<br><i>Prunus spp</i>   | SM        | 10-15      | 150-300             | 5-10             | Fair              | Growing on bank<br>Bifurcated at 4m and 6m above ground level<br>Crown shape distorted due to group pressure<br>Minor deadwood in crown    | No works required at time of survey | N/A               | 2 years                            |
| 48      | Flowering Cherry<br><i>Prunus spp</i>   | EM        | 10-15      | 300-450             | 5-10             | Fair              | Trunk shape distorted<br>Minor deadwood in crown                                                                                           | No works required at time of survey | N/A               | 2 years                            |

| Tree No | Species                                         | Age Class | Height (m) | Trunk Diameter (mm) | Crown Spread (m) | Overall Condition | Defects and other Relevant Comments                                                                                                   | Recommended Works                   | Priority (months)          | Recommended Re-inspection Interval |
|---------|-------------------------------------------------|-----------|------------|---------------------|------------------|-------------------|---------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|----------------------------|------------------------------------|
| 49      | Goat Willow<br><i>Salix caprea</i>              | SM        | 5-10       | 150-300             | 5-10             | Fair              | Basal suckers<br>Epicormics on trunk<br>Minor deadwood in crown<br>Old pruning wounds<br>Bark wounds at base<br>Decay forming at base | No works required at time of survey | N/A                        | 2 years                            |
| 50      | Flowering Cherry<br><i>Prunus spp</i>           | M         | 10-15      | 300-450             | 10-15            | Fair              | Ivy on trunk and in crown<br>Bifurcated at 1m above ground level<br>Tight forks with included bark<br>Minor deadwood in crown         | Sever ivy                           | Routine - within 12 months | 2 years                            |
| 51      | Flowering Cherry<br>Field Maple                 | SM        | 10-15      | 150-300             | 5-10             | Fair              | Two trees growing together<br>Ivy on trunk and in crown limits survey<br>Crossing and rubbing branches<br>Minor deadwood in crown     | Sever ivy                           | Routine - within 12 months | 2 years                            |
| 52      | Pedunculate Oak<br><i>Quercus robur</i>         | SM        | 10-15      | 150-300             | 10-15            | Good              | Minor deadwood in crown                                                                                                               | No works required at time of survey | N/A                        | 2 years                            |
| 53      | Field Maple<br><i>Acer campestre</i>            | SM        | 10-15      | 150-300             | 5-10             | Fair              | Bifurcated at 3m above ground level<br>Minor deadwood in crown                                                                        | No works required at time of survey | N/A                        | 2 years                            |
| 54      | Previously removed                              | -         | -          | -                   | -                | -                 | -                                                                                                                                     | -                                   | -                          | -                                  |
| 55      | Flowering Cherry<br><i>Prunus spp</i>           | SM        | 10-15      | 150-300             | 5-10             | Fair              | Leans and weighted east<br>Bifurcated at 3m above ground level<br>Minor deadwood in crown                                             | No works required at time of survey | N/A                        | 2 years                            |
| 56      | Cabbage Palm<br><i>Cordyline australis</i>      | SM        | <5         | <150                | <5               | Fair              | Bark wounds on trunk                                                                                                                  | No works required at time of survey | N/A                        | 2 years                            |
| 57      | Horse Chestnut<br><i>Aesculus hippocastanum</i> | SM        | 10-15      | 150-300             | 10-15            | Good              | Growing on bank<br>Minor deadwood in crown                                                                                            | No works required at time of survey | N/A                        | 2 years                            |

| Tree No | Species                                         | Age Class | Height (m) | Trunk Diameter (mm) | Crown Spread (m) | Overall Condition | Defects and other Relevant Comments                                                                                                                                         | Recommended Works                   | Priority (months) | Recommended Re-inspection Interval |
|---------|-------------------------------------------------|-----------|------------|---------------------|------------------|-------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|-------------------|------------------------------------|
| 58      | Goat Willow<br><i>Salix caprea</i>              | SM        | 5-10       | <150                | 5-10             | Fair              | Epicormics on trunk<br>Bark wounds on trunk<br>Minor deadwood in crown                                                                                                      | No works required at time of survey | N/A               | 2 years                            |
| 59      | Previously removed                              | -         | -          | -                   | -                | -                 | -                                                                                                                                                                           | -                                   | -                 | -                                  |
| 60      | Flowering Cherry<br><i>Prunus spp</i>           | SM        | 5-10       | 150-300             | 5-10             | Fair              | Ivy on trunk and in crown - previously cut but growing back<br>Trunk shape distorted due to group pressure<br>Minor deadwood in crown                                       | No works required at time of survey | N/A               | 2 years                            |
| 61      | Field Maple<br><i>Acer campestre</i>            | SM        | 5-10       | 150-300             | 5-10             | Fair              | Trunk shape distorted due to group pressure<br>Minor deadwood in crown<br>Bifurcated at 1m above ground level                                                               | No works required at time of survey | N/A               | 2 years                            |
| 62      | Monterey Cypress<br><i>Cupressus macrocarpa</i> | M         | <5         | 450-600             | <5               | Poor              | Major decay at base<br>2m high stump                                                                                                                                        | No works required at time of survey | N/A               | N/A                                |
| 63      | Monterey Pine<br><i>Pinus radiata</i>           | M         | >20        | >600                | 15-20            | Fair              | Branch tear wound on east side of trunk<br>Mechanical damage to surface roots<br>Multi-stemmed by 2.5m above ground level<br>Tight forks with included bark<br>Ivy on trunk | No works required at time of survey | N/A               | 2 years                            |
| 64      | Common Ash<br><i>Fraxinus excelsior</i>         | EM        | 15-20      | 450-600             | 10-15            | Fair              | Bifurcated at 2m above ground level<br>Crown shape distorted due to group pressure<br>Major deadwood in crown but no significant target                                     | No works required at time of survey | N/A               | 2 years                            |
| 65      | Common Ash<br><i>Fraxinus excelsior</i>         | EM        | 15-20      | 300-450             | 10-15            | Fair              | Possibly offsite<br>Major deadwood in crown but no significant target                                                                                                       | No works required at time of survey | N/A               | 2 years                            |
| 66      | Previously removed                              | -         | -          | -                   | -                | -                 | -                                                                                                                                                                           | -                                   | -                 | -                                  |

| Tree No | Species                                         | Age Class | Height (m) | Trunk Diameter (mm) | Crown Spread (m) | Overall Condition | Defects and other Relevant Comments                                                                                                                                                                                                                                 | Recommended Works                   | Priority (months) | Recommended Re-inspection Interval |
|---------|-------------------------------------------------|-----------|------------|---------------------|------------------|-------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|-------------------|------------------------------------|
| 67      | Common Ash<br><i>Fraxinus excelsior</i>         | M         | 5-10       | 450-600             | <5               | Poor              | Bifurcated at 3.5m above ground level<br>Cavity and decay at base on south west side<br>Inonotus hispidus fungal fruiting body at base of trunk<br>Old pruning wounds on south side of west stem at 5m above ground level<br>Reduced to 6m high stem with re-growth | No works required at time of survey | N/A               | 2 years                            |
| 68      | Pedunculate Oak<br><i>Quercus robur</i>         | M         | 15-20      | >600                | 150-20           | Fair              | Trunk and crown shape distorted due to group pressure<br>Weighted south east<br>Old pruning wounds on trunk and in crown<br>Rubbing wounds on trunk from T69                                                                                                        | No works required at time of survey | N/A               | 2 years                            |
| 69      | Pedunculate Oak<br><i>Quercus robur</i>         | M         | >20        | >600                | 15-20            | Fair              | Crossing and rubbing branches with wounds present<br>Bifurcated at 3m above ground level                                                                                                                                                                            | No works required at time of survey | N/A               | 2 years                            |
| 70      | Monterey Cypress<br><i>Cupressus macrocarpa</i> | M         | <5         | >600                | <5               | Poor              | 2m high stump                                                                                                                                                                                                                                                       | No works required at time of survey | N/A               | N/A                                |
| 71      | Previously removed                              | -         | -          | -                   | -                | -                 | -                                                                                                                                                                                                                                                                   | -                                   | -                 | -                                  |
| 72      | Turkey Oak<br><i>Quercus cerris</i>             | SM        | 5-10       | 300-450             | 10-15            | Fair              | Possibly offsite<br>Trunk and crown shape distorted due to group pressure<br>Heavily weighted south<br>Minor deadwood in crown                                                                                                                                      | No works required at time of survey | N/A               | 2 years                            |
| 73      | Pedunculate Oak<br><i>Quercus robur</i>         | SM        | 10-15      | 300-450             | 10-15            | Fair              | Possibly offsite<br>Crown shape distorted due to group pressure<br>Minor deadwood in crown                                                                                                                                                                          | No works required at time of survey | N/A               | 2 years                            |

| Tree No | Species                                       | Age Class | Height (m) | Trunk Diameter (mm) | Crown Spread (m) | Overall Condition | Defects and other Relevant Comments                                                                                                                                                                              | Recommended Works                   | Priority (months) | Recommended Re-inspection Interval |
|---------|-----------------------------------------------|-----------|------------|---------------------|------------------|-------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|-------------------|------------------------------------|
| 74      | Pedunculate Oak<br><i>Quercus robur</i>       | EM        | 10-15      | 300-450             | 10-15            | Fair              | Possibly offsite<br>Trunk shape distorted due to group pressure<br>Crossing and rubbing branches in crown from neighbouring tree<br>Minor deadwood in crown                                                      | No works required at time of survey | N/A               | 2 years                            |
| 75      | Pedunculate Oak<br><i>Quercus robur</i>       | M         | 15-20      | 300-450             | 15-20            | Fair              | Bifurcated at ground level<br>Tight forks with included bark<br>Crown shape distorted due to group pressure<br>Weighted south                                                                                    | No works required at time of survey | N/A               | 2 years                            |
| 76      | Pedunculate Oak<br><i>Quercus robur</i>       | EM        | 15-20      | 450-600             | 10-15            | Fair              | Bifurcated at 1m above ground level<br>Tight forks with included bark<br>Ivy on trunk<br>Major deadwood in crown but no significant target<br>Crown shape distorted due to group pressure<br>Weighted north east | No works required at time of survey | N/A               | 2 years                            |
| 76A     | Previously removed                            | -         | -          | -                   | -                | -                 | -                                                                                                                                                                                                                | -                                   | -                 | -                                  |
| 77      | Pedunculate Oak<br><i>Quercus robur</i>       | M         | >20        | >600                | 10-15            | Good              | Ivy on trunk<br>Trifurcated at 2m above ground level<br>Major deadwood in crown but no significant target                                                                                                        | No works required at time of survey | N/A               | 2 years                            |
| 78      | Aspen<br><i>Populus tremula</i>               | SM        | 15-20      | 150-300             | 5-10             | Fair              | Tall and etiolated due to group pressure<br>Minor deadwood in crown                                                                                                                                              | No works required at time of survey | N/A               | 2 years                            |
| 79      | Common Sycamore<br><i>Acer pseudoplatanus</i> | SM        | 15-20      | 300-450             | 5-10             | Fair              | Ivy on trunk<br>Crown shape distorted due to group pressure<br>Weighted west<br>Major deadwood in crown but no significant target<br>Tall and etiolated due to group pressure                                    | No works required at time of survey | N/A               | 2 years                            |
| 80      | Previously removed                            | -         | -          | -                   | -                | -                 | -                                                                                                                                                                                                                | -                                   | -                 | -                                  |
| 81      | Previously removed                            | -         | -          | -                   | -                | -                 | -                                                                                                                                                                                                                | -                                   | -                 | -                                  |

| Tree No | Species                                                   | Age Class | Height (m) | Trunk Diameter (mm) | Crown Spread (m) | Overall Condition | Defects and other Relevant Comments                                                                                                       | Recommended Works                   | Priority (months)           | Recommended Re-inspection Interval |
|---------|-----------------------------------------------------------|-----------|------------|---------------------|------------------|-------------------|-------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|-----------------------------|------------------------------------|
| 82      | Common Ash<br><i>Fraxinus excelsior</i>                   | SM        | <5         | 150-300             | <5               | Poor              | Bifurcated at ground level<br>Ivy on trunks<br>Reduced to 2m high stumps                                                                  | No works required at time of survey | N/A                         | N/A                                |
| 83      | Aspen<br><i>Populus tremula</i>                           | EM        | 15-20      | 450-600             | 10-15            | Fair              | Trunk shape distorted<br>Leans and weighted north<br>Major deadwood in crown but no significant target                                    | No works required at time of survey | N/A                         | 2 years                            |
| 84      | Common Ash<br><i>Fraxinus excelsior</i>                   | EM        | 15-20      | 300-450             | 10-15            | Poor              | Bifurcated at 1.3m above ground level<br>Ivy on trunk<br>Major deadwood in crown                                                          | Remove major deadwood               | Necessary - within 3 months | 2 years                            |
| 85      | Aspen<br><i>Populus tremula</i>                           | EM        | 15-20      | 300-450             | 10-15            | Fair              | Trunk shape distorted<br>Leans north<br>Major deadwood in crown but no significant target                                                 | No works required at time of survey | N/A                         | 2 years                            |
| 86      | Common Ash<br><i>Fraxinus excelsior</i>                   | SM        | 10-15      | 150-300             | 5-10             | Fair              | Ivy on trunk<br>Deadwood in crown over footpath                                                                                           | Remove deadwood over footpath       | Necessary - within 3 months | 2 years                            |
| 87      | Previously removed                                        | -         | -          | -                   | -                | -                 | -                                                                                                                                         | -                                   | -                           | -                                  |
| 88      | Pedunculate Oak<br><i>Quercus robur</i>                   | EM        | 15-20      | 450-600             | 10-15            | Good              | Minor deadwood throughout crown<br>Major deadwood on east side of crown but no significant target<br>Trifurcated at 3m above ground level | No works required at time of survey | N/A                         | 2 years                            |
| 89      | Previously removed                                        | -         | -          | -                   | -                | -                 | -                                                                                                                                         | -                                   | -                           | -                                  |
| Grp 1   | Common Ash<br>Hazel<br>Goat Willow<br>Alder<br>Blackthorn | SM        | 10-15      | 150-300             | 5-10             | Fair              | Ivy on trunks<br>Multi-stemmed at various heights<br>Minor deadwood in crowns<br>Minor cavities forming on some trunks                    | No works required at time of survey | N/A                         | 2 years                            |

| Tree No | Species                                                                                                    | Age Class | Height (m) | Trunk Diameter (mm) | Crown Spread (m) | Overall Condition | Defects and other Relevant Comments                                                                                                                                                                                                                                                           | Recommended Works                                                                                         | Priority (months)                                             | Recommended Re-inspection Interval |
|---------|------------------------------------------------------------------------------------------------------------|-----------|------------|---------------------|------------------|-------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|---------------------------------------------------------------|------------------------------------|
| Grp 2   | Common Ash x4                                                                                              | EM        | 10-15      | 150-300             | 10-15            | Fair              | Four trees growing on boundary<br>Ivy on trunks<br>Multi-stemmed at various heights<br>Canker on trunks<br>Minor deadwood in crowns but no significant target<br>Access and view of basal areas limited by ivy and brambles<br>Easternmost tree dead (multi-stemmed at 1m above ground level) | Sever ivy and clear brambles around base<br><br>Remove dead tree (multi-stemmed at 1m above ground level) | Routine - within 12 months<br><br>Important - within 6 months | 2 years                            |
| Grp 3   | Hawthorn<br>Field Maple<br>Flowering Cherry<br>Apple<br>Hazel<br>Poplar                                    | Y         | 5-10       | <150                | <5               | Fair              | Some planted trees but mostly natural regeneration<br>Minor deadwood in crowns                                                                                                                                                                                                                | No works required at time of survey                                                                       | N/A                                                           | 2 years                            |
| Grp 4   | Hawthorn<br>Pedunculate Oak<br>Hazel<br>Field Maple                                                        | SM        | 5-10       | <150                | <5               | Fair              | Boundary edge group<br>Trunks and crown shapes distorted due to group pressure<br>Minor deadwood in crowns<br>Ivy on trunks<br>More mature Oaks within group                                                                                                                                  | No works required at time of survey                                                                       | N/A                                                           | 2 years                            |
| Grp 5   | Common Ash<br>Common Hawthorn<br>Field Maple<br>Flowering Cherry<br>Hazel<br>Pedunculate Oak<br>Turkey oak | SM        | 10-15      | 150-300             | 5-10             | Fair              | Closely grown trees on site boundary<br>Trunks and crown shapes distorted due to group pressure<br>Ivy on trunks<br>Some natural regeneration<br>Minor deadwood in crowns<br>Some Oaks appear to grow offsite                                                                                 | No works required at time of survey                                                                       | N/A                                                           | 2 years                            |

| Tree No | Species                                                                                                                                      | Age Class | Height (m) | Trunk Diameter (mm) | Crown Spread (m) | Overall Condition | Defects and other Relevant Comments                                                                                                                                                          | Recommended Works                   | Priority (months) | Recommended Re-inspection Interval |
|---------|----------------------------------------------------------------------------------------------------------------------------------------------|-----------|------------|---------------------|------------------|-------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|-------------------|------------------------------------|
| Grp 6   | Common Hawthorn<br>Poplar<br>Field Maple<br>Flowering Cherry<br>Hazel<br>Common Ash<br>Pedunculate Oak<br>Crack Willow                       | SM        | 5-10       | 150-300             | 5-10             | Fair              | Closely grown trees on site boundary<br>Trunks and crown shapes distorted due to group pressure<br>Ivy on trunks<br>Minor deadwood in crowns                                                 | No works required at time of survey | N/A               | 2 years                            |
| Grp 7   | Flowering Cherry<br>Hazel<br>Field Maple                                                                                                     | SM        | 10-15      | 150-300             | 5-10             | Fair              | Closely grown trees growing along cemetery boundary<br>Trunks and crown shapes distorted due to group pressure<br>Crossing and rubbing branches<br>Ivy on trunks<br>Minor deadwood in crowns | No works required at time of survey | N/A               | 2 years                            |
| Grp 8   | Field Maple x3                                                                                                                               | SM        | 10-15      | 150-300             | 5-10             | Fair              | Closely grown trees growing along cemetery boundary<br>Trunks and crown shapes distorted due to group pressure<br>Crossing and rubbing branches<br>Minor deadwood in crowns                  | No works required at time of survey | N/A               | 2 years                            |
| Grp 9   | Sycamore x3<br>Silver Birch x9<br>Field Maple x4<br>Flowering Cherry x4<br>Pedunculate Oak x2<br>Goat Willow x1<br>Common Ash x1<br>Rowan x1 | SM        | 10-15      | 150-300             | 5-10             | Fair              | Growing on bank<br>Trunks and crown shapes distorted due to group pressure<br>Minor deadwood in crowns<br>Crossing and rubbing branches<br>Bleeding on some trunks                           | No works required at time of survey | N/A               | 2 years                            |
| Grp 10  | Flowering Cherry x2<br>Rowan x 2                                                                                                             | SM        | 5-10       | <150                | 5-10             | Fair              | Ivy on trunks<br>Growing in hedge<br>Bifurcated at various heights<br>Minor deadwood in crown                                                                                                | No works required at time of survey | N/A               | 2 years                            |
| Grp 11  | Blackthorn<br>Goat Willow<br>Flowering Cherry<br>Field Maple                                                                                 | SM        | 5-10       | <150                | <5               | Fair              | Closely grown group<br>Trunks and crown shapes distorted due to group pressure<br>Minor deadwood in crowns                                                                                   | No works required at time of survey | N/A               | 2 years                            |

| Tree No | Species                                                                                                        | Age Class | Height (m) | Trunk Diameter (mm) | Crown Spread (m) | Overall Condition | Defects and other Relevant Comments                                                                                                                                                           | Recommended Works                                                                                                                                                      | Priority (months)           | Recommended Re-inspection Interval |
|---------|----------------------------------------------------------------------------------------------------------------|-----------|------------|---------------------|------------------|-------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|------------------------------------|
| Grp 12  | Goat Willow<br>Hazel<br>Common Ash<br>Common Hawthorn<br>Wild Cherry<br>Silver Birch<br>Elder<br>Monterey Pine | SM        | 10-15      | 150-300             | 5-10             | Good              | Small group growing in corner of site<br>Ivy on trunks<br>Crown shapes distorted due to group pressure<br>Minor deadwood in crowns<br>Small dead trees within group but no significant target | No works required at time of survey                                                                                                                                    | N/A                         | 2 years                            |
| Grp 13  | Sycamore<br>Ash<br>Horse Chestnut<br>Wild Cherry                                                               | EM        | 15-20      | 300-450             | 10-15            | Fair              | Possibly offsite<br>Trunks and crown shapes distorted due to group pressure<br>Ivy on trunks<br>Major deadwood in crowns but no significant target                                            | Sever ivy                                                                                                                                                              | Routine - within 12 months  | 2 years                            |
| Grp 14  | Common Ash x8                                                                                                  | EM        | 15-20      | 150-300             | 10-15            | Fair              | Possibly offsite<br>Multi-stemmed at ground level<br>Tight forks with included bark<br>Ivy on trunk and in crown<br>Crown shape distorted due to group pressure<br>Major deadwood in crown    | If owned:<br>Remove deadwood on south side of crown over footpath<br>Sever ivy<br>Consider future phased removal starting from west aspect and between trees 74 and 75 | Necessary - within 3 months | 2 years                            |
| Grp 15  | Horse Chestnut x2                                                                                              | EM        | 10-15      | 150-300             | 5-10             | Fair              | Possibly offsite<br>Multi-stemmed at ground level<br>Tight forks with included bark<br>Bark wounds on trunks<br>Minor deadwood in crowns                                                      | No works required at time of survey                                                                                                                                    | N/A                         | 2 years                            |
| Grp 16  | Aspen x6                                                                                                       | SM        | 15-20      | 150-300             | 5-10             | Fair              | Crown shape distorted due to group pressure<br>Minor deadwood in crown                                                                                                                        | No works required at time of survey                                                                                                                                    | N/A                         | 2 years                            |
| Grp 17  | Goat Willow<br>Aspen<br>Common Alder                                                                           | Y         | 10-15      | <150                | 5-10             | Fair              | Natural regeneration<br>Bark wounds on trunks<br>Crown shapes distorted due to group pressure<br>Minor deadwood in crowns<br>Some trees multi-stemmed at ground level                         | No works required at time of survey                                                                                                                                    | N/A                         | 2 years                            |

| Tree No | Species                                         | Age Class | Height (m) | Trunk Diameter (mm) | Crown Spread (m) | Overall Condition | Defects and other Relevant Comments                                                                                                                                          | Recommended Works                   | Priority (months) | Recommended Re-inspection Interval |
|---------|-------------------------------------------------|-----------|------------|---------------------|------------------|-------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|-------------------|------------------------------------|
| Grp 18  | Goat Willow x10<br>Hazel x13<br>Crack Willow x1 | EM        | 10-15      | 150-300             | 5-10             | Fair              | Linear group along side of car park<br>Some trees multi-stemmed at ground level<br>Crown shapes distorted due to group pressure<br>Minor deadwood in crowns<br>Ivy on trunks | No works required at time of survey | N/A               | 2 years                            |