



HERITAGE ROSE VERTICAL SLIDING SASH

Typical project detail for S01 to S05 and mandatory removable internal staff bead



15 OVER 15 PANE ARRANGEMENT

INTERNAL JAMB SECTION



Included on every Heritage Rose sash S01-S05. This is an internal, moulded, removable bead that visually expresses the traditional staff-bead line and retains the lower sash. It is not to be omitted or replaced by a plain cover strip.

Project specification

- System:** Roseview Heritage Rose
- Size:** 1250 x 1660 mm nominal; verify each opening
- Meeting rail:** 44 mm
- Bottom rail:** deep traditional proportion
- Horns:** run-through, as quoted
- External detail:** chamfered putty-line appearance
- Internal detail:** sculptured ovolo with removable staff bead
- Bars:** applied both faces with matching dark spacer
- Cill:** flush product cill over retained concrete cill
- Finish:** white foil
- Ventilation:** no trickle ventilators

Diagram is explanatory and not for manufacture. Manufacturer sections and final surveyed sizes govern.

LISTED BUILDING CONSENT

UPCOTT HOUSE, STATION HILL, BURSLEDON, SOUTHAMPTON SO31 8PQ

Statutory list entry: Upcott, Station Road | Grade II | NHLE 1203865

HERITAGE ROSE AND STAFF BEAD DETAILS

Drawing UP-DT-200	Date 29 September 2026	Revision P06
Scale: as stated / NTS	Drawn: Dale Anderson	Sheet 7 of 13