

APPENDIX A

LIMITATIONS

This report is confidential to the Client, and Envirotrete Technologies Ltd accepts no responsibility whatsoever to third parties to whom this report, or any part thereof, is made known, unless formally agreed by Envirotrete Technologies Ltd beforehand. Any such party relies upon the report at their own risk.

This report has been prepared by Envirotrete Technologies Ltd on the basis of information received from a variety of sources which Envirotrete Technologies Ltd believes to be accurate. Nevertheless, Envirotrete Technologies Ltd cannot and does not guarantee the authenticity or reliability of the information it has obtained from others.

Envirotrete Technologies Ltd has used all reasonable skill, care and diligence in the design and execution of this report, taking into account the manpower and resources devoted to it in agreement with the Client. Although every reasonable effort has been made to obtain all relevant information, all potential contamination, environmental constraints or liabilities associated with the site may not necessarily have been revealed. Envirotrete Technologies Ltd cannot be held responsible for any disclosures or changes in regulation that are provided post-production of this report, and will not automatically update the report.

The conclusions reached in this report are necessarily restricted to those which can be determined from the information consulted, and may be subject to amendment in the light of additional information becoming available. These conclusions may not be appropriate for alternative schemes.

This report does not constitute an asbestos survey. The presence of asbestos cannot be discounted.

APPENDIX B

FIGURES



LEGEND



ETL borehole



envirotreat®

Project name: Eastleigh Units 200, 205 and 210

Client: ADI Group Ltd

Figure no.: 1

Figure title: Gas monitoring well location plan

Date: 24/01/23

Revision: 1 Status: FINAL

Drawn by: AN Checked by: SF

0 25 50 m




APPENDIX C

BOREHOLE LOGS

Percussion Drilling Log

Project Name: Eastleigh		Client: ADI Ltd		Date: 08/12/2022	
Location: Campbell Road, Eastleigh, SO50 5AD		Contractor: Regional Drilling			
Project No. : Eastleigh		Crew Name: LH/ RD		Drilling Equipment: Premier 110 tracked windowless	
Borehole Number WS301	Hole Type WS	Level	Logged By ARN	Scale 1:50	Page Number Sheet 1 of 1




Well	Water Strikes	Sample and In Situ Testing			Depth (m)	Level (m)	Legend	Stratum Description	
		Depth (m)	Type	Results					
					0.80			Orange-brown CLAY	
					1.00			Orange-brown sandy slightly gravelly CLAY. Gravel comprised angular to subrounded fine to coarse flint.	1
								Orange-brown and light grey slightly silty very sandy angular to rounded fine to coarse flint GRAVEL.	
					2.00			End of Borehole at 2.000m	2
									3
									4
									5
									6
									7
									8
									9
									10

Hole Diameter		Casing Diameter		Chiselling				Inclination and Orientation			
Depth Base	Diameter	Depth Base	Diameter	Depth Top	Depth Base	Duration	Tool	Depth Top	Depth Base	Inclination	Orientation

Remarks

Percussion Drilling Log

Project Name: Eastleigh		Client: ADI Ltd		Date: 08/12/2022	
Location: Campbell Road, Eastleigh, SO50 5AD		Contractor: Regional Drilling			
Project No. : Eastleigh		Crew Name: LH/ RD		Drilling Equipment: Premier 110 tracked windowless	
Borehole Number WS302	Hole Type WS	Level	Logged By ARN	Scale 1:50	Page Number Sheet 1 of 1



Well	Water Strikes	Sample and In Situ Testing			Depth (m)	Level (m)	Legend	Stratum Description	
		Depth (m)	Type	Results					
					0.50			MADE GROUND: Black slightly clayey ashy sandy GRAVEL.	
								Grey, becoming orange-brown, CLAY.	1
					1.75 2.00			Orange-brown slightly sandy slightly gravelly CLAY. Gravel comprised angular to rounded fine to coarse flint.	2
					3.00			Orange-brown and light grey very sandy angular to rounded fine to coarse flint GRAVEL.	
								End of Borehole at 3.000m	3
									4
									5
									6
									7
									8
									9
									10

Hole Diameter		Casing Diameter		Chiselling				Inclination and Orientation			
Depth Base	Diameter	Depth Base	Diameter	Depth Top	Depth Base	Duration	Tool	Depth Top	Depth Base	Inclination	Orientation

Remarks

Percussion Drilling Log

Project Name: Eastleigh		Client: ADI Ltd		Date: 08/12/2022	
Location: Campbell Road, Eastleigh, SO50 5AD		Contractor: Regional Drilling			
Project No. : Eastleigh		Crew Name: LH/ RD		Drilling Equipment: Premier 110 tracked windowless	
Borehole Number WS303	Hole Type WS	Level	Logged By ARN	Scale 1:50	Page Number Sheet 1 of 1



Well	Water Strikes	Sample and In Situ Testing			Depth (m)	Level (m)	Legend	Stratum Description	
		Depth (m)	Type	Results					
					0.60			MADE GROUND: Black clayey ashy sandy GRAVEL.	1
								Grey, becoming orange-brown, slightly sandy CLAY.	
					1.80 1.90			Orange brown sandy gravelly CLAY. Gravel comprised angular to rounded fine to coarse flint. Orange-brown and light grey slightly silty very sandy angular to rounded fine to coarse flint GRAVEL.	2
					3.50			End of Borehole at 3.500m	3
									4
									5
									6
									7
									8
									9
									10

Hole Diameter		Casing Diameter		Chiselling				Inclination and Orientation			
Depth Base	Diameter	Depth Base	Diameter	Depth Top	Depth Base	Duration	Tool	Depth Top	Depth Base	Inclination	Orientation

Remarks

Percussion Drilling Log

Project Name: Eastleigh		Client: ADI Ltd		Date: 08/12/2022	
Location: Campbell Road, Eastleigh, SO50 5AD		Contractor: Regional Drilling			
Project No. : Eastleigh		Crew Name: LH/ RD		Drilling Equipment: Premier 110 tracked windowless	
Borehole Number WS304	Hole Type WS	Level	Logged By ARN	Scale 1:50	Page Number Sheet 1 of 1



Well	Water Strikes	Sample and In Situ Testing			Depth (m)	Level (m)	Legend	Stratum Description	
		Depth (m)	Type	Results					
					0.15			MADE GROUND: Black ashy very sandy GRAVEL. Orange-brown CLAY	1
					1.50			Orange-brown sandy slightly gravelly CLAY. Gravel comprised angular to rounded fine to medium flint.	2
					3.20			Orange-brown and light grey sandy angular to rounded fine to coarse flint GRAVEL.	3
					3.50			End of Borehole at 3.500m	4
									5
									6
									7
									8
									9
									10

Hole Diameter		Casing Diameter		Chiselling				Inclination and Orientation			
Depth Base	Diameter	Depth Base	Diameter	Depth Top	Depth Base	Duration	Tool	Depth Top	Depth Base	Inclination	Orientation

Remarks

Percussion Drilling Log

Project Name: Eastleigh		Client: ADI Ltd		Date: 08/12/2022	
Location: Campbell Road, Eastleigh, SO50 5AD		Contractor: Regional Drilling			
Project No. : Eastleigh		Crew Name: LH/ RD		Drilling Equipment: Premier 110 tracked windowless	
Borehole Number WS305	Hole Type WS	Level	Logged By ARN	Scale 1:50	Page Number Sheet 1 of 1




Well	Water Strikes	Sample and In Situ Testing			Depth (m)	Level (m)	Legend	Stratum Description	
		Depth (m)	Type	Results					
					1.30			Light grey, becoming orange-brown, CLAY.	1
					1.80			Orange-brown slightly sandy gravelly CLAY. Gravel comprised angular to rounded fine to medium flint.	
					2.00			Orange brown very sandy angular to rounded fine to coarse flint GRAVEL. End of Borehole at 2.000m	2
									3
									4
									5
									6
									7
									8
									9
									10

Hole Diameter		Casing Diameter		Chiselling				Inclination and Orientation			
Depth Base	Diameter	Depth Base	Diameter	Depth Top	Depth Base	Duration	Tool	Depth Top	Depth Base	Inclination	Orientation

Remarks

Percussion Drilling Log

Project Name: Eastleigh		Client: ADI Ltd		Date: 08/12/2022	
Location: Campbell Road, Eastleigh, SO50 5AD		Contractor: Regional Drilling			
Project No. : Eastleigh		Crew Name: LH/ RD		Drilling Equipment: Premier 110 tracked windowless	
Borehole Number WS306	Hole Type WS	Level	Logged By ARN	Scale 1:50	Page Number Sheet 1 of 1

Well	Water Strikes	Sample and In Situ Testing			Depth (m)	Level (m)	Legend	Stratum Description	
		Depth (m)	Type	Results					
					1.30			Orange-brown CLAY.	1
					1.65			Orange-brown slightly sandy gravelly CLAY. gravel comprised angular to rounded fine to coarse flint.	
								Orange-brown and light grey sandy angular to rounded fine to coarse flint GRAVEL.	2
					2.50			End of Borehole at 2.500m	
									3
									4
									5
									6
									7
									8
									9
									10

Hole Diameter		Casing Diameter		Chiselling				Inclination and Orientation			
Depth Base	Diameter	Depth Base	Diameter	Depth Top	Depth Base	Duration	Tool	Depth Top	Depth Base	Inclination	Orientation

Remarks

APPENDIX D

FIELD MONITORING RECORDS

Ground Gas and Groundwater Monitoring Record Sheet

Client:	ADI Group Ltd	Date	14th December 2022
Site:	Eastleigh Units 200, 205, 210	Engineer	DS
Weather	Dry, sunny	Borehole ID	WS301

Time	GASES							Flow rate (l/hr)	
	Methane (%v/v)	Carbon dioxide (%v/v)	Oxygen (%v/v)	%LEL	Carbon monoxide (ppmv)	Hydrogen sulphide (ppmv)	PID Peak (ppm)	Flow rate (l/hr)	Differential Pressure (Pa)
0.25	<0.1	0.2	19.7	<0.1	<1	<1	0.2	<0.1	<1
0.5	<0.1	0.1	20.1	<0.1	<1	<1			
1	<0.1	0.1	20.0	<0.1	<1	<1			
1.5	<0.1	0.1	20.0	<0.1	<1	<1			
2	<0.1	0.1	19.9	<0.1	<1	<1			
2.5	<0.1	0.1	20.0	<0.1	<1	<1			
3	<0.1	0.1	20.0	<0.1	<1	<1			
3.5	<0.1	0.1	20.0	<0.1	<1	<1			
4	<0.1	0.1	20.0	<0.1	<1	<1			
4.5	<0.1	0.1	20.0	<0.1	<1	<1			
5	<0.1	0.1	20.0	<0.1	<1	<1			

DTW	DTB	DT NAPL	Datum	Comment
Dry	1.9	N/A	Ground level	

INSTRUMENTATION TECHNICAL SPECIFICATIONS		
Ground gas meter:		GFM435
Date of last calibration:		08/11/2022
Date of next calibration:		09/11/2023
Ambient air check:	O2	20.1
	CO2	0
	CH4	0
Atm pressure		1004



envirotreat®

Ground Gas and Groundwater Monitoring Record Sheet

Client:	ADI Group Ltd	Date	14th December 2022
Site:	Eastleigh Units 200, 205, 210	Engineer	DS
Weather	Dry, sunny	Borehole ID	WS303

Time	GASES							Flow rate (l/hr)	
	Methane (%v/v)	Carbon dioxide (%v/v)	Oxygen (%v/v)	%LEL	Carbon monoxide (ppmv)	Hydrogen sulphide (ppmv)	PID Peak (ppm)	Flow rate (l/hr)	Differential Pressure (Pa)
0.25	<0.1	0.1	19.3	<0.1	<1	<1	<0.1	<0.1	<1
0.5	<0.1	0.1	19.9	<0.1	<1	<1			
1	<0.1	<0.1	20.1	<0.1	<1	<1			
1.5	<0.1	<0.1	20.0	<0.1	<1	<1			
2	<0.1	<0.1	20.0	<0.1	<1	<1			
2.5	<0.1	<0.1	20.0	<0.1	<1	<1			
3	<0.1	<0.1	20.0	<0.1	<1	<1			
3.5	<0.1	<0.1	20.0	<0.1	<1	<1			
4	<0.1	<0.1	20.0	<0.1	<1	<1			
4.5	<0.1	<0.1	20.0	<0.1	<1	<1			
5	<0.1	<0.1	20.0	<0.1	<1	<1			

DTW	DTB	DT NAPL	Datum	Comment
Dry	3.0	N/A	Ground level	

INSTRUMENTATION TECHNICAL SPECIFICATIONS		
Ground gas meter:		GFM435
Date of last calibration:		08/11/2022
Date of next calibration:		09/11/2023
Ambient air check:	O2	20.1
	CO2	0
	CH4	0
Atm pressure		1004



envirotreat®

Ground Gas and Groundwater Monitoring Record Sheet

Client:	ADI Group Ltd	Date	14th December 2022
Site:	Eastleigh Units 200, 205, 210	Engineer	DS
Weather	Dry, sunny	Borehole ID	WS304

Time	GASES							Flow rate (l/hr)	
	Methane (%v/v)	Carbon dioxide (%v/v)	Oxygen (%v/v)	%LEL	Carbon monoxide (ppmv)	Hydrogen sulphide (ppmv)	PID Peak (ppm)	Flow rate (l/hr)	Differential Pressure (Pa)
0.25	<0.1	1.8	16.7	<0.1	<1	<1	0.4	<0.1	<1
0.5	<0.1	1.9	16.4	<0.1	<1	<1			
1	<0.1	1.9	16.3	<0.1	<1	<1			
1.5	<0.1	2.0	16.2	<0.1	<1	<1			
2	<0.1	2.0	16.2	<0.1	<1	<1			
2.5	<0.1	2.0	16.2	<0.1	<1	<1			
3	<0.1	2.0	16.2	<0.1	<1	<1			
3.5	<0.1	1.9	16.3	<0.1	<1	<1			
4	<0.1	1.9	16.4	<0.1	<1	<1			
4.5	<0.1	1.9	16.5	<0.1	<1	<1			
5	<0.1	1.8	16.5	<0.1	<1	<1			

DTW	DTB	DT NAPL	Datum	Comment
Dry	3.2	N/A	Ground level	

INSTRUMENTATION TECHNICAL SPECIFICATIONS		
Ground gas meter:		GFM435
Date of last calibration:		08/11/2022
Date of next calibration:		09/11/2023
Ambient air check:	O2	20.1
	CO2	0
	CH4	0
Atm pressure		1005



envirotreat®

Ground Gas and Groundwater Monitoring Record Sheet

Client:	ADI Group Ltd	Date	14th December 2022
Site:	Eastleigh Units 200, 205, 210	Engineer	DS
Weather	Dry, sunny	Borehole ID	WS305

Time	GASES							Flow rate (l/hr)	
	Methane (%v/v)	Carbon dioxide (%v/v)	Oxygen (%v/v)	%LEL	Carbon monoxide (ppmv)	Hydrogen sulphide (ppmv)	PID Peak (ppm)	Flow rate (l/hr)	Differential Pressure (Pa)
0.25	<0.1	<0.1	19.9	<0.1	<1	<1	<0.1	<0.1	<1
0.5	<0.1	0.6	17.1	<0.1	<1	<1			
1	<0.1	0.7	16.9	<0.1	<1	<1			
1.5	<0.1	0.7	16.9	<0.1	<1	<1			
2	<0.1	0.7	16.9	<0.1	<1	<1			
2.5	<0.1	0.7	17.0	<0.1	<1	<1			
3	<0.1	0.6	17.0	<0.1	<1	<1			
3.5	<0.1	0.6	17.1	<0.1	<1	<1			
4	<0.1	0.6	17.2	<0.1	<1	<1			
4.5	<0.1	0.6	17.4	<0.1	<1	<1			
5	<0.1	0.6	17.4	<0.1	<1	<1			

DTW	DTB	DT NAPL	Datum	Comment
Dry	1.9	N/A	Ground level	

INSTRUMENTATION TECHNICAL SPECIFICATIONS		
Ground gas meter:		GFM435
Date of last calibration:		08/11/2022
Date of next calibration:		09/11/2023
Ambient air check:	O2	20.1
	CO2	0
	CH4	0
Atm pressure		1003



envirotreat®

Ground Gas and Groundwater Monitoring Record Sheet

Client:	ADI Group Ltd	Date	14th December 2022
Site:	Eastleigh Units 200, 205, 210	Engineer	DS
Weather	Dry, sunny	Borehole ID	WS306

Time	GASES							Flow rate (l/hr)	
	Methane (%v/v)	Carbon dioxide (%v/v)	Oxygen (%v/v)	%LEL	Carbon monoxide (ppmv)	Hydrogen sulphide (ppmv)	PID Peak (ppm)	Flow rate (l/hr)	Differential Pressure (Pa)
0.25	<0.1	0.1	19.8	<0.1	<1	<1	0.6	<0.1	<1
0.5	<0.1	1.3	16.9	<0.1	<1	<1			
1	<0.1	1.3	16.7	<0.1	<1	<1			
1.5	<0.1	1.3	16.7	<0.1	<1	<1			
2	<0.1	1.3	16.7	<0.1	<1	<1			
2.5	<0.1	1.3	16.7	<0.1	<1	<1			
3	<0.1	1.3	16.7	<0.1	<1	<1			
3.5	<0.1	1.3	16.8	<0.1	<1	<1			
4	<0.1	1.3	16.8	<0.1	<1	<1			
4.5	<0.1	1.3	16.8	<0.1	<1	<1			
5	<0.1	1.2	16.9	<0.1	<1	<1			

DTW	DTB	DT NAPL	Datum	Comment
Dry	1.95	N/A	Ground level	

INSTRUMENTATION TECHNICAL SPECIFICATIONS			
Ground gas meter:		GFM435	
Date of last calibration:		08/11/2022	
Date of next calibration:		09/11/2023	
Ambient air check:	O2	20.1	
	CO2	0	
	CH4	0	
Atm pressure		1004	



envirotreat®

Ground Gas and Groundwater Monitoring Record Sheet

Client:	ADI Group Ltd	Date	20th December 2022
Site:	Eastleigh Units 200, 205, 210	Engineer	DS
Weather	Dry, sunny	Borehole ID	WS301

Time	GASES							Flow rate (l/hr)	
	Methane (%v/v)	Carbon dioxide (%v/v)	Oxygen (%v/v)	%LEL	Carbon monoxide (ppmv)	Hydrogen sulphide (ppmv)	PID Peak (ppm)	Flow rate (l/hr)	Differential Pressure (Pa)
0.25	<0.1	0.2	20.2	<0.1	<1	<1	<0.1	<0.1	<1
0.5	<0.1	<0.1	20.2	<0.1	<1	<1			
1	<0.1	<0.1	20.2	<0.1	<1	<1			
1.5	<0.1	<0.1	20.2	<0.1	<1	<1			
2	<0.1	<0.1	20.2	<0.1	<1	<1			
2.5	<0.1	<0.1	20.2	<0.1	<1	<1			
3	<0.1	<0.1	20.2	<0.1	<1	<1			
3.5	<0.1	<0.1	20.2	<0.1	<1	<1			
4	<0.1	<0.1	20.2	<0.1	<1	<1			
4.5	<0.1	<0.1	20.2	<0.1	<1	<1			
5	<0.1	<0.1	20.2	<0.1	<1	<1			

DTW	DTB	DT NAPL	Datum	Comment
Dry	1.9	N/A	Ground level	

INSTRUMENTATION TECHNICAL SPECIFICATIONS		
Ground gas meter:		GFM435
Date of last calibration:		08/11/2022
Date of next calibration:		09/11/2023
Ambient air check:	O2	20.2
	CO2	0
	CH4	0
Atm pressure		1007



envirotreat®

Ground Gas and Groundwater Monitoring Record Sheet

Client:	ADI Group Ltd	Date	20th December 2022
Site:	Eastleigh Units 200, 205, 210	Engineer	DS
Weather	Dry, sunny	Borehole ID	WS302

Time	GASES							Flow rate (l/hr)	
	Methane (%v/v)	Carbon dioxide (%v/v)	Oxygen (%v/v)	%LEL	Carbon monoxide (ppmv)	Hydrogen sulphide (ppmv)	PID Peak (ppm)	Flow rate (l/hr)	Differential Pressure (Pa)
0.25	<0.1	<0.1	20.2	<0.1	<1	<1	<0.1	<0.1	<1
0.5	<0.1	<0.1	20.2	<0.1	<1	<1			
1	<0.1	<0.1	20.2	<0.1	<1	<1			
1.5	<0.1	<0.1	20.2	<0.1	<1	<1			
2	<0.1	<0.1	20.2	<0.1	<1	<1			
2.5	<0.1	<0.1	20.2	<0.1	<1	<1			
3	<0.1	<0.1	20.2	<0.1	<1	<1			
3.5	<0.1	<0.1	20.2	<0.1	<1	<1			
4	<0.1	<0.1	20.2	<0.1	<1	<1			
4.5	<0.1	<0.1	20.2	<0.1	<1	<1			
5	<0.1	<0.1	20.2	<0.1	<1	<1			

DTW	DTB	DT NAPL	Datum	Comment
Dry	1.9	N/A	Ground level	

INSTRUMENTATION TECHNICAL SPECIFICATIONS		
Ground gas meter:		GFM435
Date of last calibration:		08/11/2022
Date of next calibration:		09/11/2023
Ambient air check:	O2	20.2
	CO2	0
	CH4	0
Atm pressure		1007



envirotreat®

Ground Gas and Groundwater Monitoring Record Sheet

Client:	ADI Group Ltd	Date	20th December 2022
Site:	Eastleigh Units 200, 205, 210	Engineer	DS
Weather	Dry, sunny	Borehole ID	WS303

Time	GASES							Flow rate (l/hr)	
	Methane (%v/v)	Carbon dioxide (%v/v)	Oxygen (%v/v)	%LEL	Carbon monoxide (ppmv)	Hydrogen sulphide (ppmv)	PID Peak (ppm)	Flow rate (l/hr)	Differential Pressure (Pa)
0.25	<0.1	0.1	20.4	<0.1	<1	<1	<0.1	<0.1	<1
0.5	<0.1	<0.1	20.2	<0.1	<1	<1			
1	<0.1	<0.1	20.2	<0.1	<1	<1			
1.5	<0.1	<0.1	20.2	<0.1	<1	<1			
2	<0.1	<0.1	20.2	<0.1	<1	<1			
2.5	<0.1	<0.1	20.2	<0.1	<1	<1			
3	<0.1	<0.1	20.2	<0.1	<1	<1			
3.5	<0.1	<0.1	20.2	<0.1	<1	<1			
4	<0.1	<0.1	20.2	<0.1	<1	<1			
4.5	<0.1	<0.1	20.2	<0.1	<1	<1			
5	<0.1	<0.1	20.2	<0.1	<1	<1			

DTW	DTB	DT NAPL	Datum	Comment
Dry	3.0	N/A	Ground level	

INSTRUMENTATION TECHNICAL SPECIFICATIONS		
Ground gas meter:		GFM435
Date of last calibration:		08/11/2022
Date of next calibration:		09/11/2023
Ambient air check:	O2	20.2
	CO2	0
	CH4	0
Atm pressure		1007



envirotreat®

Ground Gas and Groundwater Monitoring Record Sheet

Client:	ADI Group Ltd	Date	20th December 2022
Site:	Eastleigh Units 200, 205, 210	Engineer	DS
Weather	Dry, sunny	Borehole ID	WS304

Time	GASES							Flow rate (l/hr)	
	Methane (%v/v)	Carbon dioxide (%v/v)	Oxygen (%v/v)	%LEL	Carbon monoxide (ppmv)	Hydrogen sulphide (ppmv)	PID Peak (ppm)	Flow rate (l/hr)	Differential Pressure (Pa)
0.25	<0.1	0.4	19.3	<0.1	<1	<1	0.1	<0.1	<1
0.5	<0.1	0.2	20.2	<0.1	<1	<1			
1	<0.1	0.2	20.2	<0.1	<1	<1			
1.5	<0.1	0.1	20.2	<0.1	<1	<1			
2	<0.1	0.2	20.2	<0.1	<1	<1			
2.5	<0.1	0.2	20.2	<0.1	<1	<1			
3	<0.1	0.1	20.2	<0.1	<1	<1			
3.5	<0.1	0.1	20.2	<0.1	<1	<1			
4	<0.1	0.2	20.2	<0.1	<1	<1			
4.5	<0.1	0.2	20.2	<0.1	<1	<1			
5	<0.1	0.2	20.2	<0.1	<1	<1			

DTW	DTB	DT NAPL	Datum	Comment
Dry	3.2	N/A	Ground level	

INSTRUMENTATION TECHNICAL SPECIFICATIONS		
Ground gas meter:		GFM435
Date of last calibration:		08/11/2022
Date of next calibration:		09/11/2023
Ambient air check:	O2	20.2
	CO2	0
	CH4	0
Atm pressure		1007



envirotreat®

Ground Gas and Groundwater Monitoring Record Sheet

Client:	ADI Group Ltd	Date	20th December 2022
Site:	Eastleigh Units 200, 205, 210	Engineer	DS
Weather	Dry, slightly cloudy	Borehole ID	WS305

Time	GASES							Flow rate (l/hr)	
	Methane (%v/v)	Carbon dioxide (%v/v)	Oxygen (%v/v)	%LEL	Carbon monoxide (ppmv)	Hydrogen sulphide (ppmv)	PID Peak (ppm)	Flow rate (l/hr)	Differential Pressure (Pa)
0.25	<0.1	0.2	20.2	<0.1	<1	<1	<0.1	<0.1	<1
0.5	<0.1	<0.1	20.2	<0.1	<1	<1			
1	<0.1	<0.1	20.2	<0.1	<1	<1			
1.5	<0.1	<0.1	20.2	<0.1	<1	<1			
2	<0.1	<0.1	20.2	<0.1	<1	<1			
2.5	<0.1	<0.1	20.2	<0.1	<1	<1			
3	<0.1	<0.1	20.2	<0.1	<1	<1			
3.5	<0.1	<0.1	20.2	<0.1	<1	<1			
4	<0.1	<0.1	20.2	<0.1	<1	<1			
4.5	<0.1	<0.1	20.2	<0.1	<1	<1			
5	<0.1	<0.1	20.2	<0.1	<1	<1			

DTW	DTB	DT NAPL	Datum	Comment
Dry	1.9	N/A	Ground level	

INSTRUMENTATION TECHNICAL SPECIFICATIONS		
Ground gas meter:		GFM435
Date of last calibration:		08/11/2022
Date of next calibration:		09/11/2023
Ambient air check:	O2	20.2
	CO2	0
	CH4	0
Atm pressure		1007



envirotreat®

Ground Gas and Groundwater Monitoring Record Sheet

Client:	ADI Group Ltd	Date	20th December 2022
Site:	Eastleigh Units 200, 205, 210	Engineer	DS
Weather	Dry, sunny	Borehole ID	WS306

Time	GASES							Flow rate (l/hr)	
	Methane (%v/v)	Carbon dioxide (%v/v)	Oxygen (%v/v)	%LEL	Carbon monoxide (ppmv)	Hydrogen sulphide (ppmv)	PID Peak (ppm)	Flow rate (l/hr)	Differential Pressure (Pa)
0.25	<0.1	0.5	20.4	<0.1	<1	<1	<0.1	<0.1	<1
0.5	<0.1	0.5	18.2	<0.1	<1	<1			
1	<0.1	0.5	17.5	<0.1	<1	<1			
1.5	<0.1	0.5	17.4	<0.1	<1	<1			
2	<0.1	0.5	17.5	<0.1	<1	<1			
2.5	<0.1	0.5	17.5	<0.1	<1	<1			
3	<0.1	0.5	17.5	<0.1	<1	<1			
3.5	<0.1	0.5	17.5	<0.1	<1	<1			
4	<0.1	0.5	17.5	<0.1	<1	<1			
4.5	<0.1	0.5	17.5	<0.1	<1	<1			
5	<0.1	0.5	17.5	<0.1	<1	<1			

DTW	DTB	DT NAPL	Datum	Comment
Dry	1.95	N/A	Ground level	

INSTRUMENTATION TECHNICAL SPECIFICATIONS			
Ground gas meter:		GFM435	
Date of last calibration:		08/11/2022	
Date of next calibration:		09/11/2023	
Ambient air check:	O2	20.2	
	CO2	0	
	CH4	0	
Atm pressure		1007	



envirotreat®

Ground Gas and Groundwater Monitoring Record Sheet

Client:	ADI Group Ltd	Date	5th January 2023
Site:	Eastleigh Units 200, 205, 210	Engineer	DS
Weather	Cloudy, mild	Borehole ID	WS301

Time	GASES							Flow rate (l/hr)	
	Methane (%v/v)	Carbon dioxide (%v/v)	Oxygen (%v/v)	%LEL	Carbon monoxide (ppmv)	Hydrogen sulphide (ppmv)	PID Peak (ppm)	Flow rate (l/hr)	Differential Pressure (Pa)
0.25	<0.1	0.2	20.2	<0.1	<1	<1	<0.1	<0.1	<1
0.5	<0.1	0.1	20.0	<0.1	<1	<1			
1	<0.1	0.1	20.0	<0.1	<1	<1			
1.5	<0.1	0.1	20.0	<0.1	<1	<1			
2	<0.1	0.1	20.0	<0.1	<1	<1			
2.5	<0.1	0.1	20.0	<0.1	<1	<1			
3	<0.1	0.1	20.0	<0.1	<1	<1			
3.5	<0.1	0.1	20.0	<0.1	<1	<1			
4	<0.1	0.1	20.0	<0.1	<1	<1			
4.5	<0.1	0.1	20.0	<0.1	<1	<1			
5	<0.1	0.1	20.0	<0.1	<1	<1			

DTW	DTB	DT NAPL	Datum	Comment
Dry	1.9	N/A	Ground level	

INSTRUMENTATION TECHNICAL SPECIFICATIONS		
Ground gas meter:		GFM435
Date of last calibration:		08/11/2022
Date of next calibration:		09/11/2023
Ambient air check:	O2	20.1
	CO2	0
	CH4	0
Atm pressure		1021



envirotreat®

Ground Gas and Groundwater Monitoring Record Sheet

Client:	ADI Group Ltd	Date	5th January 2023
Site:	Eastleigh Units 200, 205, 210	Engineer	DS
Weather	Mild, cloudy	Borehole ID	WS302

Time	GASES							Flow rate (l/hr)	
	Methane (%v/v)	Carbon dioxide (%v/v)	Oxygen (%v/v)	%LEL	Carbon monoxide (ppmv)	Hydrogen sulphide (ppmv)	PID Peak (ppm)	Flow rate (l/hr)	Differential Pressure (Pa)
0.25	<0.1	<0.1	20.4	<0.1	<1	<1	<0.1	<0.1	<1
0.5	<0.1	0.2	20.3	<0.1	<1	<1			
1	<0.1	0.3	20.4	<0.1	<1	<1			
1.5	<0.1	0.3	20.3	<0.1	<1	<1			
2	<0.1	0.2	20.3	<0.1	<1	<1			
2.5	<0.1	0.4	20.3	<0.1	<1	<1			
3	<0.1	0.2	20.3	<0.1	<1	<1			
3.5	<0.1	0.2	20.3	<0.1	<1	<1			
4	<0.1	0.2	20.3	<0.1	<1	<1			
4.5	<0.1	0.2	20.3	<0.1	<1	<1			
5	<0.1	0.2	20.3	<0.1	<1	<1			

DTW	DTB	DT NAPL	Datum	Comment
Dry	1.9	N/A	Ground level	

INSTRUMENTATION TECHNICAL SPECIFICATIONS		
Ground gas meter:		GFM435
Date of last calibration:		08/11/2022
Date of next calibration:		09/11/2023
Ambient air check:	O2	20.2
	CO2	0
	CH4	0
Atm pressure		1021



envirotreat®

Ground Gas and Groundwater Monitoring Record Sheet

Client:	ADI Group Ltd	Date	5th January 2023
Site:	Eastleigh Units 200, 205, 210	Engineer	DS
Weather	Mild, cloudy	Borehole ID	WS303

Time	GASES							Flow rate (l/hr)	
	Methane (%v/v)	Carbon dioxide (%v/v)	Oxygen (%v/v)	%LEL	Carbon monoxide (ppmv)	Hydrogen sulphide (ppmv)	PID Peak (ppm)	Flow rate (l/hr)	Differential Pressure (Pa)
0.25	<0.1	0.3	20.5	<0.1	<1	<1	<0.1	<0.1	<1
0.5	<0.1	0.3	20.3	<0.1	<1	<1			
1	<0.1	0.1	19.9	<0.1	<1	<1			
1.5	<0.1	<0.1	19.8	<0.1	<1	<1			
2	<0.1	<0.1	19.7	<0.1	<1	<1			
2.5	<0.1	<0.1	19.7	<0.1	<1	<1			
3	<0.1	<0.1	19.7	<0.1	<1	<1			
3.5	<0.1	<0.1	19.7	<0.1	<1	<1			
4	<0.1	<0.1	19.7	<0.1	<1	<1			
4.5	<0.1	<0.1	19.7	<0.1	<1	<1			
5	<0.1	<0.1	19.7	<0.1	<1	<1			

DTW	DTB	DT NAPL	Datum	Comment
Dry	3.0	N/A	Ground level	

INSTRUMENTATION TECHNICAL SPECIFICATIONS		
Ground gas meter:		GFM435
Date of last calibration:		08/11/2022
Date of next calibration:		09/11/2023
Ambient air check:	O2	20.1
	CO2	0
	CH4	0
Atm pressure		1019



envirotreat®

Ground Gas and Groundwater Monitoring Record Sheet

Client:	ADI Group Ltd	Date	5th January 2023
Site:	Eastleigh Units 200, 205, 210	Engineer	DS
Weather	Mild, cloudy	Borehole ID	WS304

Time	GASES							Flow rate (l/hr)	
	Methane (%v/v)	Carbon dioxide (%v/v)	Oxygen (%v/v)	%LEL	Carbon monoxide (ppmv)	Hydrogen sulphide (ppmv)	PID Peak (ppm)	Flow rate (l/hr)	Differential Pressure (Pa)
0.25	<0.1	0.1	20.3	<0.1	<1	<1	0.1	<0.1	<1
0.5	<0.1	0.2	20.4	<0.1	<1	<1			
1	<0.1	0.2	20.4	<0.1	<1	<1			
1.5	<0.1	0.2	20.4	<0.1	<1	<1			
2	<0.1	0.2	20.4	<0.1	<1	<1			
2.5	<0.1	0.2	20.4	<0.1	<1	<1			
3	<0.1	0.2	20.4	<0.1	<1	<1			
3.5	<0.1	0.2	20.4	<0.1	<1	<1			
4	<0.1	0.2	20.4	<0.1	<1	<1			
4.5	<0.1	0.2	20.4	<0.1	<1	<1			
5	<0.1	0.2	20.4	<0.1	<1	<1			

DTW	DTB	DT NAPL	Datum	Comment
Dry	3.2	N/A	Ground level	

INSTRUMENTATION TECHNICAL SPECIFICATIONS		
Ground gas meter:		GFM435
Date of last calibration:		08/11/2022
Date of next calibration:		09/11/2023
Ambient air check:	O2	20.2
	CO2	0
	CH4	0
Atm pressure		1019



envirotreat®

Ground Gas and Groundwater Monitoring Record Sheet

Client:	ADI Group Ltd	Date	5th January 2023
Site:	Eastleigh Units 200, 205, 210	Engineer	DS
Weather	Mild, cloudy	Borehole ID	WS305

Time	GASES							Flow rate (l/hr)	
	Methane (%v/v)	Carbon dioxide (%v/v)	Oxygen (%v/v)	%LEL	Carbon monoxide (ppmv)	Hydrogen sulphide (ppmv)	PID Peak (ppm)	Flow rate (l/hr)	Differential Pressure (Pa)
0.25	<0.1	0.9	19.1	<0.1	<1	<1	<0.1	<0.1	<1
0.5	<0.1	0.2	20.1	<0.1	<1	<1			
1	<0.1	0.2	20.0	<0.1	<1	<1			
1.5	<0.1	0.1	19.9	<0.1	<1	<1			
2	<0.1	0.1	19.9	<0.1	<1	<1			
2.5	<0.1	0.1	19.9	<0.1	<1	<1			
3	<0.1	0.1	19.9	<0.1	<1	<1			
3.5	<0.1	0.1	19.9	<0.1	<1	<1			
4	<0.1	0.1	19.9	<0.1	<1	<1			
4.5	<0.1	0.1	19.9	<0.1	<1	<1			
5	<0.1	0.1	19.9	<0.1	<1	<1			

DTW	DTB	DT NAPL	Datum	Comment
Dry	1.9	N/A	Ground level	

INSTRUMENTATION TECHNICAL SPECIFICATIONS		
Ground gas meter:		GFM435
Date of last calibration:		08/11/2022
Date of next calibration:		09/11/2023
Ambient air check:	O2	20.2
	CO2	0
	CH4	0
Atm pressure		1020



envirotreat®

Ground Gas and Groundwater Monitoring Record Sheet

Client:	ADI Group Ltd	Date	5th January 2023
Site:	Eastleigh Units 200, 205, 210	Engineer	DS
Weather	Mild, cloudy	Borehole ID	WS306

Time	GASES							Flow rate (l/hr)	
	Methane (%v/v)	Carbon dioxide (%v/v)	Oxygen (%v/v)	%LEL	Carbon monoxide (ppmv)	Hydrogen sulphide (ppmv)	PID Peak (ppm)	Flow rate (l/hr)	Differential Pressure (Pa)
0.25	<0.1	0.1	20.2	<0.1	<1	<1	<0.1	<0.1	<1
0.5	<0.1	0.8	19.8	<0.1	<1	<1			
1	<0.1	0.9	19.8	<0.1	<1	<1			
1.5	<0.1	0.9	18.8	<0.1	<1	<1			
2	<0.1	1.0	18.7	<0.1	<1	<1			
2.5	<0.1	1.0	18.7	<0.1	<1	<1			
3	<0.1	1.0	18.7	<0.1	<1	<1			
3.5	<0.1	1.0	18.7	<0.1	<1	<1			
4	<0.1	1.0	18.7	<0.1	<1	<1			
4.5	<0.1	1.0	18.7	<0.1	<1	<1			
5	<0.1	1.0	18.7	<0.1	<1	<1			

DTW	DTB	DT NAPL	Datum	Comment
Dry	1.95	N/A	Ground level	

INSTRUMENTATION TECHNICAL SPECIFICATIONS		
Ground gas meter:		GFM435
Date of last calibration:		08/11/2022
Date of next calibration:		09/11/2023
Ambient air check:	O2	20.2
	CO2	0
	CH4	0
Atm pressure		102



envirotreat®

Ground Gas and Groundwater Monitoring Record Sheet

Client:	ADI Group Ltd	Date	13th January 2023
Site:	Eastleigh Units 200, 205, 210	Engineer	DS
Weather	Dry, sunny, breezy	Borehole ID	WS301

Time	GASES							Flow rate (l/hr)	
	Methane (%v/v)	Carbon dioxide (%v/v)	Oxygen (%v/v)	%LEL	Carbon monoxide (ppmv)	Hydrogen sulphide (ppmv)	PID Peak (ppm)	Flow rate (l/hr)	Differential Pressure (Pa)
0.25	<0.1	0.1	20.0	<0.1	<1	<1	<0.1	<0.1	<1
0.5	<0.1	0.1	20.2	<0.1	<1	<1			
1	<0.1	0.1	19.8	<0.1	<1	<1			
1.5	<0.1	0.1	19.6	<0.1	<1	<1			
2	<0.1	0.1	19.5	<0.1	<1	<1			
2.5	<0.1	0.1	19.5	<0.1	<1	<1			
3	<0.1	0.1	19.5	<0.1	<1	<1			
3.5	<0.1	0.1	19.5	<0.1	<1	<1			
4	<0.1	0.1	19.5	<0.1	<1	<1			
4.5	<0.1	0.1	19.5	<0.1	<1	<1			
5	<0.1	0.1	19.5	<0.1	<1	<1			

DTW	DTB	DT NAPL	Datum	Comment
Dry	1.9	N/A	Ground level	

INSTRUMENTATION TECHNICAL SPECIFICATIONS			
Ground gas meter:		GFM435	
Date of last calibration:		08/11/2022	
Date of next calibration:		09/11/2023	
Ambient air check:	O2	20.1	
	CO2	0	
	CH4	0	
Atm pressure		1007	



envirotreat®

Ground Gas and Groundwater Monitoring Record Sheet

Client:	ADI Group Ltd	Date	13th January 2023
Site:	Eastleigh Units 200, 205, 210	Engineer	DS
Weather	Dry, sunny, breezy	Borehole ID	WS302

Time	GASES							Flow rate (l/hr)	
	Methane (%v/v)	Carbon dioxide (%v/v)	Oxygen (%v/v)	%LEL	Carbon monoxide (ppmv)	Hydrogen sulphide (ppmv)	PID Peak (ppm)	Flow rate (l/hr)	Differential Pressure (Pa)
0.25	<0.1	0.2	20.5	<0.1	<1	<1	<0.1	<0.1	<1
0.5	<0.1	0.1	20.5	<0.1	<1	<1			
1	<0.1	0.1	20.5	<0.1	<1	<1			
1.5	<0.1	<0.1	20.5	<0.1	<1	<1			
2	<0.1	<0.1	20.5	<0.1	<1	<1			
2.5	<0.1	0.1	20.5	<0.1	<1	<1			
3	<0.1	0.1	20.5	<0.1	<1	<1			
3.5	<0.1	0.2	20.5	<0.1	<1	<1			
4	<0.1	0.2	20.5	<0.1	<1	<1			
4.5	<0.1	0.1	20.5	<0.1	<1	<1			
5	<0.1	0.1	20.5	<0.1	<1	<1			

DTW	DTB	DT NAPL	Datum	Comment
Dry	1.9	N/A	Ground level	

INSTRUMENTATION TECHNICAL SPECIFICATIONS		
Ground gas meter:		GFM435
Date of last calibration:		08/11/2022
Date of next calibration:		09/11/2023
Ambient air check:	O2	20.2
	CO2	0
	CH4	0
Atm pressure		1008



envirotreat®

Ground Gas and Groundwater Monitoring Record Sheet

Client:	ADI Group Ltd	Date	13th January 2023
Site:	Eastleigh Units 200, 205, 210	Engineer	DS
Weather	Dry, sunny, breezy	Borehole ID	WS303

Time	GASES							Flow rate (l/hr)	
	Methane (%v/v)	Carbon dioxide (%v/v)	Oxygen (%v/v)	%LEL	Carbon monoxide (ppmv)	Hydrogen sulphide (ppmv)	PID Peak (ppm)	Flow rate (l/hr)	Differential Pressure (Pa)
0.25	<0.1	<0.1	20.1	<0.1	<1	<1	<0.1	<0.1	<1
0.5	<0.1	<0.1	20.1	<0.1	<1	<1			
1	<0.1	<0.1	20.1	<0.1	<1	<1			
1.5	<0.1	<0.1	20.1	<0.1	<1	<1			
2	<0.1	<0.1	20.1	<0.1	<1	<1			
2.5	<0.1	<0.1	20.1	<0.1	<1	<1			
3	<0.1	<0.1	20.1	<0.1	<1	<1			
3.5	<0.1	<0.1	20.1	<0.1	<1	<1			
4	<0.1	<0.1	20.1	<0.1	<1	<1			
4.5	<0.1	<0.1	20.1	<0.1	<1	<1			
5	<0.1	<0.1	20.1	<0.1	<1	<1			

DTW	DTB	DT NAPL	Datum	Comment
Dry	3.0	N/A	Ground level	

INSTRUMENTATION TECHNICAL SPECIFICATIONS		
Ground gas meter:		GFM435
Date of last calibration:		08/11/2022
Date of next calibration:		09/11/2023
Ambient air check:	O2	20.1
	CO2	0
	CH4	0
Atm pressure		1008



envirotreat®

Ground Gas and Groundwater Monitoring Record Sheet

Client:	ADI Group Ltd	Date	13th January 2023
Site:	Eastleigh Units 200, 205, 210	Engineer	DS
Weather	Dry, sunny, breezy	Borehole ID	WS304

Time	GASES							Flow rate (l/hr)	
	Methane (%v/v)	Carbon dioxide (%v/v)	Oxygen (%v/v)	%LEL	Carbon monoxide (ppmv)	Hydrogen sulphide (ppmv)	PID Peak (ppm)	Flow rate (l/hr)	Differential Pressure (Pa)
0.25	<0.1	0.1	20.2	<0.1	<1	<1	0.1	<0.1	<1
0.5	<0.1	0.1	20.2	<0.1	<1	<1			
1	<0.1	0.1	20.4	<0.1	<1	<1			
1.5	<0.1	0.2	20.4	<0.1	<1	<1			
2	<0.1	0.2	20.4	<0.1	<1	<1			
2.5	<0.1	0.2	20.4	<0.1	<1	<1			
3	<0.1	0.2	20.4	<0.1	<1	<1			
3.5	<0.1	0.1	20.4	<0.1	<1	<1			
4	<0.1	0.1	20.4	<0.1	<1	<1			
4.5	<0.1	0.1	20.4	<0.1	<1	<1			
5	<0.1	0.1	20.4	<0.1	<1	<1			

DTW	DTB	DT NAPL	Datum	Comment
Dry	3.2	N/A	Ground level	

INSTRUMENTATION TECHNICAL SPECIFICATIONS		
Ground gas meter:		GFM435
Date of last calibration:		08/11/2022
Date of next calibration:		09/11/2023
Ambient air check:	O2	20.2
	CO2	0
	CH4	0
Atm pressure		1009



envirotreat®

Ground Gas and Groundwater Monitoring Record Sheet

Client:	ADI Group Ltd	Date	13th January 2023
Site:	Eastleigh Units 200, 205, 210	Engineer	DS
Weather	Dry, sunny, breezy	Borehole ID	WS305

Time	GASES							Flow rate (l/hr)	
	Methane (%v/v)	Carbon dioxide (%v/v)	Oxygen (%v/v)	%LEL	Carbon monoxide (ppmv)	Hydrogen sulphide (ppmv)	PID Peak (ppm)	Flow rate (l/hr)	Differential Pressure (Pa)
0.25	<0.1	0.4	19.6	<0.1	<1	<1	<0.1	<0.1	<1
0.5	<0.1	0.1	20.2	<0.1	<1	<1			
1	<0.1	0.1	20.2	<0.1	<1	<1			
1.5	<0.1	0.1	20.1	<0.1	<1	<1			
2	<0.1	0.1	20.1	<0.1	<1	<1			
2.5	<0.1	0.1	20.1	<0.1	<1	<1			
3	<0.1	0.1	20.1	<0.1	<1	<1			
3.5	<0.1	0.1	20.1	<0.1	<1	<1			
4	<0.1	0.1	20.1	<0.1	<1	<1			
4.5	<0.1	0.1	20.1	<0.1	<1	<1			
5	<0.1	0.1	20.1	<0.1	<1	<1			

DTW	DTB	DT NAPL	Datum	Comment
Dry	1.9	N/A	Ground level	

INSTRUMENTATION TECHNICAL SPECIFICATIONS			
Ground gas meter:		GFM435	
Date of last calibration:		08/11/2022	
Date of next calibration:		09/11/2023	
Ambient air check:	O2	20.2	
	CO2	0	
	CH4	0	
Atm pressure		1007	



envirotreat®

Ground Gas and Groundwater Monitoring Record Sheet

Client:	ADI Group Ltd	Date	13th January 2023
Site:	Eastleigh Units 200, 205, 210	Engineer	DS
Weather	Dry, sunny, breezy	Borehole ID	WS306

Time	GASES							Flow rate (l/hr)	
	Methane (%v/v)	Carbon dioxide (%v/v)	Oxygen (%v/v)	%LEL	Carbon monoxide (ppmv)	Hydrogen sulphide (ppmv)	PID Peak (ppm)	Flow rate (l/hr)	Differential Pressure (Pa)
0.25	<0.1	0.2	20.2	<0.1	<1	<1	<0.1	<0.1	<1
0.5	<0.1	0.8	19.0	<0.1	<1	<1			
1	<0.1	0.8	18.3	<0.1	<1	<1			
1.5	<0.1	0.8	18.1	<0.1	<1	<1			
2	<0.1	0.8	18.1	<0.1	<1	<1			
2.5	<0.1	0.9	18.2	<0.1	<1	<1			
3	<0.1	0.9	18.3	<0.1	<1	<1			
3.5	<0.1	0.9	18.3	<0.1	<1	<1			
4	<0.1	0.9	18.7	<0.1	<1	<1			
4.5	<0.1	0.9	18.8	<0.1	<1	<1			
5	<0.1	0.9	18.8	<0.1	<1	<1			

DTW	DTB	DT NAPL	Datum	Comment
Dry	1.95	N/A	Ground level	

INSTRUMENTATION TECHNICAL SPECIFICATIONS			
Ground gas meter:		GFM435	
Date of last calibration:		08/11/2022	
Date of next calibration:		09/11/2023	
Ambient air check:	O2	20.2	
	CO2	0	
	CH4	0	
Atm pressure		1008	



envirotreat®