



Preliminary Roost Assessment

25 Shaftesbury Avenue, Chandlers Ford, SO533BR

Rafal Zalewski Ltd

Status	Issue	Name	Date
Draft	1	Charlie Drapala BSc (Hons) AMRSB, Graduate Ecologist	21/02/2024
Reviewed	1.2	Mel Reid BSc (Hons) MRes MRSB, Senior Consultant	22/02/2024
Final	2	Charlie Drapala BSc (Hons) AMRSB, Graduate Ecologist	22/02/2024

Arbtech Consultant's Contact Details:

Charlie Drapala BSc (Hons) AMRSB
Graduate Ecologist
Tel: 07842415460 Email: charliedrapala@arbtech.co.uk
Arbtech Consulting Ltd
<https://arbtech.co.uk>

Limitations and Copyright

Arbtech Consulting Limited has prepared this report for the sole use of the above-named client or their agents in accordance with our General Terms and Conditions, under which our services are performed. It is expressly stated that no other warranty, expressed or implied, is made as to the professional advice included in this report or any other services provided by us. This report may not be relied upon by any other party without the prior and express written agreement of Arbtech Consulting Limited. The conclusions and recommendations contained in this report are based upon information provided by third parties. Information obtained from third parties has not been independently verified by Arbtech Consulting Limited.

© This report is the copyright of Arbtech Consulting Limited. Any unauthorised reproduction or usage by any person other than the addressee is strictly prohibited.

Industry Guidelines and Standards

This report has been written with due consideration to:

- Chartered Institute of Ecology and Environmental Management (2017). Guidelines for Preliminary Ecological Appraisal. 2nd edition. Chartered Institute of Ecology and Environmental Management, Winchester.
- Chartered Institute of Ecology and Environmental Management (2018). Guidelines for Ecological Impact Assessment in the UK and Ireland: Terrestrial, Freshwater, Coastal and Marine. Version 1.1. Chartered Institute of Ecology and Environmental Management, Winchester.
- Chartered Institute of Ecology and Environmental Management (2017). Guidelines on Ecological Report Writing. Chartered Institute of Ecology and Environmental Management, Winchester.
- Chartered Institute of Ecology and Environmental Management (2020). Guidelines for Accessing, Using and Sharing Biodiversity Data in the UK. 2nd Edition. Chartered Institute of Ecology and Environmental Management, Winchester.
- British Standard 42020 (2013). Biodiversity – Code of Practice for Planning and Development.
- British Standard 8683:2021 (2021). Process for Designing and Implementing Biodiversity Net Gain.

Proportionality

The work involved in preparing and implementing all ecological surveys, impact assessments and measures for avoidance, mitigation, compensation and enhancement should be proportionate to the predicted degree of risk to biodiversity and to the nature and scale of the proposed development. Consequently, the decision-maker should only request supporting information and conservation measures that are relevant, necessary and material to the application in question. Similarly, the decision-maker and their consultees should ensure that any comments and advice made over an application are also proportionate.

The desk studies and field surveys undertaken to provide a Preliminary Ecological Appraisal (PEA) might in some cases be all that is necessary.

(BS 42020, 2013)

Executive Summary

Arbtech Consulting Limited was instructed by Rafal Zalewski Ltd to undertake a Preliminary Roost Assessment (PRA) at 25 Shaftesbury Avenue, Chandlers Ford, SO533BR (hereafter referred to as “the site”). The survey was required to inform a planning application for the conversion of the existing building into a three-bed dwelling (hereafter referred to as “the proposed development”).

The following is work you will need to commission to comply with planning policy and legislation. Further information, along with opportunities for biodiversity enhancement, are outlined in Table 7 of this report.

Feature	Survey Results Summary	Impact Assessment	Recommendations
Roosting bats (B1)	Building B1 has negligible value for roosting bats due to a lack of potential roost features.	Bats are very unlikely to be roosting within this building and as such, there are not anticipated to be any impacts on roosting bats as a result of the re-roof and remodel of this building.	In the unlikely event that a bat or evidence of bats is discovered during the development all work must stop and a bat licensed ecologist contacted for further advice.
Foraging and commuting bats	Scattered trees could be used by local bat populations for foraging and commuting. These could also be used by bats dispersing from nearby roosts outside of the site. The site has moderate value for foraging and commuting bats.	The proposed development will not result in the removal of any habitats which could be used by foraging or commuting bats. The proposed development will include the use of lighting which could spill on to bat roosting, foraging or commuting habitat and deter bats from using these areas.	A low impact lighting strategy will be adopted within the proposed development. This should be designed in accordance with Guidance Note GN08/23 Bats and Artificial Lighting at Night (Institution of Lighting Professionals, 2023). Avoidance of light spill on to key habitats or features which bats may use for roosting, foraging or commuting, via an appropriately sized buffer insofar as possible. A luminaire specification which reduces the effects of light spill on bats should be chosen where feasible. The installation of physical screening features, glazing treatments and the use of dimming or part night lighting could also be considered, where appropriate.

Contents

1.0 Introduction and Context 6

 1.1 Background 6

 1.2 Site Location and Landscape Context 6

 1.3 Scope of the Report 6

2.0 Methodology 8

 2.1 Desk Study 8

 2.2 Field Survey 8

 2.3 Breeding Birds and Other Incidental Observations 8

 2.4 Suitability Assessment 8

 2.5 Limitations 9

3.0 Results and Evaluation 11

 3.1 Designated Sites 11

 3.2 Historical Records 11

 3.3 Field Survey Results 11

4.0 Conclusions, Impacts and Recommendations 18

5.0 Bibliography 20

 Appendix 1: Proposed Development Plan 21

 Appendix 2: Site Location Plan 22

 Appendix 3: PRA Plan 23

 Appendix 4: Legislation and Planning Policy Related to Bats 24

1.0 Introduction and Context

1.1 Background

Arbtech Consulting Limited was instructed by Rafal Zalewski Ltd to undertake a Preliminary Roost Assessment (PRA) at 25 Shaftesbury Avenue, Chandlers Ford, SO533BR (hereafter referred to as “the site”). The survey was required to inform a planning application for the conversion of the existing building into a three-bed dwelling (hereafter referred to as “the proposed development”). A plan showing the proposed development is provided in Appendix 1.

The aim of the PRA was to determine the presence or evaluate the likelihood of the presence of roosting bats, and to gain an understanding of how bats could use the site for roosting, foraging or commuting. This has been undertaken with due consideration to the “Bat Surveys for Professional Ecologists —Good Practice Guidelines” publication (Collins, 2023).

A Preliminary Roost Assessment was completed by Hampshire Ecological Service in July 2023. The report is not in the public domain and was not made available at the time of writing this report.

1.2 Site Location and Landscape Context

The site is located at National Grid Reference SU 43299 19850 and has an area of approximately <0.1ha. The site is characterised by a detached building and associated hardstanding and rear garden. The site is located within an urban context and is enclosed by dense residential development on all aspects. However, beyond this immediate infrastructure there are habitats of elevated ecological value within the wider landscape including good quality grassland, woodpasture and parkland, deciduous woodland, and ancient woodland habitat. A site location plan is provided in Appendix 2.

1.3 Scope of the Report

This report provides a description of all features suitable for roosting, foraging and commuting bats and evaluates those features in the context of the site and wider environment. It further documents any physical evidence collected or recorded during the site survey that establishes the presence of roosting bats. It provides information on possible constraints to the proposed development as a result of bats and summarises the requirements for any further surveys to inform subsequent mitigation proposals, achieve planning or other statutory consent and to comply with wildlife legislation. To achieve this, the following steps have been taken:

- A desk study has been carried out.
- A Day-time Bat Walkover (DBW) survey, including an inspection of built structures, to determine the presence or the suitability of any features which bats could use for roosting and to assess the suitability of the site’s bat foraging and commuting habitat.

- An outline of potential impacts on any confirmed or unidentified roosts has been provided, based on the proposed development.
- Recommendations for further surveys and mitigation have been made, along with advice on the requirements for a European Protected Species Licence (EPSL) application if appropriate.
- Opportunities for the enhancement of the site for roosting, foraging and commuting bats have been set out.

2.0 Methodology

2.1 Desk Study

The desk study included a 2km radius review of statutory designated sites with bat qualifying interests and granted EPSL records for bats held on magic.gov.uk database. An assessment of the surrounding landscape structure was also completed using aerial images from Google Earth and OS maps.

2.2 Field Survey

The survey was undertaken by Charlie Drapala BSc (Hons) AMRSB (Accredited Agent on Natural England Bat Licence Number: 2019-41480-CLS-CLS) on 13 February 2024.

The PRA focussed on one built structure which will be affected by the proposed development as well as providing an overview of the wider site and the surrounding landscape for bat roosting, foraging and commuting habitat.

For any surveyed buildings:

A DBW survey was undertaken, comprising a non-intrusive visual appraisal was undertaken from the ground, using binoculars to inspect the external features of the building for features which bats could use for roosting, including access or egress points and for signs of bat use including droppings, scratch marks, insect remains and urine smear marks. An internal inspection of the building was also made, including the living areas and any accessible roof spaces, using a torch and ladders. The surveyor paid particular attention to the floor and flat surfaces, window shutters and frames, lintels above doors and windows, and carried out a detailed search of numerous features within the roof space.

2.3 Breeding Birds and Other Incidental Observations

The surveyor also made note of any other ecological constraints observed during the survey, notably the likelihood of presence or signs of breeding birds, and the suitability of the site for barn owls.

2.4 Suitability Assessment

Habitats were categorised in accordance with Tables 4.1 and 6.2 of the “Bat Surveys for Professional Ecologists —Good Practice Guidelines” publication (Collins, 2023), which are replicated in Tables 1 and 2 below.

Table 1: Guidelines for assessing the potential suitability of a built structure for bats

Potential Suitability	Roosting Habitats in Structures
Negligible	No obvious habitat features on site likely to be used by roosting bats; however, a small element of uncertainty remains as bats can use small and apparently unsuitable features on occasion.
Low	A structure with one or more potential roost sites that could be used by individual bats opportunistically at any time of the year. However, these potential roost sites do not provide enough space, shelter, protection, appropriate conditions and/or suitable surrounding habitat to be used on a regular basis or by larger numbers of bats (i.e. unlikely to be suitable for maternity and not a classic cool/stable hibernation site, but could be used by individual hibernating bats).
Moderate	A structure with one or more potential roost sites that could be used by bats due to their size, shelter, protection, conditions and surrounding habitat but unlikely to support a roost of high conservation status (with respect to roost type only, such as maternity and hibernation – the categorisation described in this table is made irrespective of species conservation status, which is established after presence is confirmed).
High	A structure with one or more potential roost sites that are obviously suitable for use by larger numbers of bats on a more regular basis and potentially for longer periods of time due to their size, shelter, protection, conditions and surrounding habitat. These structures have the potential to support high conservation status roosts e.g. maternity or classic cool/stable hibernation site.

Table 2: Guidelines for assessing the potential suitability of a site for bats

Potential Suitability	Potential Flight-Paths and Foraging Habitats
Negligible	No obvious habitat features on site likely to be used as flight-paths or by foraging bats; however, a small element of uncertainty remains in order to account for non-standard bat behaviour.
Low	Habitat that could be used by small numbers of bats as flight-paths such as a gappy hedgerow or unvegetated stream, but isolated, i.e. not very well connected to the surrounding landscape by other habitat. Suitable, but isolated habitat that could be used by small numbers of foraging bats such as a lone tree (not in a parkland situation) or a patch of scrub.
Moderate	Continuous habitat connected to the wider landscape that could be used by bats for flight-paths such as lines of trees and scrub or linked back gardens. Habitat that is connected to the wider landscape that could be used by bats for foraging such as trees, scrub, grassland or water.
High	Continuous, high-quality habitat that is well connected to the wider landscape that is likely to be used regularly by bats for flight-paths such as river valleys, streams, hedgerows, lines of trees and woodland edge. High-quality habitat that is well connected to the wider landscape that is likely to be used regularly by foraging bats such as broadleaved woodland, tree-lined watercourses and grazed parkland. Site is close to and connected to known roosts.

2.5 Limitations

It should be noted that whilst every effort has been made to describe the features on site in the context of their suitability for roosting bats, this does not provide a complete characterisation of the site. This survey provides a preliminary view of the likelihood of bats being present. This is based on suitability of the habitats on site and in the local area, the ecology and biology of

bats as currently understood, and the known distribution of bats as recovered during the desk study. Bats are highly mobile creatures that switch roosts regularly and therefore the usage of a site by bats can change over a short period of time.

A search for historical bat records has not been undertaken. However, given the location of the site, the nature of the habitats present and the assessed suitability of the site for bats, it is not anticipated that the purchase of historical records data will add any significant weight or alter the conclusions and recommendations outlined in this report.

The loft space in B1 was not fully accessible as it was not boarded and a safe route could not be determined. The loft space was viewed from the loft hatch. Therefore, some roost features or evidence of bats (if present) may have been missed.

These limitations have been taken into account during the evaluation of the site and requirement for further surveys and mitigation.

3.0 Results and Evaluation

3.1 Designated Sites

Details of any statutory designated sites with bat qualifying interests within a 2km radius of the site, including their reasons for notification, are provided in Table 3 below.

Table 3: Statutory designated sites with bat qualifying interests within 2km radius of the site

Designated site name	Distance from site	Reasons for notification from Natural England
Valley Park Woodlands Local Nature Reserves (LNR)	~1200m northwest	The LNR includes Zionshill Copse and Little Covert. These ancient woodlands which cover approximately 40 hectares feature a mix of restored coppice, woodland rides, open glades, ponds and rough grassland. The woods are a valuable resource of flora and fauna. Ancient Semi-Natural Woodland (ASNW) is locally and nationally important. Qualifying habitats provide good foraging habitat for bats.

3.2 Historical Records

A search of the magic.gov.uk database for granted EPSLs within a 2km radius of the site has been completed. Displaced bats from licensed sites <2km away from the survey site will find alternative habitat either within the mitigation measures implemented as part of the licence or will relocate to other known roosts sites in close proximity to the licensed site. EPSL records for bats are summarised in Table 4.

Table 4: Granted EPSLs for bats within 2km of the site

EPSL reference	Distance from site	Bat species affected	Impacts allowed by licence
2014-148-EPS-MIT	~650m south	Common pipistrelle	Destruction of a resting place
EPSM2009-1058	~800m south	Common pipistrelle	Destruction of a resting place
2017-27981-EPS-MIT 2017-27981-EPS-MIT-1	~1450m north	Brown long-eared bat, common pipistrelle, soprano pipistrelle and serotine	Destruction of a resting place

3.3 Field Survey Results

The weather conditions recorded at the time of the survey are shown in Table 5. The results of the field survey are detailed in Table 6 and illustrated in Appendix 3.

Table 5: Weather conditions during the survey

Date:	13/02/2023
Temperature	9°C
Humidity	93%
Cloud Cover	100%

Wind	3m/s
Rain	None

Table 6: PRA Results

Feature	Description	Photographs
Bat foraging and commuting habitat	Habitats that characterise the site include the building, hardstanding, and rear garden. These habitats connect the local landscape via residential gardens, providing some value to foraging and commuting bats. The site is also connected to better quality resources in the wider landscape, such as woodland to the west, although the residential area is likely to be well lit at night. However, the site is small in extent and not considered likely to represent a significant resource of local bat populations in the context of the wider landscape, a. The site is assessed as having moderate suitability for foraging and commuting bats.	
B1 - overview	B1 is a brick built single storey building with a pitched and gable ended corrugated iron roof. The corrugated iron is in good condition. There is a bitumen felt flat roofed extension to the rear. The roof and brickwork appear in good condition. The western elevation is painted, and the other elevations remain bare brick. The western and eastern elevations have soffit boxes while the gable ends have UPVC fascia boards. The windows are UPVC framed and appear well sealed. No birds' nests or opportunities for nesting birds was observed.	 Overview of the south-west elevation.

B1 – southern elevation	The brickwork and mortar are in good condition, with no gaps or cracks. A brick was missing from the gable end, which could have allowed access to the loft. The client noted that the gap had only been open for a few days as the brick was removed to create ventilation in the damp loft. Due to the security light directly below the gap, and considering the current season being hibernation season, it is unlikely that a bat would have found and exploited this gap to access the loft within a few days only. No evidence of bats was observed around the gap. The gap has since been sealed with a ventilation brick which does not allow access to the loft for bats. The window is well sealed and no evidence of bats was observed on the windowsill. The fascia board appears to provide a crevice, however, the panel is lipped and is well sealed to the wall with no gap, as visible in the photo.	 Gap in the gable end.  Ventilation brick installed after the survey on 13/02/2024.
--------------------------------	---	---

		 13 February 2024 10:37 Fascia board on the gable end shown well sealed to the wall.
B1 – western elevation	The corrugated iron roof is in good condition. There are no crevices under which bats could roost. The white painted brickwork appears in good condition. The windows and doors are well sealed and provide no crevices. No evidence of bats was observed on the white walls or the windowsills. The soffit boxes are vented and well sealed to the wall. The decorative red wall panels are open and exposed. The crevices are shallow and were fully inspected by torchlight. No evidence of bats was observed.	 13 February 2024 10:38 Western elevation.

		 Soffit boxes on the western elevation well sealed to the wall.
B1 – northern elevation	The brickwork and mortar are in good condition. The flat bitumen roof appears in good condition and is well sealed. The windows are well sealed, there are no crevices visible, and no evidence of bats was observed on the windowsills.	 Northern elevation.

B1 – eastern elevation	Close up access was not available. The surveyor viewed as much of the elevation as possible from behind the fence. The elevation was considered to be in the same condition as the surrounding elevations. The wall appears in good condition with no visible cracks or crevices or missing bricks. The roof is in good condition with no crevices or gaps which allow access.	 Eastern elevation.
B1 – roof	The corrugated iron roof has gaps at the ridge sheet, which are blocked by mesh fittings. Therefore, no access into the loft is possible.	 Gaps at the ridge sealed by mesh.

B1 – interior	The loft was not boarded, and the surveyor was only able to inspect it from the loft hatch. No evidence of bats was observed. The roof is lined with bitumen felt which appears in good condition. There is no central ridge beam, and the bitumen felt does not cover the ridge, therefore the corrugated roof is visible internally. There does not appear to be any gaps in the roof which could provide access. The floor is lined with mineral wool insulation. There are two bricks missing from each gable end, which the client noted as having been removed a couple of days before the survey to air out the loft and building of damp. The gaps in the brickwork at the gable ends was due to be sealed with a ventilation brick later that day. The client sent photos to show the updated state of the house. The missing bricks on the gable end could have provided access to the loft; however, these are now sealed and cannot provide access to the loft. Therefore, there is no access to the loft.	 Loft void.
B1 – suitability assessment	B1 is assessed as having negligible value for bats due to a lack of suitable roosting features.	

4.0 Conclusions, Impacts and Recommendations

Taking the desk study and field survey results into account, Table 7 presents an evaluation of the value of the site for bats and also details any other ecological constraints identified such as nesting birds in relation to the proposed development.

Table 7: Evaluation of the site for bats and any other ecological constraints

Feature	Survey Results Summary	Impact Assessment	Recommendations	Biodiversity Enhancement Opportunities ¹
Roosting bats (B1)	Building B1 has negligible value for roosting bats due to a lack of potential roost features.	Bats are very unlikely to be roosting within this building and as such, there are not anticipated to be any impacts on roosting bats as a result of the re-roof and remodel of this building.	In the unlikely event that a bat or evidence of bats is discovered during the development all work must stop and a bat licensed ecologist contacted for further advice.	The installation of two bat boxes at the site will provide additional roosting habitat for bats. The bat boxes will be integrated within the building. Bat boxes should be positioned 3-5m above ground level (at the eaves of buildings), facing in a south or south-westerly direction, with a clear flight path to and from the entrance, away from and unlit by artificial light, and not above any windows. The bat boxes will be a specification suitable for crevice dwelling species such as Vivara Pro Build-In Woodstone Bat Tube (integrated) Ibstock Enclosed Bat Box 'C' (integrated) or a similar alternative brand.
Foraging and commuting bats	Scattered trees could be used by local bat populations for foraging and commuting. These could also be used by bats dispersing from nearby roosts outside of the site. The site	The proposed development will not result in the removal of any habitats which could be used by foraging or commuting bats. The proposed development will include the use of lighting which could spill on to bat roosting, foraging or commuting habitat and deter bats from using these areas.	A low impact lighting strategy will be adopted within the proposed development. This should be designed in accordance with Guidance Note GN08/23 Bats and Artificial Lighting at Night (Institution of Lighting Professionals, 2023). Avoidance of light spill on to key habitats or features which bats may use for roosting,	The following habitat creation could be considered to enhance opportunities at the site for foraging and commuting bats post development: Planting of pale blue and white coloured flowers, or night scented flowers such as honeysuckle and evening primrose, to attract night flying insects for prey.



¹ The Local Planning Authority has a duty to ask for enhancements under the NPPF (2021).

	has moderate value for foraging and commuting bats.		foraging or commuting, via an appropriately sized buffer insofar as possible. A luminaire specification which reduces the effects of light spill on bats should be chosen where feasible. The installation of physical screening features, glazing treatments and the use of dimming or part night lighting could also be considered, where appropriate.	Creation of wildflower grassland.
Nesting birds (B1)	The building offers no opportunities for nesting birds by the nearby trees could provide nesting habitat.	None.	None.	The installation of two integrated swift bricks (e.g. Ibstock Swift Eco Habitat or similar alternative brand) at the site will provide additional nesting habitat for birds in line with the measures outlined in the British Standard "Integral nest boxes. Selection and installation for new developments. Specification" (BS 42021:2022). Swift bricks should be integrated into the fabric of the building during construction. Boxes should be positioned close together (0.6-1.0m between bricks) as swifts prefer to nest gregariously. The boxes should be placed at least 5m above ground level where possible, under the eaves of a building, on a north or east elevation, where they will be sheltered from prevailing wind, rain and strong sunlight. To be suitable for swifts, the bricks require an open aspect with no trees or large shrubs potentially obstructing the birds' flight path up to 5m from the brick. Swift bricks are a "universal nest brick" for small bird species, including red-listed species such as common swift, house sparrow, house martin, and starling.

5.0 Bibliography

- Collins, J. (ed.) (2023). Bat Surveys for Professional Ecologists: Good Practice Guidelines (4th edition), The Bat Conservation Trust, London.
- Garland, L. & Markham, S. (2008) Is Important Bat Foraging and Commuting Habitat Legally Protected? <http://biodiversitybydesign.co.uk/cmsAdmin/uploads/protection-for-bat-habitat-sep-2007.pdf>
- Google Earth. Accessed on 15/02/2024.
- Institution of Lighting Professionals (2023). Guidance Note GN08/23 Bats and Artificial Lighting at Night. Bats and the Built Environment Series Publication: <https://theilp.org.uk/publication/guidance-note-8-bats-and-artificial-lighting/>
- Magic Database. <http://www.magic.gov.uk/MagicMap.aspx> Accessed on 15/02/2024.
- Natural England Designated Sites View. <https://designatedsites.naturalengland.org.uk/SiteSearch.aspx> Accessed on 15/02/2024.
- Reason, P.F. and Wray, S. (2023). UK Bat Mitigation Guidelines: a guide to impact assessment, mitigation and compensation for developments affecting bats. Chartered Institute of Ecology and Environmental Management, Ampfield.
- Wray, S., Wells, D., Long, E., Mitchell-Jones, T (2010) Valuing Bats in Ecological Impact Assessment. IEEM In-Practice. Number 70 (December 2010). Pp. 23-25.

Appendix 1: Proposed Development Plan



CLIENT	RAFAL ZALEWSKI
PROJECT	25 SHAFTESBURY AVENUE EASTLEIGH
TITLE	PROPOSED PLAN AND ELEVATIONS
DATE	01-03-2024
DESIGNED BY	M.L.

Appendix 2: Site Location Plan



Appendix 3: PRA Plan



Appendix 4: Legislation and Planning Policy Related to Bats

LEGAL PROTECTION

All species of bat are fully protected under *The Conservation of Habitats and Species Regulations 2017* (as amended) through their inclusion on Schedule 2.

Regulation 43: Protection of certain wild animals - offences

(1) A person is guilty of an offence if they:

- (a) Deliberately captures, injures or kills any wild animal of a European protected species,
- (b) Deliberately disturbs wild animals of any such species,
- (c) Deliberately takes or destroys the eggs of such an animal, or
- (d) Damages or destroys a breeding site or resting place of such an animal,

(2) For the purposes of paragraph (1) (b), disturbance of animals includes in particular any disturbance which is likely—

- (a) To impair their ability:
 - (i) To survive, to breed or reproduce, or to rear or nurture their young; or
 - (ii) In the case of animals of a hibernating or migratory species, to hibernate or migrate; or
- (b) To affect significantly the local distribution or abundance of the species to which they belong.

Bats are also protected under the *Wildlife and Countryside Act 1981* (as amended) through their inclusion on Schedule 5. Under this Act, they are additionally protected from:

- Intentional or reckless disturbance (at any level)
- Intentional or reckless obstruction of access to any place of shelter or protection
- Selling, offering or exposing for sale, possession or transporting for purpose of sale

NATIONAL PLANNING POLICY

National Planning Policy Framework 2021

The National Planning Policy Framework promotes sustainable development. The Framework specifies the need for protection of designated sites and priority habitats and species. An emphasis is also made on the need for ecological infrastructure through protection, restoration and re-creation. The protection and recovery of priority species (considered likely to be those listed as species of principal importance under Section 41 of the Natural Environment and Rural Communities (NERC) Act 2006) is also listed as a requirement of planning policy.

In determining a planning application, planning authorities should aim to conserve and enhance biodiversity by ensuring that: designated sites are protected from harm; there is appropriate mitigation or compensation where significant harm cannot be avoided; measurable gains in biodiversity in and around developments are incorporated; and planning permission is refused for development resulting in the loss or deterioration of irreplaceable habitats including aged or veteran trees and also ancient woodland.

The Natural Environment and Rural Communities Act 2006 and the Biodiversity Duty

Section 40 of the Natural Environment and Rural Communities (NERC) Act 2006, requires all public bodies to have regard to biodiversity conservation when carrying out their functions. This is commonly referred to as the 'biodiversity duty'.

Section 41 of the Act requires the Secretary of State to publish a list of habitats and species which are of 'principal importance for the conservation of biodiversity'. This list is intended to assist decision makers such as public bodies in implementing their duty under Section 40 of the Act. Under the Act these habitats and species are regarded as a material consideration in determining planning applications. A developer must show that their protection has been adequately addressed within a development proposal.

EFFECT OF LEGISLATION AND POLICY ON DEVELOPMENT WORKS

A European Protected Species Licence (EPSL) issued by Natural England will be required for works likely to affect a bat roost or for operations likely to result in a level of disturbance which might impair their ability to undertake those activities mentioned above (e.g. survive, breed, rear young and hibernate). The licence is to allow derogation from the relevant legislation but also to enable appropriate mitigation measures to be put in place and their efficiency/success to be monitored. The legislation may also be interpreted such that, in certain circumstances, important foraging areas and/or commuting routes can be regarded as being afforded *de facto* protection, for example, where it can be proven that the continued usage of such areas is crucial to maintaining the integrity and long-term viability of a bat roost (Garland & Markham, 2008).

There are 17 species of bat breeding in England and Natural England issues licences under Regulation 55 of the Habitats Regulations to allow you to work within the law.

Licences are issued for specific purposes stated in the Regulations, if the following three tests are met:

- The purpose of the work meets one of those listed in the Habitats Regulations (see below);
- That there is no satisfactory alternative;
- That the action authorised will not be detrimental to the maintenance of the population of the species concerned at a favourable conservation status (FCS) in their natural range

The Habitats Regulations permits licences to be issued for a specific set of purposes including:

1. include preserving public health or public safety or other imperative reasons of over-riding public interest including those of a social or economic nature and beneficial consequences of primary importance for the environment;
2. scientific and educational purposes;
3. ringing or marking; and,

4. conserving wild animals.

Development works fall under the first purpose and Natural England issues bat mitigation licences for developments.

EUROPEAN PROTECTED SPECIES POLICIES

In December 2016 Natural England officially introduced the four licensing policies throughout England. The four policies seek to achieve better outcomes for European Protected Species (EPS) and reduce unnecessary costs, delays and uncertainty that can be inherent in the current standard EPS licensing system. The policies are summarised as follows:

- Policy 1; provides greater flexibility in exclusion and relocation activities, where there is investment in habitat provision;
- Policy 2; provides greater flexibility in the location of compensatory habitat;
- Policy 3; provides greater flexibility on exclusion measures where this will allow EPS to use temporary habitat; and,
- Policy 4; provides a reduced survey effort in circumstances where the impacts of development can be confidently predicted.

The four policies have been designed to have a net benefit for EPS by improving populations overall and not just protecting individuals within development sites. Most notably Natural England now recognises that the Habitats Regulations legal framework now applies to 'local populations' of EPS and not individuals/site populations.