

Ecology response 8 4 24 for DC/23/96303 Land adjacent Unit 2CB, Deer Park Farm, Fair Oak, SO50 7DZ

Discharge of conditions 3 (Construction Environmental Management Plan) and 7 (Landscape and Ecological Management Plan) of permission ref. F/17/82214 for use of land as civil engineering contractor's yard, with associated storage, storage containers, parking, fencing and landscaping

Rebecca Altman

4/8/24

I have reviewed the amended LEMP. As requested, the Delivery Programme has now been amended to show P2 ongoing to year 5 in Q 2 and Q3.

I am satisfied that Condition 7 can now be discharged.

Lisa Malter

Ecologist

1/2/24

Condition 3: I have reviewed the amended CEMP Report by Southern Planning Practice (Rev 1, September 2023). The arrangements for the reptile receptor area have been added to the report. Condition 3 can now be discharged.

Condition 7: I have reviewed the LEMP by Southern Planning Practice (Rev 1, September 2023). The information about reptile refugia is appropriate and L 1 has been extended to year 5 in the LEMP delivery programme.

The previous request about the LEMP delivery programme for P2 to be shown in years 4 or 5 has not been implemented. P2 is not shown past year 3 in this table. *Hedgerow tree and shrub planting aftercare (P2) must be extended either year 4 or 5 to include removal of the protective tree shelters fitted to the trees and shrubs once deer browsing is no longer a threat to these plants.* If it is not appropriate to remove them totally, then larger tree protectors should be used so that trees and shrubs are not damaged by tree protectors that become too tight, and broken plastic tree protectors do not become litter in the surrounding environment.

Lisa Malter

Ecologist

2/11/23

Condition 3 CEMP

I have reviewed the Construction Plan and the CEMP Report by Southern Planning Practice (September 2023). Section 6.2 states that reptile drift fencing will be installed around the main area of the site, but not along the site access corridor, which is designated as the reptile receptor site area. This receptor area must be shown on the plan. The CEMP states that reptile exclusion fencing would be installed in the event that reptiles are trapped and translocated to this area, but this takes time to install, so this means that reptiles would be released into this area before it was fenced. The receptor area must be enhanced to provide suitable habitat for reptiles. We don't have any record of conditions in this area, such as whether there are basking areas, or natural or artificial hibernacula. The receptor area must be suitable for translocated reptiles before they are likely to be placed there. The LEMP contains a timetable for habitat delivery and management, but I don't see a specific timetable of works for reptile mitigation and management (including provision of fencing, temporary refugia within the receptor area, trapping and site security) as stated in condition 3. This receptor area must be maintained until the bund areas have been planted, and suitable reptile habitat (hibernacula, grassland and hedgerow) has become established around the bund.

Condition 7 LEMP

I have reviewed the LEMP by Southern Planning Practice (September 2023). Hedgerow tree and shrub planting aftercare (P2) must be extended either year 4 or 5 to include removal of the protective tree shelters fitted to the trees and shrubs once deer browsing is no longer a threat to these plants.

Reptile refugia (L1) must also be checked to see that they are still in position during the first five years.

The biodiversity net gain calculation (Metric 4.0) has been provided and is satisfactory.

Lisa Malter

Ecologist