

Cool Energy InverTech Air Source Heat Pump Package

Check out our brand new InverTech heat pump package for a very easy efficient installation!

Package Includes:

- Latest InverTech Air Source Heat Pump
- High Quality INOX Stainless Steel Unvented Pre-Plumbed / Wired Cylinder
- CE-B60 Stainless Buffer Tank (With internal expansion) Wall / Floor Mountable
- 25L Inhibited Glycol
- 28mm Intaklean System Filter
- CAT6 Data Link Cable
- 600mm Flexi Feet plus fixings
- 500mm Pre-insulated Flexi Hoses

Heat Pump Features:

CE-IVT18 8.5kW-18.5kW @A7/W35



Home



Account



Shop



Cart



inverTech
Air Source Heat Pump

CE-IVT9

Water Heater / Chiller

Features:

- Stainless Steel Casing
 - Panasonic DC Inverter Compressor
 - Intelligent Carel Control System
 - Efficient Carel Power+ Inverter Drive
 - Precision Carel Electronic Expansion Valve
 - Smart Weather Compensation
 - Super Quiet DC Inverter Fans
 - Built in Grundfos Pump with Smart PWM control
 - High Efficiency Plate Heat Exchanger
 - BMS control functions available
 - WiFi control and management available
 - Cascade any number of units
 - Can be installed in virtually any system configuration
 - Heating & Cooling functions
 - SAP / PCBD Listed
 - 5 Year Warranty
- *see warranty terms and conditions



Specifications:

Model	CE-IVT9
Heating Capacity Min./Max. @A7 / 35°C Water	4.37kW - 9.51kW
Heating Capacity Min./Max. @A7 / 45°C Water	4.11kW - 8.93kW
Heating Capacity Min./Max. @A-3 / 35°C Water	3.89kW - 7.83kW
Heating Capacity Min./Max. @A-3 / 45°C Water	3.38kW - 7.33kW
Cooling Capacity Min./Max. @A25 / 7°C Water	3.90kW - 8.48kW
SSHEE / SCOP (A7 / W35°C - A7 / W55°C EN14825 TUV Certified)	A+++ / 4.68 - A++ / 3.24
Power Supply	220V-240V/50HZ
Rated Input Current	10.2A
Max. Input Current	14.8A (16A Type C MCB)
Max. Outlet Water Temp	60°C (55°C Setpoint)
Minimum Water Flow Rate	1m3/h
Refrigerant/Weight	R410A/1600g
Noise Rating (Average Sound Pressure EN12102)	46dB(A)
Noise Rating (Average Sound Power EN12102)	60dB(A)
Water Pressure Drop	20KPa
Water Pipe Connection	1" BSP
Max Water Pressure	1.0 MPa
Net Weight	88 KG
Size	W 1110 / H 810 / D 475 (mm)

Specifications subject to change without warning.



CAREL Control System



Cool Energy Holding Ltd - Offices & Showroom: 163 Cleethorpe Road, Grimsby, DN31 3AX
tel: +44 (0) 1472 867497 email: sales@coolenergyshop.com web: www.coolenergyshop.com

CE-iVT10-EVI 5.52kW-12.0kW @A7/W35