

DATE: 30/09/2022
DESIGNER: James Duffin BA (Hons) IEng MILP
PROJECT No: EVO20010723-RC-005-A
PROJECT NAME: Lower Acre Parcel 1.1, OHH

ENERVEO

Parcel 1.1 - Adoptable Roads
One Horton Heath

Road Lighting Class - P4


Lantern - Urbis Schreder Axia 3.1
Colour Temperature - 3000K
Maintenance Factor - 0.85

Roadway Lighting Report

PREPARED BY: James Duffin BA (Hons) IEng MILP
Senior Lighting Designer
Enerveo
Solent Park, 1st Floor,
Walton Road,
Portsmouth.
PO6 1UJ
e-mail: james.duffin@enerveo.com

Roadway Report Summary

Layout



Road Data

Calculation Grid	2015:EN13201 Illuminance
Width (m)	7.00
No. of Lanes	2
Road Surface	C2
Q0	0.07
Left Footpath(m)	1.20
Right Footpath(m)	1.20

Main Lighting

Column Data

Configuration	Staggered Reverse
Spacing (m)	23.00
Height (m)	6.00
Tilt (deg)	0.00
Left Setback (m)	1.20
Left Outreach (m)	0.40
Left Overhang (m)	-0.80
Right Setback (m)	1.20
Right Outreach (m)	0.40
Right Overhang (m)	-0.80

Luminaire Data

Supplier	Urbis Schreder
Type	AXIA 3.1 5270 Integrated lenses Rear louvers 16 OSLO SQUARE
Lamp(s)	16 OSLO SQUARE GIANT@200mA WW 730 230V 01-37-041
LampFlux(klm)/Colour	1.16 WW 3000K/70
File Name	AXIA 3.1 5270 16 OSLO SQUARE GIANT T 200mA WW 730 11.2W 457682 Integrat...
Maintenance Factor	0.85
Lum. Int. Class	G3




Results

Main


Complies with P4

Eav	5.17
Emin	2.28
Emax	10.52
Emin/Emax	0.22
Emin/Eav	0.44
TI(%)	14.82




Polar Diagram

Main Luminaire AXIA 3.1 5270 Integrated lenses Rear louvers 16 OSLON SQUARE




Horizontal Illuminance (lux)



Main Results

Eav	5.17
Emin	2.28
Emax	10.52
Emin/Emax	0.22
Emin/Eav	0.44
TI(%)	14.82

Horizontal Illuminance (lux)



Horizontal Illuminance (lux)