

Eastleigh Borough Council Tree Preservation Order and Conservation Area Assessment Form

Application Number	T/24/97438					
Surveyor	Charlotte Holloway					
Address	161 KINGSWAY, CHANDLER'S FORD, EASTLEIGH, SO53 5BY					
Proposed work	2no. Sweet Chestnut (T58 & T59) - Both require suckers removing from the tree trunk below the main canopy to help the growth and overall health of the tree					
Assessment Date	07/07/24					
Officer comments	The trees are mature specimens. T58 is situated to the front of the property and is fully visible from the public highway and offers good levels of visual amenity. The tree is in overall good vitality. T59 is the rear of the property has some visibility from the public highway, offering a level of visual amenity. The tree has some notable dieback at the canopy extents. The applicant has proposed to remove epicormic growth off the stem of the trees. This is unlikely to be detrimental to the overall health of the tree and will not impact overall amenity levels. The work is reasonable for the management of the trees within their locations.					
Decision	Consent	Refuse	Part consent/ Part refuse	Withdrawn / Invalid	Conservation Area	
					Raise no objection	TPO
	X					
Decision notice	CONSENT: 2no. Sweet Chestnut (T58 & T59) - Both require suckers removing from the tree trunk below the main canopy.					
Conditions	Standard quality and time					
Notes to applicant						
Parish comments	None					
Public objection/ support	Support		Objection		Observation	
	0		0		0	
Objection/ support consideration						