

Eastleigh Borough Council Preservation Order and Conservation Area Application Assessment Form

Application Number	T/24/97913					
Surveyor	SK					
Site assessment Date	23/08/24					
Address	14 THE DROVE, HORTON HEATH, EASTLEIGH, SO50 7NW					
Work notification/ request	1no. Field Maple (T3) - Crown reduction required as previously 2 metres all over. Reason - Tree is touching the house and getting very big.					
Comments/ observations following site visit	T1 is a field maple in good condition, rather dense canopy as a result of previous reductions but healthy. It has high amenity, growing just on the frontage of the applicant's property and visible from both directions and multiple properties. Tree in contact with front of dwelling. Tree has been reduced all over before. There is a lamp column that is just outside the current spread that will be need clearing in the foreseeable future					
Decision	Consent	Refuse	Part consent/ Part refuse	Withdrawn / Invalid	Conservation Area	
					Raise no objection	TPO
	X					
Decision notice	CONSENT: 1no. Field Maple (T3) - Crown reduce by up to 2.0m all over to previous reduction points.					
Conditions	Standard					
Notes to applicant	Please retain existing reaction growth through the pruning operation.					
Parish comments	No objection, subject to the approval of the Tree Officer.					
Public objection/ support	Support		Objection		Observation	
	0		0		0	
Objection/ support consideration						