



Building Regulations Consultants Ltd
33 Holly Gardens, West End
Southampton, SO30 3RU
Tele - 01489 788833

Date; 26th Nov 24

West End Cottage, West End

Web - www.brc-ltd.co.uk

Southampton, SO18 3HT

Installation type and No.	Unit of measure	Capacity/ flow rate (1)	Use factor (2)	Fixed use (litres/ person/ day) (3)	Litres/ person/day =[(1) x(2)] + 3 (4)
WC (single flush)	Flush volume (litres)	3.06	4.42	0.00	13.53
WC (dual flush)	Full flush volume (litres)	0.00	1.46	0.00	0.00
	Part flush volume (litres)	0.00	2.96	0.00	0.00
WCs (multiple fittings)	Average effective flushing volume (litres)	0.00	4.42	0.00	0.00
Taps (excluding kitchen/ utility room taps)	Flow rate (litres/minutes)	4.00	1.58	0.00	6.32
Bath (where shower also present)	Capacity to overflow (litres)	155.00	0.11	0.00	17.05
Shower (where bath also present)	Flow rate (litres/minutes)	0.00	4.37	0.00	0.00
Bath only	Capacity to overflow (litres)	0.00	0.50	0.00	0.00
Shower only	Flow rate (litres/minutes)	8.00	5.60	0.00	44.80
Kitchen/utility room sink taps	Flow rate (litres/minutes)	6.00	0.44	0.00	2.64
Washing machine	Litres/kg dry load	9.00	2.10	0.00	18.90
Dishwasher	Litres/place setting	1.25	3.60	0.00	4.50
Waste disposal unit	Lites/use	If present = 1 If absent = 0	3.08	0.00	
Water softner	Litres/person/day		1.00	0.00	
	(5)	Total calculated use (litres/person/ /day) = (Sum column 4)			107.74
	(6)	Contribution from greywater (litres/person/day) from Table 4.6			
	(7)	Contribution from rainwater (litres/person/day) from Table 5.5			
	(8)	Normalisation factor			0.91
	(9)	Total water consumption (Code for Sustainable Homes) = [(5)-(6)-(7)]x(8) (litres/person/day)			98.04
	(10)	External water use			5
	(11)	Total water consumption			103.04
		Building Regs Part G Compliant			YES