



TIMBER
WINDOWS

MR & MRS SARAH CORNELIUS





IT'S THE DETAIL THAT MAKES THE DIFFERENCE!

We are passionate about wood and since our launch, our suite of products has led the market in the breadth of application, uniqueness of design, quality of construction and performance in use.

Attention to detail is a hallmark we are proud of. Our collection has been carefully and sensitively tailored to complement the English home - whether you live in a period villa, a barn conversion or a more modern property in need of contemporary flair. Unlike timber windows of old, our products will not twist, will not rot and require very little maintenance. High levels of insulation and security ensure there is no need to sacrifice beauty for comfort.

The Timber Windows service is delivered with care by knowledgeable local specialists whose reputation is built on providing an attentive service from initial enquiry to the completion of your project.

Installing well-made, well-specified timber windows can really enhance the beauty and value of your home. We look forward to working with you on your exciting project!

CONTENTS

Entrance Doors	3
French Doors	4
Casement Windows	5
Overview	6
Item Summary	7
Products at a Glance	8
Itemised Product Specifications	11
What makes our products special?	26



ENTRANCE DOORS

By looking at front door designs around the country we built a collection suitable for every kind of home, from traditional styles and those suitable for conservation, to sharper, more contemporary designs.

Whichever style you choose, security is assured with robust, multi-point locking mechanisms, featuring hook bolts and deadlock.

The options for personalisation are vast, with hundreds of traditional colour and stain finishes available, that include the RAL colour chart as well those complementary to the Farrow & Ball and Fired Earth ranges. There's also the option to vary the colour on the inside of the door, so that it can match your internal décor.

Ironmongery options include stylish handles, escutcheons, knockers, letter plates, knobs and many more in a range of finishes, and why not consider decorative glazing in a range of stained, patterned, leaded, sandblasted and etched designs.

All of our doors use multi-layered, warp and twist resistant timber throughout their construction, with high specification glazing fitted as a standard. Factory applied paint finishes ensure a long life with very low maintenance.





FRENCH DOORS

Practical yet beautiful, the Timber Windows range of French Doors can enhance both your home and lifestyle, providing easy access to outdoor spaces.

Authentically styled, with both conventional and contemporary designs, these doors offer the flexibility of opening inwards or outwards, with either door designed to open first. Leaded lights or glazing bars may be added whilst you can also choose a different colour internally to suit your décor.

The use of engineered multi-layered, warp and twist resistant timber throughout their construction, ensures they will operate beautifully at all times.

Constructed to the same exacting standards as our windows, with timber guaranteed for decades, our French Doors incorporate a host of technical innovations for absolute peace of mind.

French doors add flexibility and elegance, while performance and security is thoroughly modern. Ventilation grooves and glazing units which lose approximately half the heat of ordinary double glazing ensure your comfort is optimised, and locks which engage in multiple points around the perimeter of every opener keep you safe and secure.





CASEMENT WINDOWS

Smooth to open and beautiful to the touch, the Timber Windows range of Casement Windows provide an appearance that can only be achieved with genuine timber.

With a wide range of designs available, we are confident you will find the perfect Casement Windows for your home - whether you are after a traditional look or something sharper and more contemporary.

Warm, quiet and secure, with timber guaranteed for decades, our casement windows incorporate a host of technical innovations for absolute peace of mind.

The range is presented in a wide variety of colours and stains, including shades complementary to Farrow & Ball or Fired Earth palettes.

Working closely with our customers, we ensure that the designs suit the character, age and construction of their homes; tailoring proportions, sightlines and paint colours to suit.

All of our windows use engineered multi-layered, warp and twist resistant timber throughout their construction.

Beautiful handles and fasteners, in a range of finishes and styles can be selected for the perfect accompaniment to your new Casement Windows.



QUOTE PREPARED FOR Mr & Mrs Sarah Cornelius 8 Winchester Street Botley Southampton Hampshire SO30 2AA	SITE ADDRESS (Same as quote address)	PREPARED BY Kevin Regan Sales Director Showroom: Winchester	LEAD TIME Approximately 14-16 weeks from sign off of final detail.	TERMS • Deposit with Order 50%. • Stage payment approximately two weeks prior to installation 40%. • Balance on day of completion 10%.
---	--	--	--	--

SCOPE OF PROJECT

Replacement - Carefully remove existing items, prepare openings and supply and fit replacements. To include all making good of aperture ready for final decoration by others. All installed in full compliance with Building Regulations Document L (2021 edition incorporating 2023 amendments) by our trained and experienced installers.

TECHNICAL SPECIFICATION

All products in multi-layer Engineered European Redwood sections for added stability. Internally beaded throughout for security. Factory glazed with argon gas filled double glazed units featuring soft-coat energy saving glass. Drained and vented sections to protect against sealed unit failure. Fully factory finished with high performance, micro-porous paint treatments. Conventional Cottage Casement windows with high security multi-point locking systems and locking handles. French doors fitted with multi-point claw locks to master doors, flush bolts to slave door. Robust, adjustable hinges. Entrance doors fitted with multi-point claw locks and robust, adjustable hinges.

PRICE

Net Price:	£35,135.07
VAT (20%):	£7,027.01
Total Purchase Price:	£42,162.08

Your quotation is valid for 30 days from Wednesday 13th November 2024

Your project is covered by:



Your deposit guarantee and insurance backed warranty policy
Valid upon registration. Ask for full details.

GUARANTEES

Fungal & Insect

Sealed Unit

Hardware

Workmanship

Paint

Stain

30 YEARS
GUARANTEE

10 YEARS*
GUARANTEE

10 YEARS
GUARANTEE

10 YEARS
GUARANTEE

12 YEARS
GUARANTEE

6 YEARS*
GUARANTEE

* 5 years for 14mm double glazed units.

* 6 years for Meranti & Redwood. 1 year for Oak.
Not applicable to putty finished products.




The mark of
responsible forestry


All products that are made from redwood are FSC® certified. Where FSC® is shown against an item, joinery is supplied as FSC® Mix Credit under Chain of Custody Registration No TT-COC-005135

ITEM	QTY	ITEM REFERENCE	PRODUCT	REMARKS
1	1	Larder	Conventional Cottage Window	Monkeytail - Black handle. Horizontal Astragal Bars. White Finished. FSC®.
2	1	Kitchen W1	Conventional Cottage Window	Monkeytail - Black handle. Horizontal Astragal Bars. White Finished. FSC®.
3	1	Kitchen W2	Conventional Cottage Window	Monkeytail - Black handle. Horizontal Astragal Bars. White Finished. FSC®.
4	1	Kitchen W3	Conventional Cottage Window	Monkeytail - Black handle. Horizontal Astragal Bars. White Finished. FSC®.
5	1	Living room rear	Conventional Cottage Window	Monkeytail - Black handle. Horizontal Astragal Bars. White Finished. FSC®.
6	1	Living room side	Conventional Cottage Window	Monkeytail - Black handle. Horizontal Astragal Bars. White Finished. FSC®.
7	1	Attic bedroom	Conventional Cottage Window	Monkeytail - Black handle. Horizontal Astragal Bars. White Finished. FSC®.
8	1	Rear bed W1	Conventional Cottage Window	Monkeytail - Black handle. Astragal Squares. White Finished. FSC®.
9	1	Rear bed W2	Conventional Cottage Window	Monkeytail - Black handle. Horizontal Astragal Bars. White Finished. FSC®.
10	1	Study/bedroom	Conventional Cottage Window	Monkeytail - Black handle. Astragal Squares. White Finished. FSC®.
11	1	Landing	Conventional Cottage Window	Monkeytail - Black handle. White Finished. FSC®.
12	1	French doors	French Door	Cottage - Black handle. White Sash.
13	1	Back door	Entrance Door	Cottage - Black handle. White Sash.
14	1	Kitchen door	Entrance Door	Cottage - Black handle. White Sash.
15	1	Dining room door	Entrance Door	Cottage - Black handle. White Sash.


1. Conventional Cottage Window (Larder)




2. Conventional Cottage Window (Kitchen W1)




3. Conventional Cottage Window (Kitchen W2)




4. Conventional Cottage Window (Kitchen W3)




5. Conventional Cottage Window (Living room rear)




6. Conventional Cottage Window (Living room side)




7. Conventional Cottage Window (Attic bedroom)




8. Conventional Cottage Window (Rear bed W1)




9. Conventional Cottage Window (Rear bed W2)




10. Conventional Cottage Window (Study/bedroom)




11. Conventional Cottage Window (Landing)




12. French Door (French doors)




13. Entrance Door (Back door)



14. Entrance Door (Kitchen door)




15. Entrance Door (Dining room door)



CONVENTIONAL COTTAGE WINDOW
ENGINEERED EUROPEAN REDWOOD




QUOTE REF: 4501/1 V5
ITEM REFERENCE: Larder



Drawing Notes: Viewed from outside. Point of arrow denotes hinge position.

IRONMONGERY OPTIONS



COLOUR CHOICES



SIZE SPECIFICATIONS

Cill	145mm x 68mm (Ext 55mm x 38mm) (external)
Cill Horns	50mm Each Side
Frame Head Size	60mm
Height	610mm
Size Of Bar	22mm (True Bar)
Width	450mm


TECHNICAL SPECIFICATIONS

Add Ons Required	No
Cill Species	Engineered European Redwood
Dummy Hinges	None
FSC® Certified	Yes
Feature Mould	Ovolo
Glass Pattern	Clear
Glass Type	4mm Anl/6mm Krypton/4mm Anl LowE (Putty Glazed)
Glazing Features	Horizontal Astragal Bars
Head Drip	None
Hinge System	Pivot with Kenrick locks (with night vent)
Peg Stay Alignment	Opening end pointing to handle
Swept Heads	No
Trickle Vents Required	No
Window Board Required	No

CONVENTIONAL COTTAGE WINDOW
ENGINEERED EUROPEAN REDWOOD



QUOTE REF: 4501/1 V5
ITEM REFERENCE: Kitchen W1



Drawing Notes: Viewed from outside. Point of arrow denotes hinge position.

IRONMONGERY OPTIONS



Monkeytail - Black
Handle

Monkeytail - Black
Pegstay

COLOUR CHOICES



Colour
White

SIZE SPECIFICATIONS

Cill	145mm x 68mm (Ext 55mm x 38mm) (external)
Cill Horns	50mm Each Side
Frame Head Size	60mm
Height	720mm
Size Of Bar	22mm (True Bar)
Width	1000mm


TECHNICAL SPECIFICATIONS

Add Ons Required	No
Cill Species	Engineered European Redwood
Dummy Hinges	None
FSC® Certified	Yes
Feature Mould	Ovolo
Glass Pattern	Clear
Glass Type	4mm Anl/6mm Krypton/4mm Anl LowE (Putty Glazed)
Glazing Features	Horizontal Astragal Bars
Head Drip	None
Hinge System	Pivot with Kenrick locks (with night vent)
Peg Stay Alignment	Opening end pointing to handle
Swept Heads	No
Trickle Vents Required	No
Window Board Required	No

CONVENTIONAL COTTAGE WINDOW
ENGINEERED EUROPEAN REDWOOD



QUOTE REF: 4501/1 V5
ITEM REFERENCE: Kitchen W2



Drawing Notes: Viewed from outside. Point of arrow denotes hinge position.

IRONMONGERY OPTIONS



Monkeytail - Black
Handle

Monkeytail - Black
Pegstay

COLOUR CHOICES



Colour
White

SIZE SPECIFICATIONS

Cill	145mm x 68mm (Ext 55mm x 38mm) (external)
Cill Horns	50mm Each Side
Frame Head Size	60mm
Height	720mm
Size Of Bar	22mm (True Bar)
Width	1000mm


TECHNICAL SPECIFICATIONS

Add Ons Required	No
Cill Species	Engineered European Redwood
Dummy Hinges	None
FSC® Certified	Yes
Feature Mould	Ovolo
Glass Pattern	Clear
Glass Type	4mm Anl/6mm Krypton/4mm Anl LowE (Putty Glazed)
Glazing Features	Horizontal Astragal Bars
Head Drip	None
Hinge System	Pivot with Kenrick locks (with night vent)
Peg Stay Alignment	Opening end pointing to handle
Swept Heads	No
Trickle Vents Required	No
Window Board Required	No

CONVENTIONAL COTTAGE WINDOW
ENGINEERED EUROPEAN REDWOOD



QUOTE REF: 4501/1 V5
ITEM REFERENCE: Kitchen W3



Drawing Notes: Viewed from outside. Point of arrow denotes hinge position.

IRONMONGERY OPTIONS



Monkeytail - Black
Handle

Monkeytail - Black
Pegstay

COLOUR CHOICES



Colour
White

SIZE SPECIFICATIONS

Cill	145mm x 68mm (Ext 55mm x 38mm) (external)
Cill Horns	50mm Each Side
Frame Head Size	60mm
Height	720mm
Size Of Bar	22mm (True Bar)
Width	1000mm


TECHNICAL SPECIFICATIONS

Add Ons Required	No
Cill Species	Engineered European Redwood
Dummy Hinges	None
FSC® Certified	Yes
Feature Mould	Ovolo
Glass Pattern	Clear
Glass Type	4mm Anl/6mm Krypton/4mm Anl LowE (Putty Glazed)
Glazing Features	Horizontal Astragal Bars
Head Drip	None
Hinge System	Pivot with Kenrick locks (with night vent)
Peg Stay Alignment	Opening end pointing to handle
Swept Heads	No
Trickle Vents Required	No
Window Board Required	No

CONVENTIONAL COTTAGE WINDOW
ENGINEERED EUROPEAN REDWOOD



QUOTE REF: 4501/1 V5
ITEM REFERENCE: Living room rear



Drawing Notes: Viewed from outside. Point of arrow denotes hinge position.

IRONMONGERY OPTIONS



Monkeytail - Black
Handle



Monkeytail - Black
Pegstay

COLOUR CHOICES



Colour
White

SIZE SPECIFICATIONS

Cill	145mm x 68mm (Ext 55mm x 38mm) (external)
Cill Horns	50mm Each Side
Frame Head Size	60mm
Height	950mm
Size Of Bar	22mm (True Bar)
Width	1360mm


TECHNICAL SPECIFICATIONS

Add Ons Required	No
Cill Species	Engineered European Redwood
Dummy Hinges	None
FSC® Certified	Yes
Feature Mould	Ovolo
Glass Pattern	Clear
Glass Type	4mm Anl/6mm Krypton/4mm Anl LowE (Putty Glazed)
Glazing Features	Horizontal Astragal Bars
Head Drip	None
Hinge System	Pivot with Kenrick locks (with night vent)
Peg Stay Alignment	Opening end pointing to handle
Swept Heads	No
Trickle Vents Required	No
Window Board Required	No

CONVENTIONAL COTTAGE WINDOW
ENGINEERED EUROPEAN REDWOOD



QUOTE REF: 4501/1 V5
ITEM REFERENCE: Living room side



Drawing Notes: Viewed from outside. Point of arrow denotes hinge position.

IRONMONGERY OPTIONS



Monkeytail - Black
Handle

Monkeytail - Black
Pegstay

COLOUR CHOICES



Colour
White

SIZE SPECIFICATIONS

Cill	145mm x 68mm (Ext 55mm x 38mm) (external)
Cill Horns	50mm Each Side
Frame Head Size	60mm
Height	950mm
Size Of Bar	22mm (True Bar)
Width	1120mm


TECHNICAL SPECIFICATIONS

Add Ons Required	No
Cill Species	Engineered European Redwood
Dummy Hinges	None
FSC® Certified	Yes
Feature Mould	Ovolo
Glass Pattern	Clear
Glass Type	4mm Anl/6mm Krypton/4mm Anl LowE (Putty Glazed)
Glazing Features	Horizontal Astragal Bars
Head Drip	None
Hinge System	Pivot with Kenrick locks (with night vent)
Peg Stay Alignment	Opening end pointing to handle
Swept Heads	No
Trickle Vents Required	No
Window Board Required	No

CONVENTIONAL COTTAGE WINDOW
ENGINEERED EUROPEAN REDWOOD



QUOTE REF: 4501/1 V5
ITEM REFERENCE: Attic bedroom



Drawing Notes: Viewed from outside. Point of arrow denotes hinge position.

IRONMONGERY OPTIONS



Monkeytail - Black
Handle

Monkeytail - Black
Pegstay

COLOUR CHOICES



Colour
White

SIZE SPECIFICATIONS

Cill	145mm x 68mm (Ext 55mm x 38mm) (external)
Cill Horns	50mm Each Side
Frame Head Size	60mm
Height	1000mm
Size Of Bar	22mm (True Bar)
Width	1100mm


TECHNICAL SPECIFICATIONS

Add Ons Required	No
Cill Species	Engineered European Redwood
Dummy Hinges	None
FSC® Certified	Yes
Feature Mould	Ovolo
Glass Pattern	Clear
Glass Type	4mm Tgh/6mm Krypton/4mm Tgh LowE (Putty Glazed)
Glazing Features	Horizontal Astragal Bars
Head Drip	None
Hinge System	Pivot with Kenrick locks (with night vent)
Peg Stay Alignment	Opening end pointing to handle
Swept Heads	No
Trickle Vents Required	No
Window Board Required	No

CONVENTIONAL COTTAGE WINDOW
ENGINEERED EUROPEAN REDWOOD



QUOTE REF: 4501/1 V5
ITEM REFERENCE: Rear bed W1



Drawing Notes: Viewed from outside. Point of arrow denotes hinge position.

IRONMONGERY OPTIONS



Monkeytail - Black
Handle

Monkeytail - Black
Pegstay

COLOUR CHOICES



Colour
White

SIZE SPECIFICATIONS

Cill	145mm x 68mm (Ext 55mm x 38mm) (external)
Cill Horns	50mm Each Side
Frame Head Size	60mm
Height	1100mm
Size Of Bar	22mm (True Bar)
Width	1100mm


TECHNICAL SPECIFICATIONS

Add Ons Required	No
Cill Species	Engineered European Redwood
Dummy Hinges	None
FSC® Certified	Yes
Feature Mould	Ovolo
Glass Pattern	Clear
Glass Type	4mm Anl/6mm Krypton/4mm Anl LowE (Putty Glazed)
Glazing Features	Astragal Squares
Head Drip	None
Hinge System	Pivot with Kenrick locks (with night vent)
Peg Stay Alignment	Opening end pointing to handle
Swept Heads	No
Trickle Vents Required	No
Window Board Required	No

CONVENTIONAL COTTAGE WINDOW
ENGINEERED EUROPEAN REDWOOD



QUOTE REF: 4501/1 V5
ITEM REFERENCE: Rear bed W2



Drawing Notes: Viewed from outside. Point of arrow denotes hinge position.

IRONMONGERY OPTIONS



Monkeytail - Black
Handle

Monkeytail - Black
Pegstay

COLOUR CHOICES



Colour
White

SIZE SPECIFICATIONS

Cill	145mm x 68mm (Ext 55mm x 38mm) (external)
Cill Horns	50mm Each Side
Frame Head Size	60mm
Height	950mm
Size Of Bar	22mm (True Bar)
Width	860mm


TECHNICAL SPECIFICATIONS

Add Ons Required	No
Cill Species	Engineered European Redwood
Dummy Hinges	None
FSC® Certified	Yes
Feature Mould	Ovolo
Glass Pattern	Clear
Glass Type	4mm Tgh/6mm Krypton/4mm Tgh LowE (Putty Glazed)
Glazing Features	Horizontal Astragal Bars
Head Drip	None
Hinge System	Pivot with Kenrick locks (with night vent)
Peg Stay Alignment	Opening end pointing to handle
Swept Heads	No
Trickle Vents Required	No
Window Board Required	No

CONVENTIONAL COTTAGE WINDOW
ENGINEERED EUROPEAN REDWOOD



QUOTE REF: 4501/1 V5
ITEM REFERENCE: Study/bedroom



Drawing Notes: Viewed from outside. Point of arrow denotes hinge position.

IRONMONGERY OPTIONS



Monkeytail - Black
Handle



Monkeytail - Black
Pegstay

COLOUR CHOICES



Colour
White


SIZE SPECIFICATIONS

Cill	145mm x 68mm (Ext 55mm x 38mm) (external)
Cill Horns	50mm Each Side
Frame Head Size	60mm
Height	1150mm
Size Of Bar	22mm (True Bar)
Width	1050mm

TECHNICAL SPECIFICATIONS

Add Ons Required	No
Cill Species	Engineered European Redwood
Dummy Hinges	None
FSC® Certified	Yes
Feature Mould	Ovolo
Glass Pattern	Clear
Glass Type	4mm Anl/6mm Krypton/4mm Anl LowE (Putty Glazed)
Glazing Features	Astragal Squares
Head Drip	None
Hinge System	Pivot with Kenrick locks (with night vent)
Peg Stay Alignment	Opening end pointing to handle
Swept Heads	No
Trickle Vents Required	No
Window Board Required	No

QUOTE REF: 4501/1 V5
ITEM REFERENCE: Landing



Drawing Notes: Viewed from outside. Point of arrow denotes hinge position.

IRONMONGERY OPTIONS



Monkeytail - Black
Handle

COLOUR CHOICES



Colour
White

SIZE SPECIFICATIONS

Cill	145mm x 68mm (Ext 55mm x 38mm) (external)
Cill Horns	50mm Each Side
Frame Head Size	60mm
Height	700mm
Width	750mm


TECHNICAL SPECIFICATIONS

Add Ons Required	No
Cill Species	Engineered European Redwood
FSC® Certified	Yes
Feature Mould	Ovolo
Glass Pattern	Clear
Glass Type	4mm Tgh/6mm Krypton/4mm Tgh LowE (Putty Glazed)
Glazing Features	None
Head Drip	None
Hinge System	Friction with Kenrick locks (with night vent)
Swept Heads	No
Trickle Vents Required	No
Window Board Required	No

FRENCH DOOR
ENGINEERED EUROPEAN REDWOOD



QUOTE REF: 4501/1 V5
ITEM REFERENCE: French doors



Drawing Notes: Viewed from outside. Arrow denotes hinge position.
Drawings do not depict knockers, spy holes, security chains or doorknobs. Refer to brochure for full glazing configurations.

IRONMONGERY OPTIONS



Cottage - Black Handle
(Kaba)

COLOUR CHOICES



Frame Colour
White



Sash Colour
White



Cill Colour
Wenge

SIZE SPECIFICATIONS

Cill Type	35mm Flush Cill (inc. in overall ht)
Frame Head Size	60mm
Overall Height	2054mm
Overall Width	1400mm
Size Of Bar	22mm (True Bar)
Stiles & Rails	95mm

TECHNICAL SPECIFICATIONS

Add Ons Required	No
Cill Species	Engineered Meranti
Door Knocker	No
Door Opens	Out
Door Sash Glass Pattern	Clear
Door Sash Glazing Features	Astragal Squares
Door Sash Style	Apsley
External Access	Yes
FSC® Certified	No
Feature Mould	Ovolo
Glass Type	4mm Toughened (14mm Putty)
Head Drip	None
Hinge Colour	Black
Letterbox	None
Primary	Left
Security Chain	None
Threshold Colour	Black
Trickle Vents Required	No


NOTES

Height to be 1850mm

ENTRANCE DOOR
ENGINEERED EUROPEAN REDWOOD



QUOTE REF: 4501/1 V5
ITEM REFERENCE: Back door



Drawing Notes: Viewed from outside. Arrow denotes hinge position.
Drawings do not depict knockers, spy holes, security chains or doorknobs. Refer to brochure for full glazing configurations.

IRONMONGERY OPTIONS



Cottage - Black Handle
(Kaba)

COLOUR CHOICES



Frame Colour
White



Sash Colour
White



Cill Colour
Wenge

SIZE SPECIFICATIONS

Cill Type	35mm Flush Cill (inc. in overall ht)
Frame Head Size	60mm
Mid-Rail Height	850mm
Overall Height	1909mm
Overall Width	820mm
Size Of Bar	22mm (True Bar)
Stiles & Rails	110mm


TECHNICAL SPECIFICATIONS

Add Ons Required	No
Cill Species	Engineered Meranti
Door Knocker	No
Door Opens	Out
Door Panel(s)	Plank Effect (Putty Bolection Mould)
Door Restrictor Arm	Yes - Qty: 1 (Entrance)
Door Sash Glass Pattern	Clear
Door Sash Glazing Features	Astragal Squares
Door Sash Style	Stratfield
External Access	Yes
FSC® Certified	No
Feature Mould	Ovolo
Glass Type	4mm Toughened (14mm Putty)
Head Drip	None
Hinge Colour	Black
Hinge Side	Right
Letterbox	None
Security Chain	None
Threshold Colour	Black
Thumb Turn Required	Yes (Kaba)
Trickle Vents Required	No

ENTRANCE DOOR
ENGINEERED EUROPEAN REDWOOD



QUOTE REF: 4501/1 V5
ITEM REFERENCE: Kitchen door



Drawing Notes: Viewed from outside. Arrow denotes hinge position.
Drawings do not depict knockers, spy holes, security chains or doorknobs. Refer to brochure for full glazing configurations.

IRONMONGERY OPTIONS



Cottage - Black Handle
(Kaba)

COLOUR CHOICES



Frame Colour
White



Sash Colour
White



Cill Colour
Wenge

SIZE SPECIFICATIONS

Cill Type	35mm Flush Cill (inc. in overall ht)
Frame Head Size	60mm
Mid-Rail Height	850mm
Overall Height	1909mm
Overall Width	900mm
Size Of Bar	22mm (True Bar)
Stiles & Rails	110mm


TECHNICAL SPECIFICATIONS

Add Ons Required	No
Cill Species	Engineered Meranti
Door Knocker	No
Door Opens	In
Door Panel(s)	Plank Effect (Putty Bolection Mould)
Door Restrictor Arm	Yes - Qty: 1 (Entrance)
Door Sash Glass Pattern	Clear
Door Sash Glazing Features	Astragal Squares
Door Sash Style	Stratfield
External Access	Yes
FSC® Certified	No
Feature Mould	Ovolo
Glass Type	4mm Toughened (14mm Putty)
Head Drip	None
Hinge Colour	Black
Hinge Side	Left
Letterbox	None
Security Chain	None
Threshold Colour	Black
Thumb Turn Required	Yes (Kaba)
Trickle Vents Required	No

ENTRANCE DOOR
ENGINEERED EUROPEAN REDWOOD



QUOTE REF: 4501/1 V5
ITEM REFERENCE: Dining room door



Drawing Notes: Viewed from outside. Arrow denotes hinge position.
Drawings do not depict knockers, spy holes, security chains or doorknobs. Refer to brochure for full glazing configurations.

SIZE SPECIFICATIONS	
Cill Type	60mm Flush Cill (inc. in overall ht)
Frame Head Size	60mm
Overall Height	1934mm
Overall Width	940mm
Size Of Bar	22mm (True Bar)
Stiles & Rails	110mm

TECHNICAL SPECIFICATIONS	
Add Ons Required	No
Cill Species	Engineered Meranti
Door Knocker	No
Door Opens	In
Door Sash Glass Pattern	Clear
Door Sash Glazing Features	Astragal Squares
Door Sash Style	Apsley
External Access	Yes
FSC® Certified	No
Feature Mould	Ovolo
Glass Type	4mm Toughened (14mm Putty)
Head Drip	None
Hinge Colour	Black
Hinge Side	Left
Letterbox	None
Security Chain	None
Threshold Colour	Black
Thumb Turn Required	Yes (Kaba)
Trickle Vents Required	No

IRONMONGERY OPTIONS



Cottage - Black Handle
(Kaba)

COLOUR CHOICES



Frame Colour
White



Sash Colour
White



Cill Colour
Wenge



WHAT MAKES OUR PRODUCTS SPECIAL?

All of our windows and doors are bespoke; this means they are made to the exact requirements of you the customer and of your home. They combine traditional or contemporary appearance with 21st century advances in security and insulation.



Frames are manufactured using quality, seasoned engineered timber – which provides resistance against twisting and jamming as the opposing grains even out natural moisture movement.



Comprehensive insurance backed guarantees of up to 30 years – covering your deposits and your installation for added piece of mind.



Four stage factory sprayed micro-porous coatings – ensure a pristine, low maintenance finish with a guarantee to the term of 12 years on paint finishes and up to 6 years on stained without the need for redecoration.



Factory fitted energy saving double glazed units – which are almost twice as effective at retaining heat as regular double glazing. Heat reflective coatings and argon filled units provide a class leading U-value of 1.1 W/m²K.



Internally beaded glass – means more secure windows and doors as the glazing cannot be removed from the outside. The bead of externally glazed products is always a point for water ingress, rot and can lead to premature unit failure.



Windows are fitted with perimeter locking systems – which pull the opening window tight against the seals for security, heat insulation and noise insulation. All window handles are key locking to meet current insurance requirements.



Doors are fitted with full height locking systems – and solid brass or stainless steel hinges for security and weather tightness. Cylinders are snap-safe, anti-bump, anti-pick and anti-drill to combat modern methods of burglary.



Vented and drained double glazed units – allow moisture to escape and air to flow around the seals to prevent premature misting and failure of the glass. Units carry a 10 year guarantee.



Dual colour and colour matching available – we are able to offer a range of colours that complement those from well-known paint brands such as Farrow & Ball, Fired Earth and RAL colours.



A huge choice of traditional and contemporary hardware – to suit all types of property. Choose from a purpose designed suite from Samuel Heath and a range of traditional ironmongery designed by 'Timber Windows'.



Selection of astragal glazing bar sizes – to choose from. Bars are manufactured as a separate cassette which is preassembled and jointed with screws and staples. It is then bonded to the glass, pinned into the frame and sealed with a 'flexi-seal'. This avoids the problems associated with joinery products when bars are mitred and individually double-sided taped to the glass with no additional protection.

HIGH PERFORMANCE ENGINEERED TIMBER PRODUCTS