




Technical Drawing

File Name: Vistry Plots 1–9 - Retail Units__SQ164803_FRD00158339-Rev1
Quote Note:
Drawing Note:

Pull View



Push View



Door Handle




Inward Right

Threshold Type



AM3

Frame Profile



Fire Rated



Yes

Acoustic



NPD

U Value



NPD

Security Rated



No

Sign

Name

Date

Reference		
Drawn By	John Burwood - 31/01/2025	
Quote No	SQ164803	
Quantity	1	Page No. 3
Door Ref. ID	Vistry Plots 1–9 - Retail Units - ED07 – Plant room	
Customer	Christchurch Timber & Trading	

Specification	
Frame Type	Single Rebate - 104mm
Door Type	Double-External-
Structural Size	1570(w) x 2370(h) mm
Door Colour	RAL 7016 - Anthracite Grey
Frame Colour	RAL 7016 - Anthracite Grey
Fire Rating	E60
Selected Template :-	Default
Door Name Options :-	Firedor
Fixing Kit :-	Brick Fix Kit
Infill Type :-	Honeycomb Core
Expandable Frame :-	Yes
Strengthen Leaf :-	Leaf strengthenng plate Pull Side 600mm x 200mm top hinge side
Leaf Undercut:-	19 mm
Fixing Points:-	Std
Leaf size as per:-	44mm
Door Opening Angle :-	90 Degrees
C.O.W. (Excl. Hardware) :-	1359 mm
Hinge Type :-	Standard
Thresholds :-	AM3
Astragal :-	Double Astragal

Hardware: -	
1x Briton B5420 Sashlock Radius	
2x 19mm dia Safety Lever Handles on Sprung Rose	
1x Euro Double Cylinder 70mm / SC	
1x Satin Stainless Steel 7mm Euro Escutcheon	
1x Escutcheon Bolt thru fixing packs	
2x Flush Bolts	
2x Flush Bolts- Top & Bottom	
2x Dorma TS83 EN3-6 FRX Closer Silver Inward opening	
1x Aluminium Rain Drip SUPPLIED LOOSE	
2x -Qty:1	
4x Fire Door Keep Shut	

Vision/Louvre Panel: -	
None	

Over/Side Panel: -	
None	


Technical Drawing

File Name: Vistry Plots 1-9 - Retail Units__SQ164803_SD00344139-Rev1






Quote Note:

Drawing Note:

Pull View



Push View



Sign

Name

Date

Reference		
Drawn By	John Burwood - 31/01/2025	
Quote No	SQ164803	
Quantity	1	Page No. 6
Door Ref. ID	Vistry Plots 1-9 - Retail Units - ED11 - Retail Refuse store	
Customer	Christchurch Timber & Trading	

Specification	
Frame Type	Single Rebate - 104mm
Door Type	Double-External-
Structural Size	2030(w) x 2370(h) mm
Door Colour	RAL 7016 - Anthracite Grey
Frame Colour	RAL 7016 - Anthracite Grey
Fire Rating	NPD
Selected Template :-	Default
Door Name Options :-	Steeldor
Fixing Kit :-	Brick Fix Kit
Infill Type :-	Honeycomb Core
Expandable Frame :-	Yes
Strengthen Leaf :-	Standard Leaf
Leaf Undercut:-	4 mm
Fixing Points:-	Std
Leaf size as per:-	44mm
Door Opening Angle :-	90 Degrees
C.O.W. (Excl. Hardware) :-	1819 mm
Hinge Type :-	Standard
Thresholds :-	Standard 96mm Threshold
Astraqal :-	Double Astraqal

Hardware: -

1x Briton B5420 Sashlock Radius
1x Euro Double Cylinder 70mm / SC
1x Satin Stainless Steel 7mm Euro Escutcheon
1x Escutcheon Bolt thru fixing packs
1x Borg 5000 Standard (Sashlock & Latch)
2x -Qty:1

Vision/Louvre Panel: -

None


Over/Side Panel: -

None







File Name: Vistry Plots 1-9 - Retail Units__SQ164803_SD00344140-Rev1
Quote Note:
Drawing Note:

Pull View



Push View



Reference		
Drawn By	John Burwood - 31/01/2025	
Quote No	SQ164803	
Quantity	1	Page No. 7
Door Ref. ID	Vistry Plots 1-9 - Retail Units - ED12 - Apartment refuse store	
Customer	Christchurch Timber & Trading	

Specification	
Frame Type	Single Rebate - 104mm
Door Type	Double-External-
Structural Size	2020(w) x 2370(h) mm
Door Colour	RAL 7016 - Anthracite Grey
Frame Colour	RAL 7016 - Anthracite Grey
Fire Rating	NPD
Selected Template :-	Default
Door Name Options :-	Steeldor
Fixing Kit :-	Brick Fix Kit
Infill Type :-	Honeycomb Core
Expandable Frame :-	Yes
Strengthen Leaf :-	Standard Leaf
Leaf Undercut:-	4 mm
Fixing Points:-	Std
Leaf size as per:-	44mm
Door Opening Angle :-	90 Degrees
C.O.W. (Excl. Hardware) :-	1809 mm
Hinge Type :-	Standard
Thresholds :-	Standard 96mm Threshold
Astragal :-	Double Astragal

Hardware: -
1x Briton B5420 Sashlock Radius
1x Euro Double Cylinder 70mm / SC
1x Satin Stainless Steel 7mm Euro Escutcheon
1x Escutcheon Bolt thru fixing packs
1x Borg 5000 Standard (Sashlock & Latch)
2x -Qty:1

Vision/Louvre Panel: -
None

Over/Side Panel: -
None


Sign _____
 Name _____
 Date _____




Technical Drawing

File Name: Vistry Plots 1–9 - Retail Units__SQ164803_SD00344141-Rev1
Quote Note:
Drawing Note:

Pull View



Push View



Door Handle

Outward Right

Threshold Type

Standard 96mm

Frame Profile

Fire Rated

No

Acoustic

NPD

U Value

NPD

Security Rated

No

Sign

Name

Date

Reference		
Drawn By	John Burwood - 31/01/2025	
Quote No	SQ164803	
Quantity	1	Page No. 8
Door Ref. ID	Vistry Plots 1–9 - Retail Units - ED13 – Retail Refuse store	
Customer	Christchurch Timber & Trading	

Specification	
Frame Type	Single Rebate - 104mm
Door Type	Single-External-
Structural Size	1130(w) x 2370(h) mm
Door Colour	RAL 7016 - Anthracite Grey
Frame Colour	RAL 7016 - Anthracite Grey
Fire Rating	NPD
Selected Template :-	Default
Door Name Options :-	Steeldor
Fixing Kit :-	Brick Fix Kit
Infill Type :-	Honeycomb Core
Expandable Frame :-	Yes
Strengthen Leaf :-	Standard Leaf
Leaf Undercut:-	4 mm
Fixing Points:-	Std
Leaf size as per:-	44mm
Door Opening Angle :-	90 Degrees
C.O.W. (Excl. Hardware) :-	949 mm
Hinge Type :-	Standard
Thresholds :-	Standard 96mm Threshold
Astragal :-	Single Astragal

Hardware: -	
1x Briton B5420 Sashlock Radius	
1x Euro Double Cylinder 70mm / SC	
1x Satin Stainless Steel 7mm Euro Escutcheon	
1x Escutcheon Bolt thru fixing packs	
1x Borg 5000 Standard (Sashlock & Latch)	
2x -Qty:1	

Vision/Louvre Panel: -	
None	


Over/Side Panel: -	
None	




Technical Drawing

File Name: Vistry Plots 1–9 - Retail Units__SQ164803_SD00344142-Rev1
Quote Note:
Drawing Note:

Pull View



Push View



Door Handle

Outward Right

Threshold Type

Standard 96mm

Frame Profile

Fire Rated

No

Acoustic

NPD

U Value

NPD

Security Rated

No

Sign

Name

Date

Reference		
Drawn By	John Burwood - 31/01/2025	
Quote No	SQ164803	
Quantity	1	Page No. 9
Door Ref. ID	Vistry Plots 1–9 - Retail Units - ED14 – Retail Bike store	
Customer	Christchurch Timber & Trading	

Specification	
Frame Type	Single Rebate - 104mm
Door Type	Single-External-
Structural Size	1130(w) x 2370(h) mm
Door Colour	RAL 7016 - Anthracite Grey
Frame Colour	RAL 7016 - Anthracite Grey
Fire Rating	NPD
Selected Template :-	Default
Door Name Options :-	Steeldor
Fixing Kit :-	Brick Fix Kit
Infill Type :-	Honeycomb Core
Expandable Frame :-	Yes
Strengthen Leaf :-	Standard Leaf
Leaf Undercut:-	4 mm
Fixing Points:-	Std
Leaf size as per:-	44mm
Door Opening Angle :-	90 Degrees
C.O.W. (Excl. Hardware) :-	949 mm
Hinge Type :-	Standard
Thresholds :-	Standard 96mm Threshold
Astragal :-	Single Astragal

Hardware: -	
1x Briton B5420 Sashlock Radius	
1x Euro Double Cylinder 70mm / SC	
1x Satin Stainless Steel 7mm Euro Escutcheon	
1x Escutcheon Bolt thru fixing packs	
1x Borg 5000 Standard (Sashlock & Latch)	
2x -Qty:1	

Vision/Louvre Panel: -	
None	

Over/Side Panel: -	
None	