



Peelaway 1  
PreviousNext


•



Peelaway® 1

**Product description:**

**Peelaway<sup>®</sup> 1 Paint & Varnish Remover** is formulated to remove multiple layers of old toxic lead paint from ornate plaster ceilings and cornices, bricks, masonry, steel, cast iron and woodwork. **Peelaway 1** is water-based alkaline formulation and most often used for restoration projects involving multi-layers of oil-based paints where the stripping compound is formulated to quickly react with the paint resins and convert any lead present into a compound that can be safely disposed of without endangering the environment.



Always carry out a test patch first.

**We can not state enough how important it is to carry out a test patch before general use. For full instructions before beginning any project refer to the 'Test Patch' tab at the bottom of this page.**

Each project can potentially give different results and this is why it is imperative to carry out Test Patches. Leaving on for not long enough could mean the process has not been completed. Leaving on too long could damage the substrate or you may find the **Peelaway<sup>®</sup>** blanket and paste becomes too hard and difficult to clean up.

**Peelaway 1<sup>®</sup>** is a high pH product, so it can penetrate and react with the oil/lead content of multi-layers of older coatings, this means that the stripped surface should be neutralised with a weak solution of acetic acid (supplied with the packs) and left to dry thoroughly before repainting. However, if the surface is not to be repainted, the pH or moisture content of the surface is not so critical.

**TECHNICAL INFORMATION: Guidance for removing Peelaway residue.**

**This guidance is specific to Peelaway residues post-stripping. Before using Peelaway Products, always read the full guidance and product label before use, which is available at <https://peelaway.co.uk/137/application>**



([Guidance for removing Peelaway residue](#))

**SIZES:**

**1 x 5 Kg, 1 x 15Kg**

- 
- [Why Choose Peelaway?](#)
  - [Why Trust Peelaway?](#)
  - [Quick Guide & Checklist](#)
  - [Test Patches](#)

The system will remove paint from many exterior and interior architectural surfaces, including stone, cement, brickwork, plaster walls and ceilings, plain and ornate fibrous plaster cornices, plain and carved or turned woodwork, plain and cast metal work. Automobile, aircraft and marine coatings are also

efficiently stripped with the **Peelaway<sup>®</sup>** system. Because the chemicals are doing the stripping work with minimal sanding and scraping required

compared to other methods the **Peelaway<sup>®</sup>** Poultice Paint Removal System can be very cost effective – substantially reducing the overall amount of labour required for the stripping project and the need for negative air and debris collection that is often very labour and equipment intensive.



## How can we help?



### [Application](#)

Easy to apply and easy to remove

[Learn More](#)



### [Where To Buy](#)

A list of our select stockists

[Learn More](#)



### [Video Guides](#)

Our step by step guide to success.

[Learn More](#)